

Lr. No.SVEC/ME/APSSDC-Siemens/01, Dated:08-8-2021

08.08.2021.

From
The Principal,
Sree Vidyanikethan Engineering College
Tirupati

To
The Managing Director & CEO,
Andhra Pradesh State Skill
Development Corporation,
Tadepalli, A.P. - 522 501.

Dear Sir,


Sub : APSSDC – Siemens project – Transfer of total assets relating our Siemens centre to the Joint Operational Control of APSSDC and our institution and handing over of stock registers to the APSSDC –Fact submitted – Regarding.

Ref : 1. Your Lr.No.002/APSSDC-54022(32)/1/2018-PROJECTS,
Dt. 02-11-2020.

In the letter 1st cited, it was requested to take over the total assets relating our centre by the joint operational control of APSSDC and our institution. Accordingly, total assets relating to our Siemens centre were taken over by the joint operational control in good working condition and stock registers duly signed were also handed over to APSSDC.

This is submitted for favour of information and necessary action.

Yours faithfully,


PRINCIPAL
PRINCIPAL
SREE VIDYANIKETHAN ENGINEERING COLLEGE
(AUTONOMOUS)
Sree Sainath Nagar, A. RANGAMPET
Chittoor (Dist.) - 517 102, A.P., INDIA.


(SVEC)



- ☎ Sree Sainath Nagar, Tirupati,
Andhra Pradesh - 517 102.
- ☎ +91-877-2504888 / 9160999977
- ☎ www.vidyanikethan.edu

SREE VIDYANIKETHAN ENGINEERING COLLEGE, TIRUPATI
 APPROVED BY AICTE, APPROVED BY JNTU, REGISTERS BY RMA, DATE 2/1/2010

| SPECIALIZED BODY | | MEMBER | STATUS | REMARKS |
|------------------|-----------------------|----------|--------|---------|
| 1 | MR. M. MOHAN BABU | CHAIRMAN | REG | |
| 2 | MR. M. VISWANATHAN | MEMBER | REG | |
| 3 | MR. M. S. SURESH | MEMBER | REG | |
| 4 | MR. P. J. SURESH BABU | MEMBER | REG | |
| 5 | MR. C. S. SURESH BABU | MEMBER | REG | |
| 6 | MR. S. SURESH BABU | MEMBER | REG | |
| 7 | MR. S. SURESH BABU | MEMBER | REG | |
| 8 | MR. S. SURESH BABU | MEMBER | REG | |
| 9 | MR. S. SURESH BABU | MEMBER | REG | |
| 10 | MR. S. SURESH BABU | MEMBER | REG | |
| 11 | MR. S. SURESH BABU | MEMBER | REG | |
| 12 | MR. S. SURESH BABU | MEMBER | REG | |
| 13 | MR. S. SURESH BABU | MEMBER | REG | |
| 14 | MR. S. SURESH BABU | MEMBER | REG | |
| 15 | MR. S. SURESH BABU | MEMBER | REG | |
| 16 | MR. S. SURESH BABU | MEMBER | REG | |
| 17 | MR. S. SURESH BABU | MEMBER | REG | |
| 18 | MR. S. SURESH BABU | MEMBER | REG | |
| 19 | MR. S. SURESH BABU | MEMBER | REG | |
| 20 | MR. S. SURESH BABU | MEMBER | REG | |
| 21 | MR. S. SURESH BABU | MEMBER | REG | |
| 22 | MR. S. SURESH BABU | MEMBER | REG | |
| 23 | MR. S. SURESH BABU | MEMBER | REG | |
| 24 | MR. S. SURESH BABU | MEMBER | REG | |
| 25 | MR. S. SURESH BABU | MEMBER | REG | |
| 26 | MR. S. SURESH BABU | MEMBER | REG | |
| 27 | MR. S. SURESH BABU | MEMBER | REG | |
| 28 | MR. S. SURESH BABU | MEMBER | REG | |
| 29 | MR. S. SURESH BABU | MEMBER | REG | |
| 30 | MR. S. SURESH BABU | MEMBER | REG | |
| 31 | MR. S. SURESH BABU | MEMBER | REG | |
| 32 | MR. S. SURESH BABU | MEMBER | REG | |
| 33 | MR. S. SURESH BABU | MEMBER | REG | |
| 34 | MR. S. SURESH BABU | MEMBER | REG | |
| 35 | MR. S. SURESH BABU | MEMBER | REG | |
| 36 | MR. S. SURESH BABU | MEMBER | REG | |
| 37 | MR. S. SURESH BABU | MEMBER | REG | |
| 38 | MR. S. SURESH BABU | MEMBER | REG | |
| 39 | MR. S. SURESH BABU | MEMBER | REG | |
| 40 | MR. S. SURESH BABU | MEMBER | REG | |
| 41 | MR. S. SURESH BABU | MEMBER | REG | |
| 42 | MR. S. SURESH BABU | MEMBER | REG | |
| 43 | MR. S. SURESH BABU | MEMBER | REG | |
| 44 | MR. S. SURESH BABU | MEMBER | REG | |
| 45 | MR. S. SURESH BABU | MEMBER | REG | |
| 46 | MR. S. SURESH BABU | MEMBER | REG | |
| 47 | MR. S. SURESH BABU | MEMBER | REG | |
| 48 | MR. S. SURESH BABU | MEMBER | REG | |
| 49 | MR. S. SURESH BABU | MEMBER | REG | |
| 50 | MR. S. SURESH BABU | MEMBER | REG | |
| 51 | MR. S. SURESH BABU | MEMBER | REG | |
| 52 | MR. S. SURESH BABU | MEMBER | REG | |
| 53 | MR. S. SURESH BABU | MEMBER | REG | |
| 54 | MR. S. SURESH BABU | MEMBER | REG | |
| 55 | MR. S. SURESH BABU | MEMBER | REG | |
| 56 | MR. S. SURESH BABU | MEMBER | REG | |
| 57 | MR. S. SURESH BABU | MEMBER | REG | |
| 58 | MR. S. SURESH BABU | MEMBER | REG | |
| 59 | MR. S. SURESH BABU | MEMBER | REG | |
| 60 | MR. S. SURESH BABU | MEMBER | REG | |
| 61 | MR. S. SURESH BABU | MEMBER | REG | |
| 62 | MR. S. SURESH BABU | MEMBER | REG | |
| 63 | MR. S. SURESH BABU | MEMBER | REG | |
| 64 | MR. S. SURESH BABU | MEMBER | REG | |
| 65 | MR. S. SURESH BABU | MEMBER | REG | |
| 66 | MR. S. SURESH BABU | MEMBER | REG | |
| 67 | MR. S. SURESH BABU | MEMBER | REG | |
| 68 | MR. S. SURESH BABU | MEMBER | REG | |
| 69 | MR. S. SURESH BABU | MEMBER | REG | |
| 70 | MR. S. SURESH BABU | MEMBER | REG | |
| 71 | MR. S. SURESH BABU | MEMBER | REG | |
| 72 | MR. S. SURESH BABU | MEMBER | REG | |
| 73 | MR. S. SURESH BABU | MEMBER | REG | |
| 74 | MR. S. SURESH BABU | MEMBER | REG | |
| 75 | MR. S. SURESH BABU | MEMBER | REG | |
| 76 | MR. S. SURESH BABU | MEMBER | REG | |
| 77 | MR. S. SURESH BABU | MEMBER | REG | |
| 78 | MR. S. SURESH BABU | MEMBER | REG | |
| 79 | MR. S. SURESH BABU | MEMBER | REG | |
| 80 | MR. S. SURESH BABU | MEMBER | REG | |
| 81 | MR. S. SURESH BABU | MEMBER | REG | |
| 82 | MR. S. SURESH BABU | MEMBER | REG | |
| 83 | MR. S. SURESH BABU | MEMBER | REG | |
| 84 | MR. S. SURESH BABU | MEMBER | REG | |
| 85 | MR. S. SURESH BABU | MEMBER | REG | |
| 86 | MR. S. SURESH BABU | MEMBER | REG | |
| 87 | MR. S. SURESH BABU | MEMBER | REG | |
| 88 | MR. S. SURESH BABU | MEMBER | REG | |
| 89 | MR. S. SURESH BABU | MEMBER | REG | |
| 90 | MR. S. SURESH BABU | MEMBER | REG | |
| 91 | MR. S. SURESH BABU | MEMBER | REG | |
| 92 | MR. S. SURESH BABU | MEMBER | REG | |
| 93 | MR. S. SURESH BABU | MEMBER | REG | |
| 94 | MR. S. SURESH BABU | MEMBER | REG | |
| 95 | MR. S. SURESH BABU | MEMBER | REG | |
| 96 | MR. S. SURESH BABU | MEMBER | REG | |
| 97 | MR. S. SURESH BABU | MEMBER | REG | |
| 98 | MR. S. SURESH BABU | MEMBER | REG | |
| 99 | MR. S. SURESH BABU | MEMBER | REG | |
| 100 | MR. S. SURESH BABU | MEMBER | REG | |



**SREE VIDYANIKETHAN ENGINEERING COLLEGE,
TIRUPATI**

DesignTech Systems L

Regional Office -

Door No. 5-21-214, Ass No 8664(Old) 22829 (New),
Shop No.104, 1st Floor, 2nd Line First Cross Road,
Brodipet, Guntur - 522 002, Andhra Pradesh.

info@designtechsys.com

www.designtechsys.com

CIN-U72200MH1998PLC113636

Tax Invoice

| | | | |
|---|--|--|---------------------------|
| Consigner Details | | Date of Supply : 31/08/2017 | Invoice No. : 26026 |
| GSTIN : 37AABCD2335F1Z1 | | Time of Supply : 12:45 | Invoice Date : 31/08/2017 |
| PAN : | | Place of Supply/ Delivery : Andhra Pradesh | Customer Order No. : |
| Details of Receiver (Billed To) | | Details of Consignee (Shipped To) | |
| Customer Code : C03547 | | | |
| Name : Andhra Pradesh State Skill Development Corp-24 | | Name : Sree Vidyanikethan Engineering College (Autonomous) | |
| Andhra Pradesh State Skill Development Corporation, Skill Development Center, Government Polytechnic, Vijayawada - 520008 | | A Rangampet, Chandragiri Mandal, Near Tirupati, Sree Sainath Nagar, | |
| INDIA | | Dist.Chittoor. - 517102 | |
| State : Andhra Pradesh | | INDIA | |
| State Code : 28 | | State : Andhra Pradesh | |
| GSTIN No. : 37AAMCA9565H1Z3 | | State Code : 28 | |
| Our Bankers : | | GSTIN No. : | |
| Bank Name : ICICI Bank | | Our Bankers : | |
| Branch Address : MIT Branch, Bandal Space, Paud Road, Kothrud Pune 411 038 | | Bank Name : State Bank of India | |
| A/c No. : 649305050525 | | Branch Address : Commercial Branch, 101 & 102 Next Gen. Avenue 1st Floor, Bahiratwadi Crossword Lane, Senapati Bapat Road Pune 411 016 | |
| IFSC Code : ICIC0006493 | | A/c No. : 33615452593 | |
| MICR Code : 411229026 | | IFSC Code : SBIN0004108 | |
| | | MICR Code : 411002050 | |

| S.No. | Part Code | Description of Goods | HSN/SAC Code | Qty | UOM | Rate | Amount | Disc. | Taxable Value | CGST | SGST | Total | |
|--------------|----------------|--------------------------------------|--------------|------|-----|------------|-------------------|-------|-------------------|--------|------------------|--------|------------------|
| | | | | | | | | | Rate % | Amount | Rate % | Amount | |
| 1 | Control Pannel | Control Pannel with 3 years Warranty | 90230010 | 1.00 | NO | 542,539.00 | 542,539.00 | 0 | 542,539.00 | 14 | 75,955.46 | 14 | 75,955.46 |
| 2 | Starter Motor | Starter Motor with 3 years Warranty | 90230010 | 2.00 | NO | 0.00 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 |
| 3 | Transformer | Transformer with 3 years Warranty | 90230010 | 1.00 | NO | 0.00 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 |
| Total | | | | | | | 542,539.00 | | 542,539.00 | | 75,955.46 | | 75,955.46 |


| | |
|-------------------------|------------|
| Total Amount Before Tax | 542,539.00 |
| CGST @ 14.00% | 75,955.46 |
| SGST @ 14.00% | 75,955.46 |
| Tax Amount GST | 151,910.92 |
| Total Amount After Tax | 694,449.92 |

Total Invoice Value (In Words) : Rupees Six Lakhs Ninety Four Thousand Four Hundred And Fifty Only

Amount Tax Subject to Reverse Charge
(Less): Advance Received

Total Amount Due from you (In Figure):

Remarks : 694,449.92



Overdue interest @ 18% will be charged if payment is not received before due date
Certified that the Particulars given above are true and correct and the amount indicated

For DesignTech Systems Limited

(Signature)
Authorized Signatory

Electronic Reference Number

DesignTech Systems

DesignTech Systems Ltd.

Regional Office -

Door No 5-21-214, Ass No 8664 (Old) 22829 (New),
Shop No.104, 1st Floor, 2nd Line First Cross Road,
Brodipet, Guntur - 522 002, Andhra Pradesh.

info@designtechsys.com

www.designtechsys.com

CIN-U72200MH1998PLC113636

TAX INVOICE

INVOICE NO.
DATE

PG 01 of 01
API/1617/880 49
30/03/2017

| | |
|--|--|
| BILL TO | SHIP TO |
| Andhra Pradesh State Skill Development Corporation (APSSDC) Skill Development Center, Government Polytechnic, Vijayawada-520008, Andhra Pradesh, India | Sree Vidyanikethan Engineering College (Autonomous) - Sree Sainath Nagar, A Rangapet, Chandragiri Mandal, Near Tirupati - 517102 |
| Customer reference | Agreement between APSSDC and Siemens Industry Software India P. Ltd. & DesignTech Systems Ltd. |
| Internal reference | GRP |

| Sr. No. | Item Description | Quantity | Value In INR |
|------------------------|--|----------|--------------------|
| 1 | Supply for Electrical Lab as per annex 1 | 1 | 23,82,450 |
| 2 | Supply for Manufacturing Lab as per annex 1 | 1 | 69,27,271 |
| 3 | Supply for Farm Equipment Lab as per annex 1 | 1 | 18,46,853 |
| 4 | Workstation - P310, WIN10_Pro64, DG_Win7 Pro64, Intel Core i5-6400, 8GB Non-ECC 2133MHz UDIMM, AMD Firepro W2100-2 GB Graphic Card, DVI VG 2GB, 500GB SATA HDD 7200 rpm 3.5", Dual Lan Port, Cable Lock, Lenovo Opt Wheel Mouse USB, USB Full Keyboard India EN, Intrusion Switch TWR, 3 Year Onsite Warranty, No Optical Drive, E1922s 18.5" LED Backlit wide monitor, ThinkPad In-Ear Headphones with microphone, Anti Virus MS Defender - Preloaded | 84 | 55,19,739 |
| 5 | Microsoft- Software- MS Home & Student | 84 | 6,69,438 |
| | Sub Total Rs. | | 1,73,45,752 |
| | 14.5% AP VAT On Sr.No.1,2,&3 | | 16,17,703 |
| | 5% AP VAT On Sr.No.4 & 5 | | 3,09,459 |
| | 15% Service Tax On Sr.No.5 | | 1,00,416 |
| | Grand Total | | 1,93,73,330 |
| Amount in words | One Crore Ninety Three Lakh Seventy Three Thousand Three Hundred thirty Only. | | |

For DESIGNTECH SYSTEMS LIMITED

AMadka
Authorised Signatory



DesignTech Systems Ltd.

Head Office -

6. Commerce Centre, Rambaug Colony, Paud Road, Pune - 411 038, Tel: +91 - 20 - 4131 1200 / 1201

Dist. Pune - 412 115 (M)

CIN-U72200MH

TAX INVOICE

PG 01 of 01
 INVOICE NO. API/1617/880109
 DATE 30/03/2017

| BILL TO | SHIP TO |
|--|---|
| Andhra Pradesh State Skill Development Corporation (APSSDC) Skill Development Center, Government Polytechnic, Vijayawada-520008, Andhra Pradesh, India | Sree Vidyanikethan Engineering College (Autonomous) - Sree Sainath Nagar, A Rangampet, Chandragiri Mandal, Near Tirupati - 517102 |
| Customer reference | Agreement between APSSDC and Siemens Industry Software India P. Ltd. & DesignTech Systems Ltd. |
| Internal reference | GRP AP |

| Sr.No. | Item Description | Quantity | Value In INR |
|------------------------|---|---|--------------------|
| 1 | tSDI Design Validation Software | 1 | 30,68,636 |
| 2 | tSDI Design Validation Software Support Services | 1 | 5,47,507 |
| 3 | Running Interactive Learning Contents and Updates for tSDI | 1 | 1,65,00,000 |
| 4 | Installation Commissioning, running of the Centre for 2 years which includes Project Management, Train the Trainers, Running of the Courses & hand holding for 3rd year (also includes cost of transport, freight, Insurance, Loading Unloading, Handling Charges & applicable all Taxes & Deities) | 3 | 2,10,95,127 |
| 5 | tSDI Manufacturing Lab (840D) | 1 | 8,55,986 |
| 6 | tSDI Controls and Mechatronics Software (Sinutran) | 1 | 2,78,750 |
| | Sub Total | | 4,23,46,006 |
| | 5.5% CST Tax On Sr.No.1 | | 1,68,775 |
| | 13.5% CST Tax On Sr.No.5 & 6 | | 1,53,189 |
| | 15% Service Tax On Sr.No.1,2,3&4 | | 61,81,691 |
| | Grand Total | | 4,88,49,660 |
| Amount in words | | Four Crore Eighty Eight Lakh Forty Nine Thousand Six Hundred Sixty Only. | |

For DESIGNTECH SYSTEMS LIMITED


Authorised Signatory

VAT TIN : 27290000904V

CST TIN : 27290000904C

PAN No. AABCD2335F

Service Tax Registration No. AABCD2335FST001



" I / We hereby certify that my / our registration certificate under the Maharashtra Value Added Tax Act 2002 is in force on the date on which the sale of the goods specified in this tax invoice has been effected by me / us and it shall be accounted for in the turnover of sales while filing of return and the due tax, if any, payable on the sale has been paid or shall be paid."

DesignTech Systems Ltd.

Head Office -

6, Commerce Centre, Rambaug Colony, Paud Road, Pune - 411 038, Tel: +91 - 20 - 4131 1200 / 1201

Delivery Challan

INVOICE NO.
DATE

PG 01 of 01
PNQ-APSSDC/ 1617 / PLM-024
22.12.2016

| | | | |
|--|--|--|--------------------------|
| CALL TO | | SHIP TO | |
| Andhra Pradesh State Skill Development Corporation (APSSDC) Skill Development Center, Government Polytechnic, Vijayawada-520008, Andhra Pradesh, India | | Sree Vidyanikethan Engineering College (Autonomous) - Sree Sainath Nagar, A Rangampet, Channarayana Mandal, Near Tirupati - 517102 | |
| Customer reference | | Contact person | Dr. P C Krishnamachary |
| International reference | | Tele | 8772238800 |
| | | E Mail | svcecp@vidyanikethan.edu |
| | | Agreement between APSSDC and Siemens Industry Software India P.Ltd. & Designtech Sytaterna Ltd. | |

| Sl No | Product ID | Description | Quantity/ License |
|--|------------|---|-------------------|
| 01 | SE294 | Solid Edge University Edition Perpetual | 18 |
| 02 | NXCACAD100 | CAM Express Academic Perpetual License NX11 | 15 |
| TOTAL NO OF BOXES : Two Media DVD | | | |

For DESIGNTECH SYSTEMS LIMITED

Amadha
Authorised Signatory

| | | | |
|--|-------------|--------------|--|
| Received the above material in <u>good condition</u> . | | | |
| Name | Designation | Company Seal | |
| Dr. K. C. V. Narayana | Prof & Head | | |
| Signature | Date | | |
| | 30/12/16 | | |

VAT TIN No. 122-0225044
CST TIN No. 122-0225044

Delivery Challan

Delivery No. APP / APSSDC / 1718 / 10006
 DATE 01.08.2017

| BILL TO | SHIP TO |
|--|---|
| Andhra Pradesh State Skill Development Corp-37 Skill Development Center, Government Polytechnic, Andhra Pradesh State Skill Development Corporation, Vijayawada. - 520008 | Sree Vidyanikethan Engineering College (Autonomous) Sree Sainath Nagar, A Rangampet, Chandragiri Mandal, Near Tirupati - 517102, ANDHRA PRADESH |
| | Contact person |
| | Tele |
| | E Mail |
| Customer reference: | Ref. No. Agreement between APSSDC and Siemens Industry Software India P. Ltd. & Designtech Systems Ltd. |

| S. No. | Description of Goods | QTY |
|-------------------------|----------------------|-----|
| 1 | Control panel | 1 |
| 2 | Starter Motor | 2 |
| 3 | Transformer | 1 |
| Total No of Packets : 4 | | |

For DESIGNTECH SYSTEMS LIMITED

[Signature]

Authorised Signatory



| | | |
|---|--------------------------|--------------------|
| Received the above material in good condition | | |
| Name <i>[Signature]</i> | Designation Professor | Company Seal |
| Signature <i>[Signature]</i> | Date 9/8/17 | <i>[Signature]</i> |

Dr. K.C. VARABRASAD
 Professor & Head
 GSTIN: 37AAJCD2355E121
 Sree Vidyanikethan Engineering College
 TIRUPATI - 517102

Design Tech Systems Ltd

Unit 10/11

B. T. Road, near to Sree Vidyanikethan Engineering College, Chandragiri, Party - 517102, Andhra Pradesh

Delivery Challan

Delivery No. PG 01 of 01
 DATE 23.12.2016 APD / APSSDC 617 / 91343

Bill To

Andhra Pradesh State Skill Development Corporation (APSSDC) Skill Development Center, Government Polytechnic, Vijayawada-520008, Andhra Pradesh, India

Bill To

Sree Vidyanikethan Engineering College (Autonomous) Sree Sainath Nagar, A Ranganpet, Chandragiri Mandal, Near Tirupati 517102 Andhra Pradesh


Contact person Dr. P C Krishnamachary
 Telephone 8774216000
 E Mail svec@svnikethan.edu

Customer reference Agreement between APSSDC and Sree Vidyanikethan Engineering College
 Designated by Industry Software Ltd & Designtech

| Sl. No. | Description | Quantity |
|-------------------|--|----------|
| 1 | Software- Microsoft Home & Student (Office Home and Student) | 56 |
| Total No.: | | |

For DESIGNTECH SYSTEMS LIMITED



 Authorised Signatory



| | | |
|--|---|---------------|
| Received the above material in good condition. | | |
| Name <i>Dr. K.C. VAPU PRASAD</i> | Designation <i>Professor & Head</i> | Company Seal |
| Signature <i>[Signature]</i> | Date <i>24/3/17</i> | <i>[Seal]</i> |

Dr. K.C. VAPU PRASAD
 Professor & Head
 Dept. of Mechanical Engineering
 Sree Vidyanikethan Engineering College
 TIRUPATI - 517 102



Received 56 license for Microsoft Office towards CST bill on 14/6/17.


Delivery Challan

Delivery No. PG 01 of 01
 DATE APD / APSSDC / 1617 / 9134.1
 23.12.2016

BILL TO

Andhra Pradesh State Skill Development Corporation (APSSDC) Skill Development Center, Government Polytechnic, Vijayawada 520008, Andhra Pradesh, India

SHIP TO

Sree Vidyaniketan Engineering College (Autonomous) Sree Sainath Nagar, A Rangampet Chandragiri Mandal, Near Tumpati 517102 Andhra Pradesh


Contact person Dr. P.C Krishnamachary
 Telephone 8772236600
 E Mail svecp@vidyaniketban.edu



Customer reference Agreement between APSSDC and Siemens Industry Software India P.Ltd. & Designtech Systems Ltd.

| Sl No. | Description | Quantity |
|-------------------|--|----------|
| 1 | Software- Microsoft Home & Student Office Home and Student | 56 |
| Total No.: | | |

For DESIGNTECH SYSTEMS LIMITED



 Authorized Signatory



| | | |
|---|---|---|
| Received the above material in good condition. | | |
| Name <i>Dr. K.C. Varaprasad</i> | Designation <i>Professor & Head</i> | Company Seal |
| Signature  | Date <i>24/3/17</i> |  |

Dr. K.C. VARAPRASAD
 Professor & Head
 Dept. of Mechanical Engineering
 Sree Vidyaniketan Engineering College
 TIRUPATI - 517 102



Received 56 license for Microsoft office towards CST lab on 14/6/17
 14/6/17

Delivery Challan

Delivery No. **APP / APSSDC / 17 / 10006**
 DATE **01.08.2017**

BILL TO

Andhra Pradesh State Skill Development Corp-37
 Skill Development Center, Government Polytechnic,
 Andhra Pradesh State Skill Development Corporation,
 Vijayawada. - 520008

SHIP TO

Sree Vidyanikethan Engineering College (Autonomous)
 Sree Sainath Nagar, A Rangampet, Chandragiri Mandal,
 Near Tirupati - 517102, ANDHRA PRADESH

Contact person

Tele

E Mail

Customer reference


Ref. No. Agreement between APSSDC and Siemens Industry Software India P. Ltd. & Designtech Systems Ltd.

| S. No. | Description of Goods | QTY |
|--------------------------------|----------------------|-----|
| 1 | Control panel | 1 |
| 2 | Starter Motor | 2 |
| 3 | Transformer | 1 |
| Total No of Packets : 4 | | |

For DESIGNTECH SYSTEMS LIMITED

[Handwritten Signature]

Authorised Signatory



| | | |
|---|------------------------------|--------------------------------|
| Received the above material in good condition | | |
| Name <i>[Handwritten Signature]</i> | Designation <i>Professor</i> | Company Seal |
| Signature <i>[Handwritten Signature]</i> | Date <i>9/8/17</i> | <i>[Handwritten Signature]</i> |

DesignTech Systems Limited

Head Office

B-2, Sakshinagar, Guntur, Andhra Pradesh 522002. Phone: 0863-2511111, 2511112, 2511113, 2511114, 2511115, 2511116, 2511117, 2511118, 2511119, 2511120, 2511121, 2511122, 2511123, 2511124, 2511125, 2511126, 2511127, 2511128, 2511129, 2511130, 2511131, 2511132, 2511133, 2511134, 2511135, 2511136, 2511137, 2511138, 2511139, 2511140, 2511141, 2511142, 2511143, 2511144, 2511145, 2511146, 2511147, 2511148, 2511149, 2511150, 2511151, 2511152, 2511153, 2511154, 2511155, 2511156, 2511157, 2511158, 2511159, 2511160, 2511161, 2511162, 2511163, 2511164, 2511165, 2511166, 2511167, 2511168, 2511169, 2511170, 2511171, 2511172, 2511173, 2511174, 2511175, 2511176, 2511177, 2511178, 2511179, 2511180, 2511181, 2511182, 2511183, 2511184, 2511185, 2511186, 2511187, 2511188, 2511189, 2511190, 2511191, 2511192, 2511193, 2511194, 2511195, 2511196, 2511197, 2511198, 2511199, 2511200

DesignTech Systems Ltd.

Regional Office -

Door No. 5-21-214, Area No 8564(Old) 72029 (New),
Shop No. 104, 1st Floor, 2nd Line First Cross Road,
Broodpet, Guntur - 522 002 Andhra Pradesh.

✉ info@designtechs.com

🌐 www.designtechs.com

📄 CIN-U72200MH-998PLC113636

DesignTech

Design for your long life

Delivery Challan

Delivery No.
 DATE: 06.01.2017

PG 01 of 02
APD / APSSDC / 1617 / 91390
06.01.2017

| TO | FROM | |
|--|--|----------|
| Andhra Pradesh State Skill Development Corporation (APSSDC) Skill Development Center, Government Polytechnic, Vijayawada-520008, Andhra Pradesh, India | Sree Vidyanikethan Engineering College, Sree Sainath Nagar, A Rangampet, Chandragiri Mandal, Near Tirupati - 517102, Andhra Pradesh Contact person: Dr. P C Krishnamachary Tele: 8772236600 E Mail: svecp@vidyanikethan.edu | |
| Customer Reference: | Agreement between APSSDC and Siemens Industry Software India P.Ltd. & DesignTech Systems Ltd./AS | |
| Sl. No. | Description | Quantity |
| 1 | SCROLL CHILLER- Frame/Stand (Size: 2100 x 1200 x 300(H)) With Square pipe 40mm x 40mm Roller : 3inch, Aluminum chekered plate: 2.5mm. | 1 |
| 2 | VRF-Frame/Stand (Size: 1300 x 1100 x 300(H)) With Square pipe 40mm x 40mm Roller : 3inch, Aluminum chekered plate: 2.5mm | 1 |
| 3 | Cassette- Frame/Stand (Size: 1250 x 1250 x 2100(H)-2level) With Square pipe 40mm x 40mm Angel: 40 x 40 x 4, Roller : 3inch, Aluminum chekered plate: 2.5mm | 1 |
| 4 | Hi- wall- Frame/Stand (Size: 1150 x 600 x 2100(H) Water proof Wooden Plies: 12mm, Roller : 3inch, Aluminum chekered plate: 2.5mm | 1 |
| 5 | Window AC (Size: 800 x 800 x 1800(H) With Square pipe 40mm x 40mm Water proof Wooden Plies: 12mm, Roller : 3inch, Aluminum chekered plate: 2.5mm | 1 |
| 6 | Deep Freezer Hard Top (Size: 750 x 750 x 300(H) With Square pipe 40mm x 40mm Water proof Wooden Plies: 12mm, Roller : 3inch, Aluminum chekered plate: 2.5mm | 1 |
| 7 | Bottle Cooler (Size: 1300 x 750 x 300(H) With Square pipe 40mm x 40mm Water proof Wooden Plies: 12mm, Roller : 3inch, Aluminum chekered plate: 2.5mm | 1 |
| 8 | Water Cooler (Size: 550 x 550 x 300(H) With Square pipe 40mm x 40mm Water proof Wooden Plies: 12mm, Roller : 3inch, Aluminum chekered plate: 2.5mm | 1 |
| 9 | Bottle Water Dispenser (Size: 450 x 500 x 300(H) With Square pipe 40mm x 40mm Water proof Wooden Plies: 12mm, Roller : 3inch, Aluminum chekered plate: 2.5mm | 1 |
| 10 | Demo Table (Size: 1300 x 750 x 750(H) With Square pipe 40mm x 40mm, MSplate: 2.5mm | 1 |

DesignTech Systems Ltd.

Head Office -

8, Commerce Centre, Ramrao Colony, Praxi Road, Pune - 411 038, Tel: +91 - 20 - 4131 1200/1201

| SN | Description | Quantity |
|------------------------|---|----------|
| 11 | Water Tab (Size: 900 x 600 x 200(H) With Square pipe 40mm x 40mm, MS plate 2.5 mm | 1 |
| 12 | Ms Frame For RAC Lab (Size: 60 x 42 x 26.5 inch With Square pipe 40mm x 40mm x 3mm. | 1 |
| Total No. of Packets : | | |

For DESIGNECH SYSTEMS LIMITED

Authorized Signatory



Received the above material in good condition.

| | | | | | |
|-----------|------------------|-------------|--------------|--|--|
| Name | Dr. K.C. VASANTH | Designation | Prof. & Head | Company Seal | |
| Signature | | Date | 09/11/2017 | Dr. K.C. VASANTH Professor & Head Dept. of Mechanical Engineering Sri Venkateswara Engineering College TIRUPATI, AP 517 248 TEL: 0864 233412405 | |

9/11/2017

Delivery Challan

PG 01 of 01

Delivery No.
DATE

APD / APSSDC / 1617 / 91323
23.12.2016

| BILL TO | | SHIP TO | |
|--|--|---|-------------------------|
| Andhra Pradesh State Skill Development Corporation (APSSDC) Skill Development Center, Government Polytechnic, Vijayawada-520008, Andhra Pradesh, India | | Sree Vidyanikethan Engineering College (Autonomous) Sree Sainath Nagar, A Rangampet, Chandragiri Mandal, Near Tirupati - 517102. Andhra Pradesh | |
| | | Contact person | Dr. P C Krishnamachary |
| | | Telephone | 8772236600 |
| | | E Mail | svecp@vidyanikethan.edu |
| Customer reference Agreement between APSSDC and Siemens Industry Software India P.Ltd. & Designtech Systems Ltd.AS | | | |
| Sl. No. | Description | Quantity | |
| Equipments for Agriculture Lab | | | |
| 1 | 9 tine Std Rigid Cultivator Make Green System John Deere, Frame | 1 | |
| 2 | 9 tine Zero Seed cum Ferti Drill Make Green System John Deere-2030*1600 / 60-65 | 1 | |
| 3 | Harrow 7x7 Disc with out tyre JohnDeere (Indian) | 1 | |
| 4 | Multi Crop Thresher | 1 | |
| 5 | Centrifugal Pump With Electric Motor - 2HP, Kirloskar / Equivalent | 1 | |
| 6 | Submersible Pump Complete Unit & Cut Section of the same | 1 | |
| 7 | DG Set - 3 Kw & Single Phase, manually operated | 1 | |
| 8 | Sprinkler Type Irrigation Systems - Basic live | 1 | |
| 9 | Drip Irrigation Systems (DEMONSTRATION PIPE SET - Live) | 1 | |
| 10 | Compressor 5 Bar | 1 | |
| 11 | Radiator | 1 | |
| 12 | Engine cut section WITH STAND LIVE | 1 | |
| 13 | Water Testing Kit | 1 | |
| 14 | SOIL TESTING KIT Testing Parameters :- 1) NITROGEN (N) KG/HA ,2) Phosphours (P) (KG/HA), 3) POTASSIUM (K) KG/HA, 4) ORGANIC CARBON (%) | 1 | |
| 15 | SOLAR PUMP WITH 300 WT PANNEL, PUMP, BATTERY AND STRUCTURE AND CONVERTER | 1 | |
| 16 | Chara Cutter | 1 | |
| Total No. of Packets : 33 Boxes | | | |

For **DESIGNTech SYSTEMS LIMITED**

Authorised Signatory



| | | |
|--|------------------|--------------|
| Received the above material in good condition. | | |
| Name | Designation | Company Seal |
| Dr. K.C. Varaprasad | Professor & Head | |
| Signature | Date | |
| <i>[Signature]</i> | 27/12/16 | |

Dr. K.C. VARAPRASAD
Professor & Head

Dept. of Mechanical Engineering
Sree Vidyanikethan Engineering College
TIRUPATI - 517102
TIRUPATI - 3733312405

Delivery Challan

PG 01 of 03
APD / APSSDC / 1617 / 91246

Invoice No
DATE

TO
Andhra Pradesh State Skill Development
Corporation (APSSDC) Skill Development
Centre, Polyscience, Vijayawada-520008,
Andhra Pradesh, India.

SHIP TO
Sree Vaidya, J. J. S. Engineering College
(Autonomous), Sree Sai Baba Engineering, A. Rangampeta, Chendurpet
Mandal, Nellore District, India

Customer's name - Agri-Process Unit SSKM
System, included

Customer's address - Agri-Process Unit SSKM
System, included

Customer's telephone - 9177 3170
9177 3170

Customer's fax - 9177 3170
9177 3170

Customer's e-mail - agri@skm.ac.in
agri@skm.ac.in

| Sl. No. | DESCRIPTION | Quantity |
|---------|--------------|----------|
| 1 | 1.1. 1000gms | |
| 1 | 1.2. 1000gms | |
| 2 | 2.1. 1000gms | |
| 2 | 2.2. 1000gms | |
| 3 | 3.1. 1000gms | |
| 3 | 3.2. 1000gms | |
| 4 | 4.1. 1000gms | |
| 4 | 4.2. 1000gms | |

Signature
Signature of the person
Signature of the person

Stamp
Stamp of the person
Stamp of the person

PC 02 of 03
Quantity

0

1 MM 1mm Torch
12
1 Coe 110V(ALD)

6
1 W or Tech 9 13 Helmet Vexlus
Helmet
Incid 3 mm (13 X 10 1 1/4)
1.5 Gg de 85%
Incid
Safety Shoes Size 8
Safety Vhan Size 9
Wig Hand Gloves
Wig Apron(Large)
Eng Apr 1 Mch(oo)

SAE-HGT

ACCESS.

Gants 600
Tons 1 inch Sharp 60
Weld Cu 50 SQ INH
Hose 5MM Red
Hose 5MM Blue
Hose 10MM Red
Hose 10MM Blue
VRO(sygen)
VRO(A ETYLEN 4LN
Acetylene A-15
Argon 0.10

SPART

SPAL

14M 2K 10
1 MP
1 Body 1MM
2 mm 1/2 inch Tap 6-4
1/2 inch Tap 11-2
1/2 inch Grey SW-20
1/2 inch Live MIC Torch
1/2 inch Live MK Torch
1/2 inch Live MK Torch
1/2 inch Live MK Torch
1/2 inch Live MK Torch
1/2 inch Live MK Torch

| SN | Particulars | Quantity |
|---------------------------|----------------------------|----------|
| B.12 | 57001 1M 1.2 MIMPSP | |
| B.13 | 16A - Kuzale Std 14 Min | |
| B.14 | 1000.05 Tip 0.8 mm MH * 37 | |
| B.15 | 1000.05 Roller 0.7 1.2 MM | |
| Total No. of Packets : 19 | | |

Received 19 parts condition

RE: DRISHTECH SYSTEMS LIMITED



Authorised signatory

Dr. H.C. Vaidyanathan, Director

[Signature]

Dr. H.C. Vaidyanathan, Professor & Head

[Signature]

Dr. H.C. Vaidyanathan

Dept. of Mechanical Engineering
Sree Vidyanandhan Engineering College
TIRUPATI - 517 102

Delivery Challan

PG 01 of 01
 APD / AFSSDC / 1017 / 91270
 25.11.2016

Delivery No
 DATE

| | | | |
|--|--|--|--|
| Andhra Pradesh State Skill Development Corporation (APSSDC) Skill Development Center, Government Polytechnic, Vijayawada-520008, Andhra Pradesh, India | | SHIP TO Sree Vidyanikethan Engineering College Sree Sarada Nagar, A. Nagarpet, Chandragiri Mandal, Near Tirumali - 517102 Andhra Pradesh | |
| Contact Person Name Designation Address Phone No. | | Dr. P. C. Krishnamoorthy #77236600 sreevidyanikethan.edu sreevidyanikethan.edu | |
| Agreement between APSSDC and Sree Vidyanikethan Engineering College | | | |
| Item Description Quantity | | | |
| 1. IV 55 Vertical Machining Centre Including: Voltage Stabilizer, Siemens B28D CNC System, Cutting Tools & Fixturs (1 Set) Suitable for Training Purpose. Smarturn CNC Lathe Including: 165 MM x 3 Jaw Hollow Chuck & Hollow Cylinder with one set of hard & soft jaws, Voltage Stabilizer, Siemens B28D CNC System, Cutting Tools & Fixturs (1 Set) Suitable for Training Purpose. | | 1 1 | |
| Total No. of Packages: 03 Boxes | | | |

For DESIGN TECH SYSTEMS LIMITED



Authorized Signatory

Name: Dr. H. C. Mohan Kumar
 Designation: Project Engineer
 Date: 26/11/16

Received for
 Dr. H. C. Mohan Kumar
 Project Engineer
 26/11/16

Signature: [Handwritten Signature]
 Designation: Project Engineer
 Date: 26/11/16

Dr. H. C. Mohan Kumar
 Project Engineer
 26/11/16

10/11/16 10:07:10Z

Delivery Challan

BILL TO
Andhra Pradesh Skill Development Corporation (APSSDC) Skill Development Center, Government Polytechnic, Vijayawada-520008, Andhra Pradesh, India

Invoice No. APD / APSSDC / 1617 / 91256
DATE 16/12/16

PG 01 of 02

Steel Vidyaankishan Engineering College
Sree Balnath Nagar, A Rajampet, Chittoor Dist
Mandal, Near Theripati - 517102
Andhra Pradesh
Contact Person : D. P. C. Mr. Srinivasulu J
Telephone : 8772236600

Agreement Between APSSDC and Sree Steel Vidyaankishan Engineering College

| Sl. No. | Description | Quantity |
|---------|---|----------|
| 1 | Welding Booth (Size: 1800 x 2400(H)) With Square pipe 40mm x 40mm, MSplate 2 mm, Work holding rod, Tray & Heat Resistance Paint | 21 |
| 2 | Welding Table (size: 900 x 600 x 450(H)) With Square pipe 40mm x 40mm, MSplate: 8 mm | 8 |
| 3 | MIG WIRE 0.8MM | 30 |
| 4 | M.S. FILLER ROD 1.6MM | 5 |
| 5 | CO2 Cylinder with CO2 | 2 |
| 6 | Oxygen Cylinder with CO2 | 2 |
| 7 | ACETYLENE CYLINDER WITH ACETYLENE | 2 |
| 8 | ARGON CYLINDER WITH ARGON | 2 |
| 9 | MS WELDING ELECTRODE 2.5MM | 15 |
| 10 | MS WELDING ELECTRODE 3.15MM | 15 |
| 11 | MS WELDING ELECTRODE 4MM | 20 |
| 12 | SS WELDING ELECTRODE 3.15MM | 10 |
| 13 | SS WELDING ELECTRODE 2.5MM | 10 |
| 14 | INPUT SUPPLY CABLE: 6MM 4 CORE | 90 |
| 15 | CYLINDER TROLLEY | 1 |
| 16 | WELDING CURTAIN 1.8 X 1.3MTR | 10 |
| 17 | O2 Cylinder Key | 0 |
| 18 | BLACK GLASS 1.0IN | 100 |
| 19 | WHITE GLASS | 200 |
| 20 | PIPF WRINCH (QUINCI) | 8 |

| SN | Description | Quantity |
|---------------------|---------------------------|----------|
| 21 | SPANNER (14-15) | 8 |
| 22 | HOSE CLAMP 12MM | 50 |
| 23 | WIRE CUTTER (BUNCH) | 5 |
| 24 | TEFLON TAPE (1/2 INCH) | 10 |
| 25 | ARGON CYLINDER ADAPTE0052 | 3 |
| Total Head Packets: | | |

For DESIGNTECH SYSTEMS LIMITED



[Signature]
Authorized Signatory

Received the above material in good condition.
 Name: Dr. K. C. V. N. A. ASAD Designation: Prof. & Head Company Seal: [Stamp]
 Signature: [Signature] Date: 16/11/16

Dr. K. C. V. N. A. ASAD
 Professor & Head
 Dept. of Mechanical Engineering
 Sec. Vengal Rao Engineering College
 TIRUPATI - 517 102

Delivery Challan

PG 01 of 01
 APD / APSS / 1617 / 91203
 25.10.2016

BILL TO

Delivery No.
 DATE
 SHIP TO

Sri Venkateswara College of Engineering (COE),
 Karakambadi Rd, Mangalam, Tirupati,
 Andhra Pradesh 517502

Sree Vidyanikethan Engineering College
 (Autonomous)
 Sree Sainath Nagar, A Rungarajpet, Chandragiri
 Mandal, Near Tirupati - 517102
 Andhra Pradesh.

Contact person | Dr. P. Krishna Rao
 Telephone: 8722366000
 E-Mail: svocp@svoc.edu

Customer reference

Agreement between APSSIC and Siemens Industry Software India Pvt. Ltd. & Designtech systems Ltd.A

| SN | Description | Quantity |
|------------------------|--|----------|
| 1 | Packs Motor Starter - Basic MD1AA740 | 1 |
| 2 | Packs Motor Starter - Tesys MD1AA740T | 1 |
| 3 | Packs Motor Starter - Speed Driver MD1AA740V | 1 |
| Total No. of Packets : | | 1 |

For DESIGNTECH SYSTEMS LIMITED



[Signature]
 Authorised Signatory

Received the above articles in good condition
 Name: *[Signature]* Designation: *Professor & Head* Company Seal
 Date: *26/10/16*

[Signature]
 Dr. K. C. VARAPPASAD
 Dept. of Electrical Engineering
 Sree Vidyanikethan Engineering College
 TIRUPATI - 517 102

Delivery Challan

Delivery No.
D/ATF

PG 01 of 04
APD / APSSDC / 1617 / 91196
24.10.2016

| BILL TO | | SHIP TO | |
|---|---|--|-------------------------|
| Andhra Pradesh State Skill Development Corporation (APSSDC) Skill Development Center Government Polytechnic, Vijayawada-520008, Andhra Pradesh, India | | Sree Vidyanikethan Engineering College (Autonomous) Sree Sainath Nagar, A Rangampet, Chandragiri Mandal, Near Tirupati - 517102 Andhra Pradesh | |
| | | Contact person | Dr. P C Krishnamachary |
| | | Telephone | 9772236600 |
| | | E Mail | svecp@vidyanikethan.edu |
| Customer reference Agreement between APSSDC and Siemens Industry Software India P.Ltd. & Desigatech Systems Ltd. | | | |
| SN | Description | Quantity | |
| 1 | Main circuit breakers 15/45A type S - DB90 2P 15/45A HLCB 500MA S (A9N16206) - Schneider Electric | 6 | |
| 2 | Panel board 3R 18 SURFACE METAL DB (SCHNEIDER - A9HFD336) - Schneider Electric | 6 | |
| 3 | Residual current circuit breaker 40A type AC - RCCB H II 40A 30mA AC - Schneider Electric | 12 | |
| 4 | Residual current circuit breaker 40 A type A - RCCB40A 30mA A - Schneider Electric | 6 | |
| 5 | Modular circuit breaker type C2A - MCB1Ph N 2A C - Schneider Electric | 6 | |
| 6 | Modular circuit breaker type C16A - MCB1Ph N 16A C - Schneider Electric | 36 | |
| 7 | Modular circuit breaker type C20A - MCB1Ph N 20A C - Schneider Electric | 36 | |
| 8 | Modular circuit breaker type C25A - MCB1Ph N 25A C - Schneider Electric | 6 | |
| 9 | Modular circuit breaker type C32A - MCB1Ph N 32A C - Schneider Electric | 6 | |
| 10 | Modular contactors - CTclic contactor with ON OFF selection - Schneider Electric | 6 | |
| 11 | Modular impulse relays - TLclic 16A 1P - Schneider Electric | 6 | |
| 12 | Modular time switches - TIME SWITCH 24H WITHOUT POWER RESERVE A9 - Schneider Electric | 6 | |
| 13 | Modular timers - ELECTRONIC TIMER 30S TO 20 MN MINS ACTI9 - Schneider Electric | 6 | |
| 14 | Twilight switches - TWI SW1 100LUX 1CHANNEL IC100 IC ACTI9 - Schneider Electric | 6 | |
| 15 | Simple way switches - Schneider Electric | 48 | |
| 16 | Two way switches - Schneider Electric | 48 | |
| 17 | Switches 20A - Schneider Electric | 48 | |
| 18 | Sockets 6A - Schneider Electric | 12 | |
| 19 | Sockets 16A - Schneider Electric | 12 | |
| 20 | Step fan - Schneider Electric | 6 | |
| 21 | 3 modules plate & grid - Schneider Electric | 30 | |
| 22 | 3 modules surface mounting box - Schneider Electric | 30 | |
| 23 | 4 modules plate & grid - Schneider Electric | 6 | |
| 24 | 4 modules surface mounting box - Schneider Electric | 6 | |
| 25 | 8 modules plate & grid - Schneider Electric | 6 | |
| 26 | 8 modules surface mounting box - Schneider Electric | 6 | |


| SN | Description | Quantity |
|----|---|----------|
| 27 | Blank off cover - Schneider Electric | 50 |
| 28 | Single phase meters from local Electrical Utility (optional) - Dom loose mat. | 3 |
| 29 | Push switches (X1025WH) - Dom loose mat. | 24 |
| 30 | Batten holder - Dom loose mat. | 24 |
| 31 | round block pvc - Dom loose mat. | 36 |
| 32 | Ceiling plate - Dom loose mat. | 50 |
| 33 | Ceiling rose - Dom loose mat. | 36 |
| 34 | junction boxes 3 Ways 16mm - Dom loose mat. | 12 |
| 35 | junction boxes 3 ways 20 mm - Dom loose mat. | 12 |
| 36 | junction boxes 4 Ways 16mm - Dom loose mat. | 12 |
| 37 | junction boxes 4 ways 20 mm - Dom loose mat. | 12 |
| 38 | Batten lamps 220V - Dom loose mat. | 18 |
| 39 | Boxes support lamp - Dom loose mat. | 18 |
| 40 | Flush mounted boxes - Dom loose mat. | 18 |
| 41 | Flush mounted boxes - Dom loose mat. | 36 |
| 42 | Flush mounted junction boxes - Dom loose mat. | 12 |
| 43 | 50 meters grey IBTA sheath diameter 16mm - Dom loose mat. | 25 |
| 44 | ISR pipes long 3 m diameter 16 mm - Dom loose mat. | 18 |
| 45 | ISR pipes long 3 m diameter 20 mm - Dom loose mat. | 18 |
| 46 | Saddle 16 mm - Dom loose mat. | 100 |
| 47 | Saddle 20 mm - Dom loose mat. | 100 |
| 48 | Wooden Screw - Dom loose mat. | 200 |
| 49 | Straight junctions for ISR pipe 16 mm - Dom loose mat. | 50 |
| 50 | Straight junctions for ISR pipe 20 mm - Dom loose mat. | 50 |
| 51 | Crooked junctions for ISR pipe 16 mm - Dom loose mat. | 50 |
| 52 | Crooked junctions for ISR pipe 20 mm - Dom loose mat. | 50 |
| 53 | "T" junctions for ISR pipe 16 mm - Dom loose mat. | 50 |
| 54 | "T" junctions for ISR pipe 20 mm - Dom loose mat. | 50 |
| 55 | Squarely junctions for ISR pipe 16 mm - Dom loose mat. | 50 |
| 56 | Squarely junctions for ISR pipe 20 mm - Dom loose mat. | 50 |
| 57 | Clips for ISR pipe 16 et 20 mm - Dom loose mat. | 100 |
| 58 | Surface mounted junction boxes - Dom loose mat. | 18 |
| 59 | Cable tie - Dom loose mat. | 150 |
| 60 | Connector "Dominoes" 4mm ² - Dom loose mat. | 100 |
| 61 | 1.5 sqmm Red - Dom loose mat. | 3 |
| 62 | 1.5 sqmm blue - Dom loose mat. | 3 |
| 63 | 1.5 sqmm yellow - Dom loose mat. | 3 |
| 64 | 1.5 sqmm black - Dom loose mat. | 3 |
| 65 | 1.5 sqmm yellow-green - Dom loose mat. | 1 |
| 66 | 2.5 sqmm Red - Dom loose mat. | 2 |
| 67 | 2.5 sqmm blue - Dom loose mat. | 2 |
| 68 | 2.5 sqmm yellow - Dom loose mat. | 2 |
| 69 | 2.5 sqmm black - Dom loose mat. | 2 |
| 70 | 2.5 sqmm yellow-green - Dom loose mat. | 1 |
| 71 | 4 sqmm Red - Dom loose mat. | 1 |
| 72 | 4 sqmm blue - Dom loose mat. | 1 |

| SN | Description | PG 03 of 04 Quantity |
|-----|--|-------------------------|
| 73 | 4 sqmm yellow - Dom loose mat. | 1 |
| 74 | 4 sqmm black - Dom loose mat. | 1 |
| 75 | 4 sqmm yellow-green - Dom loose mat. | 1 |
| 76 | Domestic benches - Technical Furniture | 3 |
| 77 | Individual tool box - Individual Tooling | 6 |
| 78 | Crimping pliers - Individual Tooling | 6 |
| 79 | Stripping pliers - Individual Tooling | 6 |
| 80 | Sharp pliers - Individual Tooling | 6 |
| 81 | Beak pliers - Individual Tooling | 6 |
| 82 | Electrician's knife - Individual Tooling | 6 |
| 83 | Meter ribbon - Individual Tooling | 6 |
| 84 | Phillips screwdriver 4mm - Individual Tooling | 6 |
| 85 | Flat screwdrivers 3mm - Individual Tooling | 6 |
| 86 | Flat screwdrivers 4mm - Individual Tooling | 18 |
| 87 | Flat screwdrivers 7mm - Individual Tooling | 18 |
| 88 | Strip cable - jokari - Individual Tooling | 6 |
| 89 | Spirit level - Individual Tooling | 6 |
| 90 | Electrician's hammer - Individual Tooling | 6 |
| 91 | Screw guns (Makita type or equivalent) - Collective Tooling | 1 |
| 92 | Cruciform end-pieces for screw gun (Makita type or equivalent) - Collective Tooling | 1 |
| 93 | End-pieces supports - Collective Tooling | 1 |
| 94 | Percussion drills - Collective Tooling | 1 |
| 95 | Complete set of flat wrenches - Collective Tooling | 1 |
| 96 | Complete set of uncorked pipe wrenches - Collective Tooling | 1 |
| 97 | Clamps (approximately 300mm - Collective Tooling | 1 |
| 98 | Handled wrenches (4, 10, 11, 13mm) - Collective Tooling | 1 |
| 99 | Needles - Collective Tooling | 3 |
| 100 | Scribers - Collective Tooling | 3 |
| 101 | Hole saws 65mm with mechanism - Collective Tooling | 1 |
| 102 | Saws with back and 2 boxes cut - Collective Tooling | 2 |
| 103 | Crimping pliers for flat or round lugs (from 0,75 to 2,5) - Collective Tooling | 1 |
| 104 | Crimping pliers for V-shaped round lugs - Collective Tooling | 1 |
| 105 | Complete drills for metal (from diameter 1 to 10) - Collective Tooling | 1 |
| 106 | Drills for concrete (diameters 6, 8, 10) - Collective Tooling | 1 |
| 107 | Multimeters - CAT III 600 V, Class 2 - Measuring Instrum. | 2 |
| 108 | Current clamp-meters - Measuring Instrum. | 1 |
| 109 | Voltage Absence Tester - Measuring Instrum. | 1 |
| 110 | Earth tester with connecting leads and spikes (Waco or equivalent) - Measuring Instrum. | 1 |
| 111 | Megger - Measuring Instrum. | 1 |
| 112 | Current Probe E6N (CAT III 600 V) - Measuring Instrum. | 1 |
| 113 | Differential Voltage probe (CAT III 600 V) - Measuring Instrum. | 1 |
| 114 | DC Power supply - Measuring Instrum. | 1 |
| 115 | Insulated gloves - PPE | 2 |
| 116 | Insulated mat - PPE | 2 |

| SN | Description | Quantity |
|------------------------|---------------------------------------|----------|
| 117 | Helmet with face shield - PPE | 2 |
| 118 | Insulated tools - PPE | 2 |
| 119 | Security padlock for padlocking - PPE | 6 |
| 120 | Security labels - PPE | 6 |
| 121 | Security chains (2) + 4 poles - PPE | 1 |
| 122 | Security banner - PPE | 1 |
| 123 | Harness - PPE | 1 |
| Total No. of Packets : | | |

For: DESIGNTECH SYSTEMS LIMITED

Dr. K.C. V. Aprasad
 Authorised Signatory



| | | |
|--|---|--------------------|
| Received the above material in good condition. | | |
| Name <i>Dr. K.C. V. Aprasad</i> | Designation <i>Professor & Head</i> | Company Seal |
| Signature <i>[Signature]</i> | Date <i>24/10/16</i> | <i>[Signature]</i> |

TIN: 37333412405
 TIN: 37333412405
Dr. K.C. V. APRASAD
 Professor & Head
 Dept. of Mechanical Engineering
 Sri Venkateswara Engineering College
 TIRUPATI 517 102

Delivery Challan

PG 01 of 03

Delivery No. 3PD / APSSDC / 1617 / 91155
DATE 15/10/2016

Andhra Pradesh State Skill Development Corporation (APSSDC) Skill Development Center, Government Polytechnic, Vijayawada-520008, Andhra Pradesh, India

Sree Vidyanikethan Engineering College
Sree Sainath Nagar, A Rangampet, Chandragiri
Mandal, Near Tirupati 517102
Andhra Pradesh

Contact person Dr. P.C. Krishnamoorthy
Telephone 8772236601
E Mail svescp6@vidyanikethan.edu

Customer Reference

Agreement between APSSDC and Siemens Industry Software India P.Ltd. & Designtech Systems Ltd.

| SN | Description | Quantity |
|----------|--|----------|
| A | Others Tools and Accessories for RAC Unit | |
| 1 | Flaring tool | 2 |
| 2 | Pipe bender---need size | 1 |
| 3 | Spring bender---3 SIZE | 2 |
| 4 | Tube cutter- cooper | 3 |
| 5 | Pinching tool | 2 |
| 6 | Swaging tool | 1 |
| 7 | Running capacitor 36 mfd | 2 |
| 8 | Starting capacitor 45 mfd | 2 |
| 9 | Anemometer Lutron | 1 |
| 10 | Portable air blower (Electrex make) | 2 |
| 11 | Nitrogen gas cylinder (Hose, Pressure reducing valve, Cylinder trolley) | 1 |
| 12 | Clamp on meter | 1 |
| 13 | Hammer ball pein 250 gms | 2 |
| 14 | Cotton waste | 5 |
| 15 | Bench vice | 2 |
| 16 | Anchor fastener 3/8 | 12 |
| 17 | Anchor fastener 1/2 | 12 |
| 18 | Blow lamp | 2 |
| 19 | Portable Drilling machine, 13 mm dia drill hole (Make Bosch) 13 mm drill machine | 1 |
| 20 | Drill bits 6 mm, 8 mm, 10 mm & 13 mm | 1 |
| 21 | Measuring tape 1 m | 6 |
| 22 | Spirit level 1 m | 1 |
| 23 | Spirit level 1/2 m | 1 |
| 24 | Steel scale 1 m | 3 |
| 25 | Steel scale 1 feet | 3 |
| 26 | Screw drivers Tapalra or Pye | 1 |
| 27 | Cutting pliers Tapalra or Pye | 1 |
| 28 | Files set JK flat file 8" smooth | 1 |
| 29 | Tester make Tuffaria | 1 |
| 30 | Double end spanner set Venus or Eastman set of 8 spanners | 1 |


| SN | Description | Quantity |
|-------------------------------|---|----------|
| 31 | Screw spanner 6" Taparia phosphate finish | 1 |
| 32 | Screw spanner 8" Taparia phosphate finish | 1 |
| 33 | Allen keys 10 pcs, Jonbhandari | 1 |
| 34 | Sheet cutter 8" Jonbhandari | 1 |
| 35 | Hacksaw frame Jolly make | 2 |
| 36 | Electronic weighing scale--need size | 1 |
| 37 | Scissors (small size)--brass | 1 |
| 38 | Wooden mallet | 4 |
| 39 | 3/8" bolt, Nut with washer | 2 |
| 40 | R22 refrigerant cylinder with 5 kg | 24 |
| 41 | Gauge manifold with hoze | 1 |
| 42 | Sling psychrometer | 2 |
| 43 | Micron gauge | 6 |
| 44 | Capillary tube size finder | 1 |
| 45 | Fin comb | 1 |
| 46 | Portable vacuum pump 2 stage | 6 |
| 47 | Plumb | 1 |
| 48 | Ratchet | 2 |
| 49 | 1/4" transparent PVC tube | 1 |
| 50 | Thermometer Digital / RH | 7 |
| 51 | Tool Bag | 2 |
| 52 | Adjustable Screw Spanner 6 | 1 |
| 53 | Double end spanner set | 1 |
| 54 | Hacksaw frame with blade | 1 |
| 55 | Screw driver with star | 1 |
| 56 | Screw driver with flat | 1 |
| 57 | Allen key set | 1 |
| 58 | Fin comb | 1 |
| 59 | Ratchet spanner | 1 |
| 60 | Compound pressure gauge with hose | 1 |
| 61 | Pressure gauge with hose | 1 |
| 62 | Clamp on meter | 1 |
| 63 | Cutting plier | 1 |
| 64 | Wire cutter | 1 |
| 65 | Cleaning brush | 1 |
| 66 | Tester | 2 |
| 67 | Thermometer digital | 1 |
| 68 | Hammer 250 gm | 1 |
| 69 | File flat | 1 |
| Total No. of Packets : | | 1 |

DESIGNTECH SYSTEMS LIMITED


Authorised Signatory



| | | | |
|----------------------------------|--|-------------------------------------|--|
| Name: <i>Dr. K.C. Varaprasad</i> | | Designation: <i>Prof & Head</i> | |
| Signature: <i>[Signature]</i> | | Date: <i>15/10/16</i> | |



*Received all items
as listed in Delivery Challan.*

[Signature] *15/10/16*
Dr. K.C. VARAPRASAD
Professor & Head
Dept. of Mechanical Engineering
Sree Vidyanikethan Engineering College
TIRUPATI - 517 102

Delivery Challan

PG 01 of 01
 APD / APSSDC / 1617 / 91124
 05.10.2016

BILL TO

SHIP TO

Andhra Pradesh State Skill Development Corporation (APSSDC) Skill Development Center, Government Polytechnic, Vijayawada-520008, Andhra Pradesh, India

Sree Vidyarikethan Engineering College (Autonomous) Sree Sainath Nagar, A Rangampet, Chandragiri Mandal, Near Tirupati - 517102, Andhra Pradesh

Contact person: Dr. P. C. Krishnamachary
 Telephone: 8772236600
 E Mail: svccp@vidyarikethan.edu

Customer reference: Agreement between APSSDC and Siemens Industry Software India Pvt. Ltd. & Designtech Systems Ltd.

| Sl. No. | Description | Quantity |
|---|-------------------------------------|----------|
| Supply of Equipment of Air-conditioning & Refrigeration Units for RAC Lab for Electrical Lab | | |
| A Supply Equipment of Air-conditioning Units (A) | | |
| 1 | Scroll Chiller (Aircooled) - 10 TON | 1 |
| 2 | VRF IV Plus system - 8 HP | 1 |
| 3 | Ducted split unit - 5.5 TR | 1 |
| 4 | Cassette unit - 1.5 TR | 1 |
| 5 | Highwall split (2 star) - 1TR | 1 |
| 6 | Window unit (2 star) - 1 TR | 1 |
| Supply of Refrigeration Units (B) | | |
| 1 | Deep Freezer Hard Top - 100 Ltr | 1 |
| 2 | Bottle Cooler Hard Top - 300 Ltr | 1 |
| 3 | Water cooler - 20/20 Ltr | 1 |
| 4 | Bottle Water Dispenser | 1 |
| 5 | Cold room 6000 BTU/Hr | 1 |
| Total No. of Packets : 28 | | |

For DESIGNTECH SYSTEMS LIMITED

[Signature]
 Authorised Signatory



| | | |
|---|--|--------------|
| Received the above material in good condition | | |
| Name: <i>Dr. K. C. Varaprasad</i> | Designation: <i>Professor & Head</i> | Company Seal |
| Signature: <i>[Signature]</i> | Date: <i>6/10/2016</i> | |

Received 28 boxes on 6/10/16
[Signature]
Dr. K. C. VARAPRASAD
 Professor & Head
 Dept. of Mechanical Engineering,
 Sree Vidyarikethan Engineering College
 TIRUPATI - 517 102

VAT IN: 3733312405
 CS IN: 37333112405
[Signature] 6/10/2016
Dr. P. C. KRISHNAMACHARY
 B.Tech., M.E., Ph.D.
 PRINCIPAL
 SREE VIDYARIKETHAN ENGINEERING COLLEGE
 (AUTONOMOUS)
 Sree Sainath Nagar, A. Rangampet,
 Chandragiri (Dt.) - 517 102, A.P.

Delivery Challan

Delivery No.
DATE

PG 01 of 01
APD / DC / 17 9117
03.10.2016

BILL TO

Andhra Pradesh State Skill Development Corporation (APSSDC) Skill Development Center, Government Polytechnic, Vijayawada-520008, Andhra Pradesh India

SHIP TO

Sree Vidyanikethan Engineering College (Autonomous) Sree Sainath Nagar, A Rangampet, Chandragiri Mandal, Near Tirupati - 517102 Andhra Pradesh

Contact person: Dr. P.C.K. Annachari

Telephone: 877256606

E Mail: svec_ptw@svniznizethan.edu

Customer reference: Agreement between SDI and Siemens Industry Software India Pvt Ltd & Design Tech Systems Ltd

5 HP Compressor Package For Manufacturing Lab(T-SDI)

- 1 Air Compressor 5 HP
- 2 Air Dryer
- 3 Air Filters

Total No. of Packets : 03

DESIGNTECH SYSTEMS LIMITED

Authorized Signatory



Dr. K.C. Varaprasad 13/10/16
Prof & Head 13/10/16
Company

Received, all items as listed in Delivery challan.

Dr. K.C. VARAPRASAD
Professor
Dept of Mech
Sree Vidyanikethan Engineering College
TIRUPATI 517102

Delivery Challan

Delivery No. PG 01 of 02
 DATE 21.09.2016 AP APSSO 16 2025

TO
 APSSDC Skill Development Center
 Government Post Office, Vijayawada 520008,
 Andhra Pradesh, India

SHIP TO
 Sree Vidyanikethan Engineering College
 (Autonomous)
 Sree Sainath Nagar, A. Rangampet
 Mandal, Near Tirupathi 517102
 Contact person: Dr. P. K. ...
 Mobile: 87 73666
 E Mail: ...@svethan.edu

Colleg
 Rangir

Description

WorkStation Lenovot
 Win7 Pro64, In Tower 5.6400, 8GB Non-CU
 Win7 - 2 GB Graph Card, DVDRG 2GB, XG
 3.5 inch Lan Port, 2.5 inch Local Disk, Opt Wheel, 3.5 inch
 USBSP, 3.5 inch Floppy Drive, Rich TWR, 3 Year Onsite Service, N
 3.5 inch IFO Backup, 3.5 inch TrackPoint
 Windows 7 Professional, Anti Virus MS Defender, Pre loaded

QUANTITY NO OF BOXES :

DESIGNTECH SYSTEMS LIMITED



Dr. K.C. Varaprasad

Professor & Head

[Signature]
 27/9/16

27/9/16 12:00 PM

[Signature]
 27/9/16
 Dr. K.C. VARAPRASAD
 Professor & Head
 Dept of Mechanical Engineering
 Sree Vidyanikethan Engineering College
 TIRUPATHI - 517 102

Received

No. of CPU's = 56 Nos.
 No. of Monitors = 56 Nos.
 Headphones + Cables = 1 Box
 113 Boxes

Received in good
 & safe condition

Received

[Signature]
 PRINCIPAL

SREE VIDYANIKETHAN ENGINEERING COLLEGE
 Sree Sainath Nagar, A. RANGAMPET
 Chittoor (Dist.) - 517 102, A.P., INDIA.



ANDHRA PRADESH STATE
SKILL DEVELOPMENT CORPORATION




SIEMENS PROJECT

STOCK REGISTER
Technical Skill Development Institute

SREE VIDYANIKETHAN ENGINEERING COLLEGE, TIRUPATI

Department of Skills Development & Training,
Govt. of Andhra Pradesh





ANDHRA PRADESH STATE
SKILL DEVELOPMENT CORPORATION



SIEMENS PROJECT

STOCK REGISTER

Technical Skill Development Institute

SREE VIDYANIKETHAN ENGINEERING COLLEGE, TIRUPATI

Department of Skills Development & Training,
Govt. of Andhra Pradesh

SDI-APSSDC SIEMENS PROJECT

APSSDC-SIEMENS PROJECT
SREE VIDYANIKETHAN ENGINEERING COLLEGE, TIRUPATI
STOCK REGISTER

INDEX

| S.No. | Name of the Lab | Page No. |
|-------|-------------------------------------|----------|
| 1 | Agriculture Machinery Lab | 1 |
| 2 | Computer Based Training Lab | 11 |
| 3 | Computerized Numerical Control(CNC) | 18 |
| 4 | Electrical Home Lab | 35 |
| 5 | R&AC LAB | 56 |
| 6 | Welding Lab | 70 |

SREE VIDYANIKETHAN ENGINEERING COLLEGE, TIRUPATI

| APSSDC-SIEMENS PROJECT | | | | | |
|--|--|-----|------------------------------------|------------------|---------|
| SREE VIDYANIKETHAN ENGINEERING COLLEGE, TIRUPATI | | | | | |
| STOCK REGISTER - AGRICULTURE MACHINERY LAB | | | | | |
| Sl.No | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/ Center Incharge | Cluster Incharge | |
| 1 | Allen Key Set Of 11 Pieces (2mm to 14mm) | 3 | E.M. | R | |
| 2 | Caliper Inside 15 cm Spring | 3 | E.M. | R | |
| 3 | Caliper Outside 15 cm Spring | 3 | E.M. | R | |
| 4 | Center Punch 10mmX100mm | 3 | E.M. | R | |
| 5 | Dividers 15 cm Spring | 3 | E.M. | R | |
| 6 | Electrical Screw Drivers 250 mm | 3 | E.M. | R | |
| 7 | Hammer Ball Peen 0.5 Kg With Handle | 3 | E.M. | R | |
| 8 | Hands File 20 cm Second Cut Flat | 3 | E.M. | R | |
| 9 | Phillips Screw Drivers Set Of 5 Pieces 100mm to 300mm | 4 | E.M. | R | |
| 10 | Pliers Combination 20 cm | 3 | E.M. | R | |
| 11 | Screw Drivers 20cmX9mm Blade | 3 | E.M. | R | |
| 12 | Screw Drivers 30cmX9mm Blade | 3 | E.M. | R | |
| 13 | Scriber 15 cm | 3 | E.M. | R | |
| 14 | Spanner DE Set Of 12 Pieces 6mm to 32 mm | 3 | E.M. | R | |
| 15 | Spanner DE Ring Set Of 12 Pieces 6mm to 32 mm | 3 | E.M. | R | |
| 16 | Spanner Socket With Speed Handle, T Bar, Ratchet and Universal Up to 32 mm | 3 | E.M. | R | |
| 17 | Steel Rule 30 cm Inch and Metric | 3 | E.M. | R | |
| 18 | Steel Tool Box (Folding Type) 400 X200X150 | 3 | E.M. | R | |
| 19 | Wire Cutter and Stripper | 3 | E.M. | R | |

| STOCK REGISTER - AGRICULTURE MACHINERY LAB | | | | | |
|--|---|--------|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 20 | Glow Plug Tester | 2 | EDR | [Signature] | |
| 21 | Grease Gun | 2 | EDR | [Signature] | |
| 22 | Hack Saw Frame Adjustable 20-30 cm | 3 | EDR | [Signature] | |
| 23 | Hammer Ball Peen 0.75 Kg | 3 | EDR | [Signature] | |
| 24 | Hammer Chipping 0.25 kg | 3 | EDR | [Signature] | |
| 25 | Hammer Copper 1 Kg With Handle | 2 | EDR | [Signature] | |
| 26 | Hammer Mallet | 3 | EDR | [Signature] | |
| 27 | Hammer Plastic | 2 | EDR | [Signature] | |
| 28 | Hand Operated For Crimping Up to 4mm and for Crimping Up to 10 mm | 2 | EDR | [Signature] | |
| 29 | Hand Reamers Adjustable | 4 | EDR | [Signature] | |
| 30 | Hollow Punch Set Of Seven Pieces 6mm to 15 mm | 2 sets | EDR | [Signature] | |
| 31 | Multi Meter Digital | 3 | EDR | [Signature] | |
| 32 | Oil Can 0.5/0.25 liters Capacity | 4 | EDR | [Signature] | |
| 33 | Out Side Micrometer 0 to 25 mm | 3 | EDR | [Signature] | |
| 34 | Out Side Micrometer 25 to 50 mm | 3 | EDR | [Signature] | |
| 35 | Out Side Micrometer 50 to 75 mm | 1 | EDR | [Signature] | |
| 36 | Out Side Micrometer 75 to 100 mm | 1 | EDR | [Signature] | |
| 37 | Pipe Flaring Tool | 2 | EDR | [Signature] | |
| 38 | Hydro Meter | 1 | EDR | [Signature] | |
| 39 | Filter Remover | 2 | EDR | [Signature] | |

| STOCK REGISTER - AGRICULTURE MACHINERY LAB | | | | | |
|--|---|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 40 | Fyre Prick Bars | 6 | EDR | [Signature] | |
| 41 | Chain Removal Tool | 1 | EDR | [Signature] | |
| 42 | Spanner (Adjustable) 15cm | 1 | EDR | [Signature] | |
| 43 | Tyre Pressure Gauge With Holding Nipple | 1 | EDR | [Signature] | |
| 44 | Fuel Feed Pump For Diesel and Fuel Injection Pump (Diesel) inline | 1 | EDR | [Signature] | |
| 45 | Grover | 1 | EDR | [Signature] | |
| 46 | Hand Shear Universal 250 mm | 2 | EDR | [Signature] | |
| 47 | Hand Vice 37 mm | 2 | EDR | [Signature] | |
| 48 | High Rate Discharge Tester (Cell Tester) | 1 | EDR | [Signature] | |
| 49 | Hydraulic Jack /Screw Type, HI-Lift Type - 3 Ton Capacity | 1 | EDR | [Signature] | |
| 50 | Oscilloscope 20 MHz | 1 | EDR | [Signature] | |
| 51 | Radiator Cut Section | 1 | EDR | [Signature] | |
| 52 | Air Compressor With Tank and Accessories | 1 | EDR | [Signature] | |
| 53 | Wheel Type Tractor With Diesel Engine | 1 | EDR | [Signature] | |
| 54 | 9 Tine Zero Seed Cum Ferti Drill | 1 | EDR | [Signature] | |
| 55 | Multi Crop Thresher | 1 | EDR | [Signature] | |
| 56 | Centrifugal Pump With Electric Motor - 2hp | 1 | EDR | [Signature] | |
| 57 | Centrifugal Pump Cut Section | 1 | EDR | [Signature] | |
| 58 | Sub Mersible Pump Complete Unit & Cut Section Of The Same | 1 | EDR | [Signature] | |
| 59 | Diesel Generator Set 3 kw Single Phase Manually Operated | 1 | EDR | [Signature] | |

| STOCK REGISTER - AGRICULTURE MACHINERY LAB | | | | | |
|--|--|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 60 | Sprinkler Type Irrigation System Basic Live Model | 1 | EPAL | EPAL | |
| 61 | Drip Irrigation System (Demonstration Pipe Set - Live Model) | 1 | EPAL | EPAL | |
| 62 | Solar Pump With 300 Watt Panel, Pump, Battery, Structure, Converter. | 1 | EPAL | EPAL | |
| 63 | Chara Cutter | 1 | EPAL | EPAL | |
| 64 | Tyre Pressure Gauge With Accessories Mounted On The Wall | 1 | EPAL | EPAL | |
| 65 | Measuring Jars 1,2,3,5 ltrs (Each One) | 1 | EPAL | EPAL | |
| 66 | 9 Tine Cultivator | 1 | EPAL | EPAL | |
| 67 | 3 Furrow Disc Plough With Scraper / Harrow 7x7 Disc Without Tyre | 1 | EPAL | EPAL | |
| 68 | Engine Cut Section Model (Three Cylinder) | 1 | EPAL | EPAL | |
| 69 | Safety Glasses | 5 | EPAL | EPAL | |
| 70 | Cleaning Tray 45x 30 cm | 1 | EPAL | EPAL | |
| 71 | Radiator Pressure Cap | 1 | EPAL | EPAL | |
| 72 | Adjustable Spanner (Pipe Wrench) 350mm | 1 | EPAL | EPAL | |
| 73 | Clamps C 100mm | 1 | EPAL | EPAL | |
| 74 | Clamps C 150mm | 1 | EPAL | EPAL | |
| 75 | Clamps C 200mm | 1 | EPAL | EPAL | |
| 76 | Depth Micrometer 0-25 mm | 1 | EPAL | EPAL | |
| 77 | Electric Soldering Iron 230v 60w, 230v 25w | 1 | EPAL | EPAL | |
| 78 | Flat File 20cm Bastard | 1 | EPAL | EPAL | |
| 79 | File Halfround 20cm Second Cut | 1 | EPAL | EPAL | |

| STOCK REGISTER - AGRICULTURE MACHINERY LAB | | | | | |
|--|------------------------------------|---------|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 80 | File Square Second Cut | 2 | EPAL | EPAL | |
| 81 | File Triangular Second Cut | 1 | EPAL | EPAL | |
| 85 | Leather Apron | 1 | EPAL | EPAL | |
| 86 | Philips Screw Driver 300mm | 2 | EPAL | EPAL | |
| 87 | Philips Screw Driver 250mm | 3 | EPAL | EPAL | |
| 88 | Philips Screw Driver 150mm | 1 | EPAL | EPAL | |
| 89 | Heavy Duty Screw Driver 300mm Flat | 1 | EPAL | EPAL | |
| 90 | Growler | 2 | EPAL | EPAL | |
| 91 | Pipe Cutting Tool | 2 | EPAL | EPAL | |
| CONSUMABLES | | | | | |
| 92 | Oil Stone 15X5X2.5 cm | 1 | EPAL | EPAL | |
| 93 | Steel Wire Brushes 50X150 cm | 6 | EPAL | EPAL | |
| 94 | Soil Testing Kit | 1 | EPAL | EPAL | |
| 95 | Water Testing Kit | 1 | EPAL | EPAL | |
| 96 | T Joint 16 mm | 6 | EPAL | EPAL | |
| 97 | Elbows 15 mm | 12 | EPAL | EPAL | |
| 98 | Goof Plugs | 6 | EPAL | EPAL | |
| 99 | Safety Gloves Pairs | 10 | EPAL | EPAL | |
| 100 | Jerry Can 20 ltr | 1 | EPAL | EPAL | |
| 101 | Grease | 1 Kg | EPAL | EPAL | |
| 102 | Transmission Oil | 40 ltrs | EPAL | EPAL | |

| STOCK REGISTER - AGRICULTURE MACHINERY LAB | | | | | |
|--|-----------------------------------|---------|--------------------------------|--------------------|---------|
| Sl.No | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 103 | Diesel | 20 ltrs | <i>[Signature]</i> | <i>[Signature]</i> | |
| 104 | Engine Oil | 7 ltrs | <i>[Signature]</i> | <i>[Signature]</i> | |
| 105 | Engine Coolant | 2 ltrs | <i>[Signature]</i> | <i>[Signature]</i> | |
| 106 | Battery Water (Distilled Water) | 2 ltrs | <i>[Signature]</i> | <i>[Signature]</i> | |
| 107 | Electric insulation Tape | 2 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 108 | Emery Paper 36-60 Grit, 80-120 | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 109 | Cleaning Clothes | 2 Pkts | <i>[Signature]</i> | <i>[Signature]</i> | |

STOCK REGISTER - AGRICULTURE MACHINERY LAB

This is to certify that, the items mentioned from SI.No. 103 to SI.No. 109 against the quantity in the AGRICULTURE MACHINERY LAB are found correct and are in good working condition except the SI.Nos. having remarks

Handed Over by

Taken Over by

[Signature]
Cluster Incharge from Designtech
Rathnakar Eda
Designtech Systems Pvt. Ltd.

[Signature]
SPOC from Hosting Institution

[Signature]
Project Manager from Designtech

[Signature]
Principal
(AUTONOMOUS)
Sree Sainthi Nagar, A, RANGAMPET
Chittoor (Dist.) - 517 102, A.P., INDIA.

Srihari Prasad Popuri
Designtech Systems Pvt. Ltd.

[Signature]
Centre Incharge from APSSDC

Designtech Systems Pvt. Ltd.
G. Commerce Centre, Rambang Colony,
Paad Road, Kothrud, Pune -411038.

[Signature]
Area Coordinator from APSSDC



STOCK REGISTER - AGRICULTURE MACHINERY LAB

STOCK REGISTER - AGRICULTURE MACHINERY LAB

STOCK REGISTER - AGRICULTURE MACHINERY LAB

| APSSDC-SIEMENS PROJECT | | | | | |
|--|---|-----|--------------------------------|------------------|---------|
| SREE VIDYANIKETHAN ENGINEERING COLLEGE, TIRUPATI | | | | | |
| STOCK REGISTER - CBT LAB | | | | | |
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 1 | Workstation-P310, Win10 Pro64 DG Win7 Pro64, Intel Core i5-6400, 8GB Non-ECC 2133MHz UDimm, AMD Firepro W2100-2 GB Graphic Card, DVI VGI 2GB, 500GB SATA HDD 7200 rpm 3.5", Dual LAN Port, Cable Lock, Lenovo Opt Wheel/Mouse USB, USB Full Keyboard India EN, Intrusion Switch TWR, 3 Year Onsite Warranty, No Optical Drive, E19225 18.5" LED Backlit Wide Monitor, ThinkPad In-Ear Headphones with Microphone. | 56 | EPR | R | |
| 2 | Anti-Virus (MS Defender) - Preloaded | 56 | EPR | R | |
| 3 | ISDI Design Validation SW-SE294 | 25 | EPR | R | |
| 4 | ISDI Design Validation SW-NXCACAD100 | 23 | EPR | R | |
| 5 | ISDI Design Validation SW-NXCACAD100 (Remote) | 30 | EPR | R | |
| 6 | ISDI Design Validation SW-TNACAD100C (Remote) | 60 | EPR | R | |
| 7 | ISDI Design Validation SW-TNACAD101C (Remote) | 60 | EPR | R | |
| 8 | MS OFFICE HOME | 56 | EPR | R | |

STOCK REGISTER - CBT LAB

This is to certify that, the items mentioned from SI.No 1 to SI.No 8 against the quantity in the CBT LAB are found correct and are in good working condition except the SI.Nos having remarks

Handed Over by

[Signature]
Cluster Incharge from Designtech
 Rainakar Eba
 DesignTech Systems Pvt. Ltd.

[Signature]
Project Manager from Designtech
 Srihari Prasad Papuri
 DesignTech Systems Pvt. Ltd.



DesignTech Systems Pvt. Ltd.
 Commerce Centre, Ranbary Colony,
 100 Feet Road, Kothrud, Pune - 411038.

Taken Over by

[Signature]
SPOC from Hosting Institution
 Dept. of Engineering
 Sree Vidya Venkateswara Engineering College
 Tikkurupalle, Tirupati - 517 102

[Signature]
Hosting Institution Principal
 Sree Salnath Nagar, A. RANGAMPET
 Chittoor (Dist.) - 517 102, A.P., INDIA.

[Signature]
Centre Incharge from APSSDC

[Signature]
Area Coordinator from APSSDC
 Anand Rajkumar Lalam
 APSSDC - SIEMENS Project

| APSSDC-SIEMENS PROJECT | | | | | |
|--|--|-----|--------------------------------|------------------|---------|
| SREE VIDYANIKETHAN ENGINEERING COLLEGE, TIRUPATI | | | | | |
| STOCK REGISTER - CBT LAB - SUPPLIED BY APSSDC | | | | | |
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Area Coordinator | |
| 1 | Laptop - HP: System Serial Number SCD8214142 Windows 10 Professional 64 preinstalled, Intel Core i7-8550U Processor (256 Kbytes Cache, upto 2.0 GHz), 16GB DDR4, 1TB HD, With charging adapter | 1 | | | |

This is to certify that, the items mentioned from SI.No to SI.No against the quantity in the CBT LAB are found correct and are in good working condition except the SI.Nos having remarks

SPOC from Hosting Institution

Centre Incharge from APSSDC

Hosting Institution Principal

Area Coordinator from APSSDC

[Signature]
 Anand Rajkumar Lalam
 APSSDC - SIEMENS Project

ISDI-APSSDC SIEMENS PROJECT

Page 14 of 83

ISDI-APSSDC SIEMENS PROJECT

Page 15 of 83

STOCK REGISTER - CBT LAB

STOCK REGISTER - CBT LAB

STOCK REGISTER - CBT LAB

STOCK REGISTER - CBT LAB

| APSSDC-SIEMENS PROJECT | | | | | |
|--|---|-------|--------------------------------|------------------|---------|
| SREE VIDYANIKETHAN ENGINEERING COLLEGE, TIRUPATI | | | | | |
| STOCK REGISTER - CNC LAB | | | | | |
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 1 | JV 55 Vertical Machining Centre and Smartturn(Turning Centre) Including: Voltage Stabilizer, Siemens 82BD CNC System Suitable for Training Purpose | 1 Set | E.P.K. | [Signature] | |
| 2 | 840D SL/ 808D T /808D M Training Rack (Milling) | 2 | E.P.K. | [Signature] | |
| 3 | 840D SL/ 808D T Training Rack (Turning) | 2 | E.P.K. | [Signature] | |
| 4 | SINUTRAIN Complete Package - 6PCS870-8YC41-1YA0, SINUTRAIN for SINUMERIK Operate, Version 4.5 Ed2, Classroom License (18), SINUMERIK 840d SL, SINUMERIK 828d/828d, With CNC-Software 4.5 Basic, For Windows 7 32/64 Bit, For Windows XP Sp3 32 Bit, Turning / Milling / Universal, Multichannel | 1 | E.P.K. | [Signature] | |
| 5 | Threading Tool Holder | 1 | E.P.K. | [Signature] | |
| 6 | Threading Inserts | 10 | E.P.K. | [Signature] | |
| 7 | Roughing Tool | 1 | E.P.K. | [Signature] | |
| 8 | Roughing Inserts(Turning) | 10 | E.P.K. | [Signature] | |
| 9 | Boring Tool | 1 | E.P.K. | [Signature] | |
| 10 | Boring Inserts | 10 | E.P.K. | [Signature] | |
| 11 | U-Drill | 1 | E.P.K. | [Signature] | |
| 12 | U-Drill Inserts | 10 | E.P.K. | [Signature] | |
| 13 | Face Mill Adaptor | 1 | E.P.K. | [Signature] | |
| 14 | Collet Chuck | 2 | E.P.K. | [Signature] | |
| 15 | End Mill 12mm Dia | 2 | E.P.K. | [Signature] | |

| STOCK REGISTER | | CNC LAB | | | |
|----------------|--|---------|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 16 | Tap | 2 | E.P.K. | [Signature] | |
| 17 | Roughing Inserts(Milling) | 10 | E.P.K. | [Signature] | |
| 18 | Face Mill Tool Holder | 1 | E.P.K. | [Signature] | |
| 19 | 6.8mm Drills (Carbide) | 2 | E.P.K. | [Signature] | |
| 20 | Collet Dia 20-19,19-18,18-17, 17-16,16-15,15-14,14-13,13-12,12-11,11-10,10-09. | 1 | E.P.K. | [Signature] | |
| 21 | Collet Dia 9-8,8-7 | 1 | E.P.K. | [Signature] | |
| 22 | Collet Dia 7-6,6-5,5-4,4-3,3-2 | 1 | E.P.K. | [Signature] | |
| 23 | Pull Studs | 20 | E.P.K. | [Signature] | |
| 24 | Face Cutting Tool Holder | 1 | E.P.K. | [Signature] | |
| 25 | Boring Bar Holder Dia 32 | 3 | E.P.K. | [Signature] | |
| 26 | U-Drill Holder Lid | 1 | E.P.K. | [Signature] | |
| 27 | Boring Bar Sleeves Dia 8,10,12,16,20,25. | 1 | E.P.K. | [Signature] | |
| 28 | Wedges | 6 | E.P.K. | [Signature] | |
| 29 | Cutting Fastening plates | 6 | E.P.K. | [Signature] | |
| 30 | Revolving Centre (Tail Stock) | 1 | E.P.K. | [Signature] | |
| 31 | Coolant Guide Block Set | 6 | E.P.K. | [Signature] | |
| 32 | HEX Socket Screw (M6X16) | 3 | E.P.K. | [Signature] | |
| 33 | HEX Socket Screw (M8X16) | 6 | E.P.K. | [Signature] | |

| STOCK REGISTER - CNC LAB | | | | | |
|--------------------------|--|-------------------|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 34 | Flat Point Screw (M8X15) | 6 | EPAL | EPAL | |
| 35 | SHC Screw (M6X25) | 12 | EPAL | EPAL | |
| 36 | T Nuts | 5 | EPAL | EPAL | |
| 37 | a)Allen Keys-17,14,12,10,8,6,4,3,2 | Each Two Total-20 | EPAL | EPAL | |
| | b)Allen Keys - 19,7 | Each One Total-02 | EPAL | EPAL | |
| 38 | a)Double Ended D-Spanners (32-30),(27-24),(22-20),(17-16),(14-15),(13-12),(11-10),(09-08). | Each Two Total-16 | EPAL | EPAL | |
| | b)Double Ended D-Spanners (30-32) | 1 | EPAL | EPAL | |
| 39 | Single Ended D-Spanners 32 | 2 | EPAL | EPAL | |
| 40 | Star Screw Driver - 821 | 2 | EPAL | EPAL | |
| 41 | Flat Screw Driver - 211 | 1 | EPAL | EPAL | |
| 42 | Flat Chisel | 1 | EPAL | EPAL | |
| 43 | Grease Gun with Adaptor | 1 | EPAL | EPAL | |
| 44 | Test Piece (IVS5) | 1 | EPAL | EPAL | |
| 45 | Test Piece (Smarturn) | 1 | EPAL | EPAL | |
| 46 | Fixture | 1 | EPAL | EPAL | |
| 47 | SS Raw Material 300X120X70 | 1 | EPAL | EPAL | |
| 48 | SS Raw Material 300X30X70 | 2 | EPAL | EPAL | |

| STOCK REGISTER - CNC LAB | | | | | |
|--------------------------|---|-----------------|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 49 | Centre Drill (HSS 10mm) | 1 | EPAL | EPAL | |
| 50 | Parallel Blocks -100x50x30mm, 100x40x20mm and 100x40x10mm - 1 Pair Each (set of 6 no's) | 1set | EPAL | EPAL | |
| 51 | Mallet - Wooden Handle with Rubber Head | 1 | EPAL | EPAL | |
| 52 | Nylon Wire Brush | 1 | EPAL | EPAL | |
| 53 | Lubrication Oil Can | 1 | EPAL | EPAL | |
| 54 | Hand Hacksaw With HSS Blade | 1 | EPAL | EPAL | |
| 55 | Tool setting Block with C Spanner BT 40 | 1 | EPAL | EPAL | |
| 56 | Digital Vernier Caliper (300 mm) | 1 | EPAL | EPAL | |
| 57 | Machine Vice for LMW JV 55 Milling Machine | 1 | EPAL | EPAL | |
| 58 | Twist drills (4.2mm,5mm,6.8mm,8.5mm,11mm) | Each 6 Total 30 | EPAL | EPAL | |
| 59 | Tap set (M5, M6, M8, M10, M12) | Each 2 Total 10 | EPAL | EPAL | |
| 60 | Shell mills (6mm,8mm,10mm,12mm) | Each 5 Total 20 | EPAL | EPAL | |
| 61 | Allen key set | 1 | EPAL | EPAL | |
| 62 | Open End Spanner Set 6 to 32 mm | 1 | EPAL | EPAL | |
| 63 | Bastard File and Half Round File | 1 each | EPAL | EPAL | |
| 64 | Steel rule (300 mm) | 5 | EPAL | EPAL | |
| 65 | Dial Indicator With Stand | 1 | EPAL | EPAL | |
| 66 | Screw Pitch Gauge | 1 | EPAL | EPAL | |

| STOCK REGISTER - CNC LAB | | | | | |
|--------------------------|--|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 67 | Thread Plug Gauge | 1 | [Signature] | [Signature] | |
| 68 | 20x20 Shank With 35 Degrees Carbide Insert (1 Tool Holder or Shank With 1 Inserts) | 1 | [Signature] | [Signature] | |
| 69 | Internal Threading Tool With Insert | 1 | [Signature] | [Signature] | |
| 70 | Safety-Glasses | 30 | [Signature] | [Signature] | |
| CONSUMABLES | | | | | |
| 71 | Grease (Industrial) - Kg | 1 | [Signature] | [Signature] | |
| 72 | Cleaning Cloth | 30 | [Signature] | [Signature] | |
| 73 | Emery Paper | 10 | [Signature] | [Signature] | |
| 74 | Safety Gloves | 30 | [Signature] | [Signature] | |
| 75 | Lubricant Oil - ltr | 4 | [Signature] | [Signature] | |
| 76 | Coolant - Cutting Oil (20 ltrs) | 1 | [Signature] | [Signature] | |
| 77 | Aluminium Plate Raw Material 100x100x20 mm or 100x100x10 mm (Workpieces) | 20 | [Signature] | [Signature] | |
| 78 | Aluminium Bar Raw material (Φ50x100 mm or Φ50x110 mm or Φ60x100 mm or Φ60x110 mm) (Workpieces) | 20 | [Signature] | [Signature] | |

STOCK REGISTER - CNC LAB

This is to certify that, the items mentioned from SI.No 67 to SI.No 78 against the quantity in the CNC LAB are found correct. All items are in good working condition except the SI.Nos having remarks.

Handed Over by

[Signature]
Cluster Incharge from Designtech
Ratnakar Edy
Designtech Systems Pvt. Ltd.

[Signature]
Project Manager from Designtech
Srihari Prasad Popuri
Designtech Systems Pvt. Ltd.
Designtech Systems Pvt. Ltd.
E-commerce Centre, Ramnagar Colony
Pond Road, Kothrud, Pune - 411037



Taken Over by

[Signature]
Dr. K. VARAPRASAD
SPOC from Anna Engineering Institution
Dept. of Mechanical Engineering
Sree Vidyanikethan Engineering College
TIRUPATI - 617 102

[Signature]
Host Incharge from
Sree Vidyanikethan Engineering College
(AUTONOMOUS)
Sree Sainath Nagar, A. RANGAMPET
Chittoor (Dist) - 517 102, A.P., INDIA.
E-MAIL: [Signature]@SVECE.ac.in
Centre Incharge from APSSDC

[Signature]
Area Coordinator from APSSDC
Anand Rajkumar Lalam
APSSDC - SIEMENS Project

| APSSDC-SIEMENS PROJECT | | | | | |
|--|--|--------|--------------------------------|------------------|---------|
| SREE VIDYANIKETHAN ENGINEERING COLLEGE, TIRUPATI | | | | | |
| STOCK REGISTER - CNC LAB - SUPPLIED BY APSSDC | | | | | |
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Area Coordinator | |
| 1 | ER 32 Collets Dia 5,5,10,12,16 | 10 | ERL | SH | |
| 2 | Parallel Blocks 250X30X50 | 1 Pair | ERL | SH | |
| 3 | Parallel Blocks 150X15X15 | 1 Pair | ERL | SH | |
| 4 | Vertex Make Clamping Kit M16 CK16 | 1 Set | ERL | SH | |
| 5 | Lever Dial With Accessories | 1 | ERL | SH | |
| 6 | Magnetic Dial Stand Universal Type AA-1616 | 1 | ERL | SH | |
| 7 | Edge Finder For Milling Machine | 1 | ERL | SH | |
| 8 | Ball Nose Carbide Cutters 2X6X50 SHK Dia 4mm | 2 | ERL | SH | |
| 9 | Ball Nose Carbide Cutters 4X14X50 | 2 | ERL | SH | |
| 10 | Ball Nose Carbide Cutters 5X16X50 | 2 | ERL | SH | |
| 11 | Ball Nose Carbide Cutters 6X16X50 | 2 | ERL | SH | |
| 12 | Ball Nose Carbide Cutters 10X25X75 | 2 | ERL | SH | |
| 13 | Ball Nose Carbide Cutters 12X25X75 | 2 | ERL | SH | |
| 14 | Ball Nose Carbide Cutters 20X40X100 | 1 | ERL | SH | |
| 15 | End mill Carbide Cutters 6X16X50 | 2 | ERL | SH | |
| 16 | End mill Carbide Cutters 10X25X75 | 2 | ERL | SH | |
| 17 | End mill Carbide Cutters 12X25X75 | 2 | ERL | SH | |
| 18 | Dia 25 APKT 1705 insert Type End mill | 1 | ERL | SH | |
| 19 | APKT 1705 PEREM TT 9030 (INSERTS) | 10 | ERL | SH | |

| STOCK REGISTER - CNC LAB - SUPPLIED BY APSSDC | | | | | |
|---|---|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Area Coordinator | |
| 20 | Bull Mill Carbide Cutters 4X14X50 | 2 | ERL | SH | |
| 21 | Bull Mill Carbide Cutters 6X16X50 | 2 | ERL | SH | |
| 22 | Bull Mill Carbide Cutters 10X25X75 | 2 | ERL | SH | |
| 23 | Bull Mill Carbide Cutters 12X25X75 | 2 | ERL | SH | |
| 24 | T Slot Cutter HSS Dia 30mm X 11.0mm X SHK Dia 19.0mm, DAL 125mm | 1 | ERL | SH | |
| 25 | 90° Solid Carbide Chamfer Tool Dia 14mm | 1 | ERL | SH | |
| 26 | 30° Solid Carbide Chamfer Tool Dia 16mm | 1 | ERL | SH | |
| 27 | Drills M2 Cobalt Twist Drills Ø2 (ADDISON) | 5 | ERL | SH | |
| 28 | Drills M2 Cobalt Twist Drills Ø3 (ADDISON) | 5 | ERL | SH | |
| 29 | Drills M2 Cobalt Twist Drills Ø4 (ADDISON) | 5 | ERL | SH | |
| 30 | Drills M2 Cobalt Twist Drills Ø5 (ADDISON) | 5 | ERL | SH | |
| 31 | Drills M2 Cobalt Twist Drills Ø6 (ADDISON) | 5 | ERL | SH | |
| 32 | Drills M2 Cobalt Twist Drills Ø7 (ADDISON) | 5 | ERL | SH | |
| 33 | Drills M2 Cobalt Twist Drills Ø8 (ADDISON) | 5 | ERL | SH | |
| 34 | Drills M2 Cobalt Twist Drills Ø9 (ADDISON) | 5 | ERL | SH | |
| 35 | Drills M2 Cobalt Twist Drills Ø10 (ADDISON) | 5 | ERL | SH | |
| 36 | Drills M2 Cobalt Twist Drills Ø12 (ADDISON) | 2 | ERL | SH | |
| 37 | Drills M2 Cobalt Twist Drills Ø14 (ADDISON) | 2 | ERL | SH | |
| 38 | Drills M2 Cobalt Twist Drills Ø16 (ADDISON) | 2 | ERL | SH | |
| 39 | Drills M2 Cobalt Twist Drills Ø18 (ADDISON) | 2 | ERL | SH | |

| STOCK REGISTER - CNC LAB - SUPPLIED BY APSSDC | | | | | |
|---|---|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Area Coordinator | |
| 40 | Drills M2 Cobalt Twist Drills Ø20 (ADDISON) | 2 | EBU | CH | |
| 41 | Drills M2 Cobalt Twist Drills Ø2.5 (ADDISON) | 5 | EBU | CH | |
| 42 | Drills M2 Cobalt Twist Drills Ø3.2 (ADDISON) | 5 | EBU | CH | |
| 43 | Drills M2 Cobalt Twist Drills Ø3.3 (ADDISON) | 5 | EBU | CH | |
| 44 | Drills M2 Cobalt Twist Drills Ø3.4 (ADDISON) | 5 | EBU | CH | |
| 45 | Drills M2 Cobalt Twist Drills Ø4.2 (ADDISON) | 5 | EBU | CH | |
| 46 | Drills M2 Cobalt Twist Drills Ø4.4 (ADDISON) | 5 | EBU | CH | |
| 47 | Drills M2 Cobalt Twist Drills Ø5.2 (ADDISON) | 5 | EBU | CH | |
| 48 | Drills M2 Cobalt Twist Drills Ø5.4 (ADDISON) | 5 | EBU | CH | |
| 49 | Drills M2 Cobalt Twist Drills Ø6.2 (ADDISON) | 5 | EBU | CH | |
| 50 | Drills M2 Cobalt Twist Drills Ø6.4 (ADDISON) | 5 | EBU | CH | |
| 51 | Drills M2 Cobalt Twist Drills Ø6.7 (ADDISON) | 5 | EBU | CH | |
| 52 | Drills M2 Cobalt Twist Drills Ø8.3 (ADDISON) | 5 | EBU | CH | |
| 53 | Drills M2 Cobalt Twist Drills Ø8.5 (ADDISON) | 5 | EBU | CH | |
| 54 | Drills M2 Cobalt Twist Drills Ø8.6 (ADDISON) | 5 | EBU | CH | |
| 55 | Drills M2 Cobalt Twist Drills Ø10.2 (ADDISON) | 2 | EBU | CH | |
| 56 | Drills M2 Cobalt Twist Drills Ø10.4 (ADDISON) | 2 | EBU | CH | |
| 57 | Drills M2 Cobalt Twist Drills Ø10.8 (ADDISON) | 2 | EBU | CH | |
| 58 | Drills M2 Cobalt Twist Drills Ø12.4 (ADDISON) | 2 | EBU | CH | |
| 59 | Drills M2 Cobalt Twist Drills Ø12.8 (ADDISON) | 2 | EBU | CH | |

| STOCK REGISTER - CNC LAB - SUPPLIED BY APSSDC | | | | | |
|---|--|-------|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Area Coordinator | |
| 60 | DT3 Handle Deburring Tool | 1 | EBU | CH | |
| 61 | Baby Collet ID 32mm Ø32 ER25 | 1 | EBU | CH | |
| 62 | Nylon Mallet | 2 | EBU | CH | |
| 63 | 2020 External Grooving Tool With 4mm (10 Inserts) | 1 | EBU | CH | |
| 64 | Internal Grooving Tool And (10 Inserts) Ø25 GNDJLM 210 | 1 | EBU | CH | |
| 65 | Digital Screw Gauge Range 0 to 25 mm in size | 1 | EBU | CH | |
| 66 | Digital Screw Gauge Range 25 to 50 mm in size | 1 | EBU | CH | |
| 67 | Digital Screw Gauge Range 50 to 75 mm in size | 1 | EBU | CH | |
| 68 | Digital Screw Gauge Range 75 to 100 mm in size | 1 | EBU | CH | |
| 69 | Bore Gauge Range 18 to 35 mm With Dial | 1 | EBU | CH | |
| 70 | Bore Gauge Range 35 to 60 mm With Dial | 1 | EBU | CH | |
| 71 | SER Threading Screws | 5 | EBU | CH | |
| 72 | PCLNR 2020 K12 Shims | 5 | EBU | CH | |
| 73 | SCLCL09 Screws | 5 | EBU | CH | |
| 74 | PCLNR 2020 K12 Levers | 5 | EBU | CH | |
| 75 | U Drill Screws | 5 | EBU | CH | |
| 76 | Threading Holder Screw | 5 | EBU | CH | |
| 77 | VCMT 160408 | 10 | EBU | CH | |
| 78 | SVJCL 2020 K16 Screws | 5 | EBU | CH | |
| 79 | Servo Cuts Cutting Oil | litrs | EBU | CH | |

| STOCK REGISTER - CNC LAB - SUPPLIED BY APSSDC | | | | | |
|---|--|---------|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Area Coordinator | |
| 80 | Machine Lubrication Oil Servo 68 | 10 ltrs | EPL | EP | |
| 81 | Apron | 1 | EPL | EP | |
| 82 | Acetone | 1ltr | EAV | EP | |
| 83 | Rust Removal Oil | 5 ltrs | EPL | EP | |
| 84 | Aluminium Raw Material Rods Dia 100X100mm | 20 | EPL | EP | |
| 85 | Aluminium Raw Material Block 100X100X25 | 20 | EPL | EP | |
| 86 | Air Gun | 2 | EPL | EP | |
| 87 | Pneumatic Pipe For Air gun | 30 mtrs | EPL | EP | |
| 88 | Pneumatic Joints For Air Pipe and Compressor Air Pipe T Joints | 2 | EPL | EP | |
| 89 | Feeler Gauge 5 Microns 32 Leaves | 1 | EPL | EP | |
| 90 | Needle File Set | 2 Sets | EPL | EP | |
| 91 | Diamond Needle File Set | 1 | EPL | EP | |
| 92 | Tap Wrench Handle Small 1/4" to 3/4" | 1 | EPL | EP | |
| 93 | Tap Wrench Handle Big 1/2" to 1.1/2" | 1 | EPL | EP | |
| 94 | Magnetic V Blocks 3" 85X75X60 | 1 | EPL | EP | |
| 95 | Magnetic V Blocks 4" 100X95X75 | 1 | EPL | EP | |
| 96 | Hand Gloves | 50 Sets | EPL | EP | |
| 97 | Soft Jaws | 1 | EPL | EP | |
| 98 | BT 40 Tool Holders ER32 | 5 | EPL | EP | |
| 99 | Angle Plate L Plate 200X150X100 | 1 | EPL | EP | |

| STOCK REGISTER - CNC LAB - SUPPLIED BY APSSDC | | | | | |
|---|---|--------|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Area Coordinator | |
| 100 | C Clamps 2 Inch | 1 | EPL | EP | |
| 101 | C Clamps 3 Inch | 1 | EPL | EP | |
| 102 | C Clamps 4 Inch | 1 | EPL | EP | |
| 103 | Oil Stone | 1 | EPL | EP | |
| 104 | Bull Mill Cutter Dia 16 WEX 2016 EL 2 Pkt 150 | 1 | EPL | EP | |
| 105 | Insert APMT 113508 PDR PA 120 | 10 | EPL | EP | |
| 106 | End mill Insert Type Ø20 EL 2 Pkt | 1 | EPL | EP | |
| 107 | Insert APMT 113508 PDR PA 120 | 10 | EPL | EP | |
| 108 | PDJNL 2020 K15 For DNMG 150608 | 1 | EPL | EP | |
| 109 | DNMG 150608 6P TN 20P | 10 | EPL | EP | |
| 110 | ER 32 Collet Wrench | 1 | EPL | EP | |
| 111 | BT 40 Drill Bit Holder | 1 | EPL | EP | |
| 112 | Tap Sets M2 | 2 Sets | EPL | EP | |
| 113 | Tap Sets M3 | 2 Sets | EPL | EP | |
| 114 | Tap Sets M4 | 2 Sets | EPL | EP | |
| 115 | Tap Sets M6 | 2 Sets | EPL | EP | |
| 116 | Tap Sets M8 | 2 Sets | EPL | EP | |
| 117 | Tap Sets M12 | 1 Set | EPL | EP | |
| 118 | Tap Sets M14 | 1 Set | EPL | EP | |
| 119 | Tap Sets M16 | 1 Set | EPL | EP | |

STOCK REGISTER - CNC LAB - SUPPLIED BY APSSDC

STOCK REGISTER - CNC LAB

This is to certify that, the items mentioned from SI.No 01 to SI.No 119 against the quantity in the CNC LAB are found correct and are in good working condition except the SI.Nos having remarks

[Signature]
Dr. K.C. V. APPASAD
SPOC for the Institution
Sree Vidyanikethan Engineering College
TIRUPATI - 517 102

[Signature]
Centre Incharge from APSSDC



[Signature]
Hosting Institution Principal
PRINCIPAL
SREE VIDYANIKETHAN ENGINEERING COLLEGE
(AUTONOMOUS)
Sree Sahnath Nagar, A. RANGAMPET
Chittoor (Dist.) - 517 102, A.P., INDIA.

[Signature]
Area Coordinator from APSSDC
ANAND HANUMANTHARAJAM
APSSDC - SIEMENS Project

STOCK REGISTER - CNC LAB

STOCK REGISTER - CNC LAB

STOCK REGISTER - CNC LAB

| APSSDC-SIEMENS PROJECT | | PROJECT | | Quantity | Full Description of the Equipment | Quantity | Initials of | | Remarks |
|--|--|--|--|----------|-----------------------------------|----------|--------------------------------|------------------|---------|
| SREE VIDYANIKETHAN ENGINEERING COLLEGE, TIRUPATI | | SREE VIDYANIKETHAN ENGINEERING COLLEGE, TIRUPATI | | | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 1 | Steel Tape 15 mts Length | 1 | | 1 | ESAC | | | | |
| 2 | Plier Insulated 150 mm | 1 | | 1 | ESAC | | | | |
| 3 | Plier Side Cutting 150 mm | 1 | | 1 | ESAC | | | | |
| 4 | Screw Driver 100mm Flat Thin Stem with out Sleeve | 6 | | 6 | ESAC | | | | |
| 5 | Screw Driver 150 mm Flat | 8 | | 8 | ESAC | | | | |
| 6 | Electrician Connector Screw Driver Insulated Handle Thin Stem 100 mm | 1 | | 1 | ESAC | | | | |
| 7 | Heavy Duty Screw Driver 200 mm | 1 | | 1 | ESAC | | | | |
| 8 | Electrician Screw Driver Insulated Handle Thin Stem 250 mm | 8 | | 8 | ESAC | | | | |
| 9 | Punch Center 150 mm X 9 mm | 3 | | 3 | ESAC | | | | |
| 10 | Knife Double Bladed Electrician | 5 | | 5 | ESAC | | | | |
| 11 | Neon Tester | 1 | | 1 | ESAC | | | | |
| 12 | Steel Rule 300 mm | 1 | | 1 | ESAC | | | | |
| 13 | Hammer Cross Peen with Handle | 1 | | 1 | ESAC | | | | |
| 14 | Hammer Ball Peen with Handle | 5 | | 5 | ESAC | | | | |
| 15 | Gimlet 6 mm | 1 | | 1 | ESAC | | | | |
| 16 | Bradawl | 1 | | 1 | ESAC | | | | |
| 17 | Scriber (Knurled Centre Position) | 3 | | 3 | ESAC | | | | |
| 18 | Pincer 150 mm | 1 | | 1 | ESAC | | | | |
| 19 | C-Clamp 200 mm 150 mm and 100 mm | 1 | | 1 | ESAC | | | | |

| STOCK REGISTER - ELECTRICAL HOME LAB | | | | | |
|--------------------------------------|---|------------|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 20 | Spanner Adjustable 150 mm - 300 mm | 1 | EAC | ES | |
| 21 | Label | 6 | EAC | ES | |
| 22 | Chisel Cold Firmer 25 mm X 200 mm | 1 | EAC | ES | |
| 23 | Chisel 25 mm and 6 mm | 1 | EAC | ES | |
| 24 | Hand Drill Machine | 1 | EAC | ES | |
| 25 | Allen Key | 1 | EAC | ES | |
| 26 | Oil Can 0.12 ltr | 1 | EAC | ES | |
| 27 | Grease Gun | 1 | EAC | ES | |
| 28 | Outside Micrometer | 1 | EAC | ES | |
| 29 | Rawl Plug Tool and Bit | 1 | EAC | ES | |
| 30 | Pulley Puller | 1 | EAC | ES | |
| 31 | Bearing Puller | 1 | EAC | ES | |
| 32 | Pipe Vice | 1 | EAC | ES | |
| 33 | Scissors Blade 150 mm | 1 | EAC | ES | |
| 34 | Crimping Pliers For V-Shaped Round Lugs - Collective Tooling (0.5 - 6sq. mm 1no, 1- 6 Sq. mm - 1no, 0.5 - 16 Sq. mm- 6no) | 1 set of 8 | EAC | ES | |
| 35 | Stripping Pliers - Individual Tooling | 6 | EAC | ES | |
| 36 | Chisel Cold Flat 12 mm | 1 | EAC | ES | |
| 37 | Mallet Hard Wood 0.50 Kg | 1 | EAC | ES | |
| 38 | Hacksaw Frame 200 mm 300 mm Adjustable | 1 | EAC | ES | |
| 39 | Try Square 150 mm Blade | 1 | EAC | ES | |

| STOCK REGISTER - ELECTRICAL HOME LAB | | | | | |
|--------------------------------------|--|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 40 | Outside and Inside Driver Calliper | 1 | EAC | ES | |
| 41 | Pliers Flat Nose 150 mm | 1 | EAC | ES | |
| 42 | Pliers Round Nose 100 mm | 1 | EAC | ES | |
| 43 | Tweezers 100 mm | 1 | EAC | ES | |
| 44 | Snip Straight and Bent 150 mm | 1 | EAC | ES | |
| 45 | D.E. Metric Spanner | 1 | EAC | ES | |
| 46 | Drill Hand Brace | 1 | EAC | ES | |
| 47 | Complete Drills for Metal (From Dia 1-10) Collective Tooling | 1 | EAC | ES | |
| 48 | Plane Smoothing Cutters 50 mm | 1 | EAC | ES | |
| 49 | Gauge Wire Imperial | 1 | EAC | ES | |
| 50 | File Flat 200 mm 2nd Cut | 1 | EAC | ES | |
| 51 | File Half Round 200 mm 2nd Cut | 1 | EAC | ES | |
| 52 | File Round 200 mm 2nd Cut | 1 | EAC | ES | |
| 53 | File Flat 150 mm Rough | 1 | EAC | ES | |
| 54 | File Flat 250 mm Bastard | 1 | EAC | ES | |
| 55 | File Flat 250 mm Smooth | 1 | EAC | ES | |
| 56 | File Rasp Half Round 200 mm Bastard | 1 | EAC | ES | |
| 57 | Table Vice 100 mm Jaw | 1 | EAC | ES | |
| 58 | Pipe Cutter to Cut Pipes Up To 5 cm Dia | 1 | EAC | ES | |
| 59 | Pipe Cutter to Cut Pipes Above 5 cm Dia | 1 | EAC | ES | |

| STOCK REGISTER - ELECTRICAL HOME LAB | | | | | |
|--------------------------------------|---|-----|--------------------------------|--------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 60 | Stock and Dia Set For 25 mm to 50 mm G.I Pipe | 1 | ESH | <i>[Signature]</i> | |
| 61 | Stock and Dies Conduit | 1 | ESH | <i>[Signature]</i> | |
| 62 | Fire Buckets | 1 | ESH | <i>[Signature]</i> | |
| 63 | Screw Driver - 100mm Star Thin Stem with out Sleeve | 6 | ESH | <i>[Signature]</i> | |
| 64 | Needles | 3 | ESH | <i>[Signature]</i> | |
| 65 | Tightening Wrench | 1 | ESH | <i>[Signature]</i> | |
| 66 | Individual Tool Box - Individual Tooling | 6 | ESH | <i>[Signature]</i> | |
| 67 | Sharp Pliers - Individual Tooling | 6 | ESH | <i>[Signature]</i> | |
| 68 | Beak Pliers - Individual Tooling | 6 | ESH | <i>[Signature]</i> | |
| 69 | Strip Cable - Jokari - Individual Tooling | 6 | ESH | <i>[Signature]</i> | |
| 70 | Spirit Level - Individual Tooling | 6 | ESH | <i>[Signature]</i> | |
| 71 | Screw Guns (Makita Type or Equivalent) - Collective Tooling | 1 | ESH | <i>[Signature]</i> | |
| 72 | Cruciform End-Pieces for Screw Gun (Makita Type Or Equivalent) - Collective Tooling | 1 | ESH | <i>[Signature]</i> | |
| 73 | End-Pieces Supports - Collective Tooling | 1 | ESH | <i>[Signature]</i> | |
| 74 | Cic Tools 33 Bit Security Bit Set | 1 | ESH | <i>[Signature]</i> | |
| 75 | Complete Set of Flat Wrenches - Collective Tooling | 1 | ESH | <i>[Signature]</i> | |
| 76 | Complete Set of Uncorked Pipe Wrenches - Collective Tooling | 1 | ESH | <i>[Signature]</i> | |
| 77 | Hole Saw 65mm With Mechanism - Collective Tooling | 1 | ESH | <i>[Signature]</i> | |
| 78 | Saws with Back And 2 Boxes Cut - Collective Tooling | 2 | ESH | <i>[Signature]</i> | |
| 79 | Drills for Concrete (Diameters 6, 8, 10) - Collective Tooling | 1 | ESH | <i>[Signature]</i> | |

SREE VIDYANKETHAN ENGINEERING COLLEGE, TIRUPATI

| STOCK REGISTER - ELECTRICAL HOME LAB | | | | | |
|--------------------------------------|--|-----|--------------------------------|--------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 80 | Insulated Gloves - PPE | 2 | ESH | <i>[Signature]</i> | |
| 81 | Insulated Mat - PPE | 7 | ESH | <i>[Signature]</i> | |
| 82 | Helmet with Face Shield - PPE | 2 | ESH | <i>[Signature]</i> | |
| 83 | Security Padlock for Padlocking - PPE | 6 | ESH | <i>[Signature]</i> | |
| 84 | Meter Ribbon (Steel Tape 5m) | 6 | ESH | <i>[Signature]</i> | |
| 85 | Voltage Alert Tool | 1 | ESH | <i>[Signature]</i> | |
| 86 | C-CLAMP (ADJUSTABLE TOOL) 300mm | 1 | ESH | <i>[Signature]</i> | |
| 87 | Security Chains (2) + 4 Poles - PPE | 1 | ESH | <i>[Signature]</i> | |
| 88 | Security Banner - PPE | 1 | ESH | <i>[Signature]</i> | |
| 89 | Harness - PPE | 1 | ESH | <i>[Signature]</i> | |
| 90 | Simple Way Switches - Schneider Electric | 8 | ESH | <i>[Signature]</i> | |
| 91 | Two Way Switches - Schneider Electric | 8 | ESH | <i>[Signature]</i> | |
| 92 | Switches 20A - Schneider Electric | 8 | ESH | <i>[Signature]</i> | |
| 93 | Sockets 6A - Schneider Electric | 2 | ESH | <i>[Signature]</i> | |
| 94 | Sockets 16A - Schneider Electric | 2 | ESH | <i>[Signature]</i> | |
| 95 | Step Fan - Schneider Electric | 6 | ESH | <i>[Signature]</i> | |
| 96 | 3 Module Plate & Grid - Schneider Electric | 10 | ESH | <i>[Signature]</i> | |
| 97 | 3 Module Surface Mounting Box - Schneider Electric | 10 | ESH | <i>[Signature]</i> | |
| 98 | 4 Module Plate & Grid - Schneider Electric | 5 | ESH | <i>[Signature]</i> | |
| 99 | 4 Module Surface Mounting Box - Schneider Electric | 5 | ESH | <i>[Signature]</i> | |

SREE VIDYANKETHAN ENGINEERING COLLEGE, TIRUPATI

| STOCK REGISTER - ELECTRICAL HOME LAB | | | | | |
|--------------------------------------|--|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 100 | 8 Module Plate & Grid - Schneider Electric | 6 | ESK | B | |
| 101 | 8 Module Surface Mounting Box - Schneider Electric | 6 | ESK | B | |
| 102 | Blank Off Cover - Schneider Electric | 50 | ESK | B | |
| 103 | Push Switches (X1025WH) - Dom Loose Mat | 24 | ESK | B | |
| 104 | Batten Holder - Dom Loose Mat | 24 | ESK | B | |
| 105 | Round Block PVC - Dom Loose Mat | 36 | ESK | B | |
| 106 | Ceiling Plate - Dom Loose Mat | 50 | ESK | B | |
| 107 | Ceiling Rose - Dom Loose Mat | 36 | ESK | B | |
| 108 | Junction Boxes 3 Ways 16 mm - Dom Loose Mat | 12 | ESK | B | |
| 109 | Junction Boxes 3 Ways 20 mm - Dom Loose Mat | 12 | ESK | B | |
| 110 | Junction Boxes 4 Ways 16 mm - Dom Loose Mat | 12 | ESK | B | |
| 111 | Junction Boxes 4 Ways 20 mm - Dom Loose Mat | 12 | ESK | B | |
| 112 | Boxes Support Lamp - Dom Loose Mat | 18 | ESK | B | |
| 113 | Flush Mounted Boxes - Dom Loose Mat 2 Module | 18 | ESK | B | |
| 114 | Flush Mounted Boxes - Dom Loose Mat 3 Module | 36 | ESK | B | |
| 115 | Flush Mounted Junction Boxes - Dom Loose Mat | 12 | ESK | B | |
| 116 | Surface Mounted Junction Boxes - Dom Loose Mat | 18 | ESK | B | |
| 117 | 2 Module Surface Mounted Box Anchor Make | 50 | ESK | B | |
| 118 | 3 Module Surface Mounted Box Anchor Make | 50 | ESK | B | |
| 119 | Portable Electrical Drill Machine 12mm Capacity | 1 | ESK | B | |

| STOCK REGISTER - ELECTRICAL HOME LAB | | | | | |
|--------------------------------------|---|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 120 | Pillar Electric Drill Machine 12 mm Capacity | 1 | ESK | B | |
| 121 | Motorized Bench Grinder | 1 | ESK | B | |
| 122 | Thermometer 0 To 100 Deg Centigrade | 1 | ESK | B | |
| 123 | Soldering Iron 25-Watt 65 Watt 125 Watt | 1 | ESK | B | |
| 124 | De-Soldering Gun | 1 | ESK | B | |
| 125 | Ohm Meter Series Type & Shunt Type | 1 | ESK | B | |
| 126 | Multi Meter (Analog) 0 To 1000 mOhms, 7.5 Amp, 500V | 1 | ESK | B | |
| 127 | Digital Multi Meter | 2 | ESK | B | |
| 128 | A.C Voltmeter MI 0-500 V A.C (Table Mounting) | 1 | ESK | B | |
| 129 | Milli Voltmeter Centre Zero 100 - 0 - 100 mVolts (Table Mounting) | 1 | ESK | B | |
| 130 | DC Milli Ammeter 0 - 500 mAmps (Table Mounting) | 1 | ESK | B | |
| 131 | Ammeter MC 0 - 5, 0 - 25A (Table Mounting) | 1 | ESK | B | |
| 132 | AC Ammeter M.L. 0-5 A, 0 - 25 A (Table Mounting) | 1 | ESK | B | |
| 133 | Kilo Wattmeter 0 - 1 - 3 Kw | 1 | ESK | B | |
| 134 | A.C. Energy Meter Single Phase 5 Amp Three Phase 15 Amp | 3 | ESK | B | |
| 135 | Power Factor Meter | 1 | ESK | B | |
| 136 | Frequency Meter | 1 | ESK | B | |
| 137 | Flux Meter | 1 | ESK | B | |
| 138 | Wheat Stone Bridge with Galvanometer And Battery | 1 | ESK | B | |
| 139 | Laboratory Type Induction Coil | 1 | ESK | B | |

| STOCK REGISTER - ELECTRICAL HOME LAB | | | | | |
|--------------------------------------|--|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 140 | DC Power Supply 0 - 30 V, 2 Amp | 1 | EAL | h | |
| 141 | Rheostat (0-1 Ohm, 5Amp), (0-10 Ohm, 5Amp), (0-25 Ohm, 1 Amp), (0-300 Ohm, 1Amp) | 1 | EAL | h | |
| 142 | 1-Phase Variable Auto Transformer | 1 | EAL | h | |
| 143 | Battery - 9v | 1 | EAL | h | |
| 144 | Hydrometer | 1 | EAL | h | |
| 145 | Miniature Breaker 16 Amp (Raw Material) | 36 | EAL | h | |
| 146 | Working Bench 2.5m X 1.2m X 0.75m | 3 | EAL | h | |
| 147 | Fire Extinguisher CO2, 2kg | 1 | EAL | h | |
| 148 | Tachometer | 1 | EAL | h | |
| 149 | Current Transformer 415Volt, 50Hz, Pt Ratio 11kv/110v, 10va | 1 | EAL | h | |
| 150 | Potential Transformer 415Volt, 50Hz, Pt Ratio 11kv/110v, 10va | 1 | EAL | h | |
| 151 | Tong Tester/Clamp Meter 0-100 Amp AC | 1 | EAL | h | |
| 152 | Megger 500 Volts | 1 | EAL | h | |
| 153 | Contactors & Auxiliary Contacts 3-Phase 440 Volt, 16Amp (Raw Material) | 1 | EAL | h | |
| 154 | Limit Switch (Raw Material) | 1 | EAL | h | |
| 155 | Rotary Switch 16A (Raw Material) | 1 | EAL | h | |
| 156 | Load Bank 5KW (Lamp/Heater Type) | 1 | EAL | h | |
| 157 | Brake Test Arrangement with Two Spring Balance 0 To 25 Kg Rating | 1 | EAL | h | |
| 158 | Knife Switch DPDT Fitted with Fuse Terminals 16amp (Raw Material) | 1 | EAL | h | |
| 159 | Knife Switch TPDT Fitted with Fuse Terminals 16amp (Raw Material) | 1 | EAL | h | |

| STOCK REGISTER - ELECTRICAL HOME LAB | | | | | |
|--------------------------------------|---|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 160 | Voltage Stabilizer Input: 150-230 Volt AC Output: 220 Volt AC | 1 | EAL | h | |
| 161 | 3-Point D.C Starter | 1 | EAL | h | |
| 162 | 4-Point D.C Starter | 1 | EAL | h | |
| 163 | Electrical Machine Trainer | 1 | EAL | h | |
| 164 | Motor Generator (AC To DC) | 1 | EAL | h | |
| 165 | Used DC Generators-Series & Shunt & Compound Type | 1 | EAL | h | |
| 166 | D.C Shunt Generator with Control Panel 2.5kw 220V | 1 | EAL | h | |
| 167 | D.C Compound Generator with Control Panel 2.5kw 220V | 1 | EAL | h | |
| 168 | DC Series Motor Coupled with Mechanical Load 0.5 To 23kw 220 Volts | 1 | EAL | h | |
| 169 | DC Shunt Motor 2 To 2.5kw 220 Volts | 1 | EAL | h | |
| 170 | DC Compound Motor with Starter & Switch 2 To 2.5 Kw 220 Volts | 1 | EAL | h | |
| 171 | Single Phase Transformer Core Type Air Cooled 1 KVa 240/ 415v 50 Hz | 1 | EAL | h | |
| 172 | Three Phase Transformer Shell Type Oil Cooled with All Mounting 3kva 415/240v | 1 | EAL | h | |
| 173 | Oscilloscope Dual Trace 30mhz | 1 | EAL | h | |
| 174 | Function Generator | 1 | EAL | h | |
| 175 | Discrete Component Trainer | 1 | EAL | h | |
| 176 | Linear IC Trainer | 1 | EAL | h | |
| 177 | Digital IC Trainer | 1 | EAL | h | |
| 178 | Hygrometer | 1 | EAL | h | |
| 179 | Starters For 2 to 5 Hp Ac Motors | 1 | EAL | h | |

| STOCK REGISTER - ELECTRICAL HOME LAB | | | | | |
|--------------------------------------|--|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 180 | Rheostat-10A,23 Ohms | 1 | EAK | [Signature] | |
| 181 | Direct on-Line Starter | 1 | EAK | [Signature] | |
| 182 | Star Delta Starter-Manual, Semi-Automatic and Automatic | 1 | EAK | [Signature] | |
| 183 | Auto Transformer | 1 | EAK | [Signature] | |
| 184 | Motor Generator (DC To AC) | 1 | EAK | [Signature] | |
| 185 | AC Squirrel Cage Motor with Star Delta Starter | 1 | EAK | [Signature] | |
| 186 | AC Phase Wound Slip Ring Motor with Starter | 1 | EAK | [Signature] | |
| 187 | Ac Series Type Motor with Mechanical Load 1/4 Hp 230 V 50Hz | 1 | EAK | [Signature] | |
| 188 | Single Phase Capacitor Motor with Starter Switch 1 Hp 230 Volt 50 Hz | 1 | EAK | [Signature] | |
| 189 | Universal Motor with Starter /Switch 230 Volt 50 Hz 1/4 Hp | 1 | EAK | [Signature] | |
| 190 | Stepper Motor with Digital Controller | 1 | EAK | [Signature] | |
| 191 | Shaded Pole Motor | 1 | EAK | [Signature] | |
| 192 | Oven Stove | 1 | EAK | [Signature] | |
| 193 | Synchronous Motor 3 Phase 3 Hp 415 V 50 Hz 4 Pole with Accessories | 1 | EAK | [Signature] | |
| 194 | Lux Meter | 1 | EAK | [Signature] | |
| 195 | Electric Hot Plate 1500 watt | 1 | EAK | [Signature] | |
| 196 | Electric Kettle 1500 watt | 1 | EAK | [Signature] | |
| 197 | Electric Iron 1500 Watt | 1 | EAK | [Signature] | |
| 198 | Immersion Heater 1500 Watt | 1 | EAK | [Signature] | |
| 199 | A.C Fan | 1 | EAK | [Signature] | |

| STOCK REGISTER - ELECTRICAL HOME LAB | | | | | |
|--------------------------------------|--|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 200 | Geyser (Storage-Type) 15 Ltr Minimum | 1 | EAK | [Signature] | |
| 201 | Mixer & Grindr | 1 | EAK | [Signature] | |
| 202 | Pentium IV Computer Or Latest 2.8 Ghz & Above 1gb Ram 80gb HDD | 1 | EAK | [Signature] | |
| 203 | Inkjet /Laser Printer | 1 | EAK | [Signature] | |
| 204 | Washing Machine | 1 | EAK | [Signature] | |
| 205 | Motor Pump Set 1Hp 1 Phase 240volt | 1 | EAK | [Signature] | |
| 206 | Panel Board 3R 18 SURFACE METAL DB (SCHNEIDER - A9HFD336) - Schneider Electric | 6 | EAK | [Signature] | |
| 207 | Residual Current Circuit Breaker 40A Type AC - RCCB H H 40A 30ma AC - Schneider Electric 2-Pole | 12 | EAK | [Signature] | |
| 208 | Residual Current Circuit Breaker 40 A Type AC - RCCB40A 30ma A -Schneider Electric 4-Pole | 6 | EAK | [Signature] | |
| 209 | Residual Current Circuit Breaker 40A Type AC - RCCB H H 40A 300ma AC - Schneider Electric 2 Pole | 6 | EAK | [Signature] | |
| 210 | Modular Circuit Breaker Type C2A - MCB1Ph N 2A C - Schneider Electric | 6 | EAK | [Signature] | |
| 211 | Modular Circuit Breaker Type C20A MCB1Ph N 20A C - Schneider Electric | 36 | EAK | [Signature] | |
| 212 | Modular Circuit Breaker Type C25A - MCB1Ph N 25A C - Schneider Electric | 6 | EAK | [Signature] | |
| 213 | Modular Circuit Breaker Type C32A - MCB1Ph N 32A C - Schneider Electric | 6 | EAK | [Signature] | |
| 214 | Modular Contactors - Cctic Contactor with ON OFF Selection - Schneider Electric | 6 | EAK | [Signature] | |
| 215 | Modular Impulse Relays - Flicic 16A 1P - Schneider Electric | 6 | EAK | [Signature] | |
| 216 | Modular Time Switches - TIME SWITCH 24H WITHOUT POWER RESERVE A9 - Schneider Electric | 6 | EAK | [Signature] | |
| 217 | Modular Timers - ELECTRONIC TIMER 30 SEC TO 20 MINS ACT19 -Schneider Electric | 6 | EAK | [Signature] | |

| STOCK REGISTER - ELECTRICAL HOME LAB | | | | | |
|--------------------------------------|--|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 218 | Twilight Switches - TWI SW1 100 LUX 1CHANNEL IC100 IC ACT19 -Schneider Electric | 6 | EAK | B | |
| 219 | Earth Tester with Connecting Leads and Spikes (Waco Or Equivalent) -Measuring Instrument | 1 | EAK | B | |
| 220 | Industrial Trainer Work Bench-111 Model Consists of The Following | 1 | EAK | B | |
| 221 | Dol Starter Panel | 1 | EAK | B | |
| 222 | Contactors Panels | 3 | EAK | B | |
| 223 | O/L Relay Panel | 1 | EAK | B | |
| 224 | Cam Switch Panel | 1 | EAK | B | |
| 225 | Push Button Panel | 1 | EAK | B | |
| 226 | Alarm Panel | 1 | EAK | B | |
| 227 | SMPS Panel | 1 | EAK | B | |
| 228 | Timer Panel | 1 | EAK | B | |
| 229 | Proximity Panel | 1 | EAK | B | |
| 230 | Relay Panel | 1 | EAK | B | |
| 231 | Multi-Functional Panel Meter | 2 | EAK | B | |
| 232 | Lamp Load Panel | 2 | EAK | B | |
| 233 | 3-Ph Squirrel Cage Induction Motor | 2 | EAK | B | |
| 234 | 3-Ph Squirrel Cage Induction Motor Semi Knock Down (Winding Practice) | 1 | EAK | B | |
| 235 | Motor Feeder Kit and Tesys Kit | 1 | EAK | B | |
| 236 | Variable Frequency Drive For 2 Hp Ac Motor Speed Control- Schneider Electric | 1 | EAK | B | |

| STOCK REGISTER - ELECTRICAL HOME LAB | | | | | |
|--------------------------------------|---|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 237 | 2.2 K Potentiometer | | EAK | B | |
| 238 | Base for D22 Control | | EAK | B | |
| 239 | Power Suite - Schneider Electric | | EAK | B | |
| 240 | Soft Motor Starter - Schneider Electric | | EAK | B | |
| 241 | Motor Starter Pack - Tesys | | EAK | B | |
| 242 | Auxiliary Contact Module (2.5A/250V) | | EAK | B | |
| 243 | Standard Control Unit | | EAK | B | |
| 244 | Auxiliary Contact (2A/24V) | | EAK | B | |
| 245 | Reverser Block | | EAK | B | |
| 246 | Prewired Block | | EAK | B | |
| 247 | Power Base | | EAK | B | |
| 248 | Magnetic Circuit Breaker | | EAK | B | |
| 249 | MPCB (Motor Protection Circuit Breaker) | | EAK | B | |
| 250 | Metal Base / Mounting Plate | | EAK | B | |
| 251 | Isolator Switch with Fuse 500 V - Schneider Electric | | EAK | B | |
| 252 | Rotary Switch 240V/ 3A - Schneider Electric | | EAK | B | |
| 253 | Contact Block - Schneider Electric | | EAK | B | |
| 254 | Contactors 24V/50/60Hz Suitable For 4Kw/400V-Schneider Electric | | EAK | B | |
| 255 | Relay 2.5-4A - Schneider Electric | | EAK | B | |
| 256 | Terminal Block | | EAK | B | |

| STOCK REGISTER - ELECTRICAL HOME LAB | | | | | |
|--------------------------------------|--|-------|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 257 | Reversing Contactor | 1 | EAK | B | |
| 258 | Time Delay Block - Schneider | 2 | EAK | B | |
| 259 | 10A 4P MCB - Schneider Electric | 1 | EAK | B | |
| 260 | 4P- 25A - 30 Ma AC- Add On Current Device - Schneider | 1 | EAK | B | |
| 261 | Complete Control Station Enclosure - 3 Button | 1 | EAK | B | |
| 262 | 1 Pole 16A MCB | 1 | EAK | B | |
| 263 | Limit Switch | 1 | EAK | B | |
| 264 | Isolation Transformer-400VA Schneider Electric | 1 | EAK | B | |
| 265 | USB Flash Memory Drive - 4 GB Pen Drive | 1 | EAK | B | |
| 266 | Transformer Core Set Of 5 | 1 | EAK | B | |
| 267 | Perforated Chassis | 2 pak | EAK | B | |
| 268 | Relays (a)Cut out (b)Reverse current (c)Over current (d)Under voltage | 6 | EAK | B | |
| 269 | Drill S.S. Twist Block 2 mm 5 mm 5 mm Set of 3 | 1 | EAK | B | |
| CONSUMABLES | | | | | |
| 270 | Batten Lamps 220V - Dom Loose Mat | 18 | EAK | B | |
| 271 | 50 Meters Grey IBTA Sheath Diameter 16mm,20mm (Flexible Pipe) -Dom Loose Mat | 25mts | EAK | B | |
| 272 | Saddle 16 mm - Dom Loose Mat | 100 | EAK | B | |
| 273 | Saddle 20 mm - Dom Loose Mat | 100 | EAK | B | |
| 274 | Wooden Screw - Dom Loose Mat | 200 | EAK | B | |
| 275 | Clips for ISR Pipe 16 Et 20 mm - Dom Loose Mat | 100 | EAK | B | |

| STOCK REGISTER - ELECTRICAL HOME LAB | | | | | |
|--------------------------------------|---|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 276 | Cable Tie - Dom Loose Mat | 150 | EAK | B | |
| 277 | Connector "Dominos" 4mm ² - Dom Loose Mat Grey | 100 | EAK | B | |
| 278 | 1.5 Sq mm Red - Dom Loose Mat | 4 | EAK | B | |
| 279 | 1.5 Sq mm Blue - Dom Loose Mat | 4 | EAK | B | |
| 280 | 1.5 Sq mm Yellow - Dom Loose Mat | 4 | EAK | B | |
| 281 | 1.5 Sq mm Black - Dom Loose Mat | 4 | EAK | B | |
| 282 | 1.5 Sq mm Yellow-Green - Dom Loose Mat | 1 | EAK | B | |
| 283 | 2.5 Sq mm Red - Dom Loose Mat | 3 | EAK | B | |
| 284 | 2.5 Sq mm Blue - Dom Loose Mat | 3 | EAK | B | |
| 285 | 2.5 Sq mm Yellow - Dom Loose Mat | 3 | EAK | B | |
| 286 | 2.5 Sq mm Black - Dom Loose Mat | 3 | EAK | B | |
| 287 | 2.5 Sq mm Yellow-Green - Dom Loose Mat | 1 | EAK | B | |
| 288 | 4 Sq mm Red - Dom Loose Mat | 1 | EAK | B | |
| 289 | 4 Sq mm Blue - Dom Loose Mat | 1 | EAK | B | |
| 290 | 4 Sq mm Yellow - Dom Loose Mat | 1 | EAK | B | |
| 291 | 4 Sq mm Black - Dom Loose Mat | 1 | EAK | B | |
| 292 | 4 Sq mm Yellow-Green - Dom Loose Mat | 1 | EAK | B | |
| 293 | 2.5 Sq mm 4 Core Cable | 25m | EAK | B | |
| 294 | 12 Way 10A Strip Connectors | 100 | EAK | B | |
| 295 | 25 mm T-Joint | 50 | EAK | B | |

| STOCK REGISTER - ELECTRICAL HOME LAB | | | | | |
|--------------------------------------|--|--------|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 296 | 19 mm T- Joint | 50 | EAK | R | |
| 297 | 19mm Straight Joints | 50 | EAK | R | |
| 298 | 25mm Straight Joints | 50 | EAK | R | |
| 299 | Insulation Tape | 20 | EAK | R | |
| 300 | Long L Bends | 24 | EAK | R | |
| 301 | Gisties | 10 pak | EAK | R | |
| 302 | Hexagonal Screws | 2 pak | EAK | R | |
| 303 | Screw Terminals Green Yellow - 4 Sq mm | 100 | EAK | R | |
| 304 | Screw Terminals Grey-6sq mm | 50 | EAK | R | |
| 305 | Screw Terminals Grey - 35sq mm | 50 | EAK | R | |
| 306 | End Brackets - 35mm | 50 | EAK | R | |
| 307 | End Cover for Screw Terminals | 50 | EAK | R | |
| 308 | PVC Conduit Pipe | 10 | EAK | R | |

STOCK REGISTER - ELECTRICAL HOME LAB

This is to certify that, the items mentioned from SI.No. 296 to SI.No. 308 against the quantity in the ELECTRICAL HOME LAB are correct and are in good working condition except the SI.Nos having remarks.

Handed Over by

[Signature]
 Cluster Incharge from Designtech
 Rathnakar Edla
 Designtech Systems Pvt. Ltd.

[Signature]
 Project Manager from Designtech
 Srihari Prasad Popuri
 Designtech Systems Pvt. Ltd.



Designtech Systems Pvt. Ltd.
 6, Commerce Centre, Ramnagar Colony,
 Pond Road, Kothrud, Pune - 411005

Taken Over by

[Signature]
 Dr. R. C. VARMAKASAD
 SPOC from VIT Institution
 Dept. of Mechanical Engineering
 Sree Vidyanikethan Engineering College
 TIRUPATI - 517 102

[Signature]
 PRINCIPAL
 Sree Vidyanikethan Engineering College
 Hosur (Autonomous Branch)
 Sree Selnath Nagar, A. RANGAMPET
 Chittoor (Dist.) - 517 102, A.P., INDIA.

[Signature]
 Centre Incharge from APSSDC

[Signature]
 Area Coordinator from APSSDC
 Anand Raikumar Lalam
 APSSDC - SIEMENS Project

STOCK REGISTER - ELECTRICAL HOME LAB

STOCK REGISTER - ELECTRICAL HOME LAB

STOCK REGISTER - ELECTRICAL HOME LAB

STOCK REGISTER - ELECTRICAL HOME LAB

| APSSDC-SIEMENS PROJECT | | | | | |
|--|---|-----|--------------------------------|------------------|---------|
| SREE VIDYANIKETHAN ENGINEERING COLLEGE, TIRUPATI | | | | | |
| STOCK REGISTER - R&AC LAB | | | | | |
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 1 | File Flat Rough Double Cut 200mm | 1 | EAR | BS | |
| 2 | File Halfround Fine Double Cut Length 150mm | 1 | EAR | BS | |
| 3 | Flat Fine File 150mm Length | 1 | EAR | BS | |
| 4 | Flat Rough File 150mm Length | 1 | EAR | BS | |
| 5 | Round Rough File 150mm Length | 1 | EAR | BS | |
| 6 | Triangular Rough File 150mm Length | 1 | EAR | BS | |
| 7 | File Round Fine Double Cut Length 150mm | 1 | EAR | BS | |
| 8 | File Square Fine Double Cut Length 150mm | 1 | EAR | BS | |
| 9 | File Triangular Fine Double Cut Length 150mm | 1 | EAR | BS | |
| 10 | Square Rough File 150mm Length | 1 | EAR | BS | |
| 11 | Hammer Ball Peen 250gms | 3 | EAR | BS | |
| 12 | Steel Rule 1 Feet | 3 | EAR | BS | |
| 13 | Measuring Tape 3M | 6 | EAR | BS | |
| 14 | Pliers Combination Insulated Length 200mm | 3 | EAR | BS | |
| 15 | Long Nose Plier 200mm | 2 | EAR | BS | |
| 16 | Snip Sheet Metal Curved Nose 200mm | 3 | EAR | BS | |
| 17 | Line Tester Heavy Duty | 3 | EAR | BS | |
| 18 | Bench Vice 125 mm & 150 mm Each | 1 | EAR | BS | |
| 19 | Hack Saw Tubular Metal Frame Adjustable 300mm | 2 | EAR | BS | |

| STOCK REGISTER - R&AC LAB | | | | | |
|---------------------------|--|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 20 | Wooden Mallet | 2 | EAR | BS | |
| 21 | Portable Electrical Drill With Chuck And Key Capacity 6.4mm | 1 | EAR | BS | |
| 22 | Screw Drivers, Plastic Handle 6mm TIP Length 100mm | 1 | EAR | BS | |
| 23 | Screw Drivers, Plastic Handle Flat Tip 10mm TIP Length 200mm | 1 | EAR | BS | |
| 24 | Clamp On Multimeter Digital Type | 2 | EAR | BS | |
| 25 | Double Ended Spanner 6-32mm-Set Of 8 Spanners | 1 | EAR | BS | |
| 26 | Ring Spanner 6-32mm | 1 | EAR | BS | |
| 27 | Flaring Tool Set Single Type For Tube 4.7 To 16mm O.D-Flaring Tool | 2 | EAR | BS | |
| 28 | Swaging Tool (Punch Type) For Tube 4.7mm To 16mm Size O.D-Swaging Tool | 1 | EAR | BS | |
| 29 | Bending Spring External Type For Copper Tubes 1/4", 3/8", 5/8" Spring Benders Set Of 3 Sizes | 1 | EAR | BS | |
| 30 | Pinch Of Plier For Copper Tube 6mm To 18mm | 4 | EAR | BS | |
| 31 | Ratchet Handle Only | 1 | EAR | BS | |
| 32 | Ratchet Combination Spanner Set Of 7 | 1 | EAR | BS | |
| 33 | Ratchet Screw Driver | 1 | EAR | BS | |
| 34 | Capillary Tube Size Finder | 1 | EAR | BS | |
| 35 | Spanner Double Ended 4.7mm To 16mm - Set Of 8 Spanners | 1 | EAR | BS | |
| 36 | Valve Key Handle 4.7mm & 6.4mm Sq. | 2 | EAR | BS | |
| 37 | Service Man Thermometer Digital / RH | 3 | EAR | BS | |
| 38 | L-Allen Key Set Sizes 1.5mm To 6.4mm | 1 | EAR | BS | |
| 39 | T-Allen Key Set Sizes 5/32" To 1/8" | 1 | EAR | BS | |

| STOCK REGISTER - R&AC LAB | | | | | |
|---------------------------|--|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 40 | Multi Tube Bender (1/4", 3/8", 5/16") | 1 | LAC | BS | |
| 41 | Sling Psychrometer | 6 | EAR | BS | |
| 42 | Portable Air Blower 1/10 Hp | 2 | EAR | BS | |
| 43 | Spirit Level Precision Metallic 1METER | 1 | EAR | BS | |
| 44 | Spirit Level 1/2meter | 1 | EAR | BS | |
| 45 | Plumb Bob | 2 | EAR | BS | |
| 46 | Micron Vacuum Gauge Capable Of Reading Up To 20microns | 1 | EAR | BS | |
| 47 | Fin Comb | 7 | EAR | BS | |
| 48 | Anemometer Digital | 1 | EAR | BS | |
| 49 | Instrumentation Screw Driver Set 100mm | 1 | EAR | BS | |
| 50 | Scissors (Small Size) - Brass | 4 | EAR | BS | |
| 51 | Tool Bag | 1 | EAR | BS | |
| 52 | Anchor Fastener 3/8" | 12 | EAR | BS | |
| 53 | Anchor Fastener 1/2" | 12 | EAR | BS | |
| 54 | Cleaning Brush | 2 | EAR | BS | |
| 55 | Blow Lamp Holder | 2 | EAR | BS | |
| 56 | Drill Bits | 4 | EAR | BS | |
| 57 | Scriber 150mm Length | 1 | EAR | BS | |
| 58 | Center Punch Length 100mm | 1 | EAR | BS | |
| 59 | Try Square | 2 | EAR | BS | |

| STOCK REGISTER - R&AC LAB | | | | | |
|---------------------------|---|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 60 | Divider Spring Joint | 1 | EAR | BS | |
| 61 | Caliper Spring Joint Inside Length 150mm | 1 | EAR | BS | |
| 62 | Caliper Odd Leg Spring Joint Length 150mm | 1 | EAR | BS | |
| 63 | Cold Chisel Cross Cut Length 150mm | 1 | EAR | BS | |
| 64 | Measuring Tape 10M | 1 | EAR | BS | |
| 65 | Tweezers 10cm | 1 | EAR | BS | |
| 66 | Oil Can 250ml | 1 | EAR | BS | |
| 67 | Surface Gauge Universal 150mm | 1 | EAR | BS | |
| 68 | Snip Sheet Metal Straight Nose 200mm | 2 | EAR | BS | |
| 69 | Screw Drivers Plastic Handle Flat Tip 3mm Tip, Length 100mm | 1 | EAR | BS | |
| 70 | Soldering Iron Exchangeable Copper Tip 65 watts | 1 | EAR | BS | |
| 71 | Digital Voltmeter AC/DC | 1 | EAR | BS | |
| 72 | Digital Ammeter AC/DC | 2 | EAR | BS | |
| 73 | Megger 1000V | 1 | EAR | BS | |
| 74 | Wattmeter Multi-Range Up To 1kw | 2 | EAR | BS | |
| 75 | Multimeter Digital Type | 1 | EAR | BS | |
| 76 | Firmer Chisel 6, 12, 25mm | 1 | EAR | BS | |
| 77 | Service Oscillator | 1 | EAR | BS | |
| 78 | Tong Close Mouth And Pick Up | 2 | EAR | BS | |
| 79 | Swaging Tool, Screw Type With Adaptor S OF 6 | 1 | EAR | BS | |

| STOCK REGISTER - R&AC LAB | | | | | |
|---------------------------|--|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 80 | Ring Spanner Off Set 4.7mm To 16mm | 1 | EAR | ES | |
| 81 | Compound Gauge Digital Type With Recalibration | 1 | EAR | ES | |
| 82 | Pressure Gauge Digital Type With Recalibration | 1 | EAR | ES | |
| 83 | Scissor Gasket Cutting Steel Length 25mm | 1 | EAR | ES | |
| 84 | Tube Cutter 3mm To 16mm | 4 | EAR | ES | |
| 85 | Pipe Wrench Size 50mm To 150mm | 1 | EAR | ES | |
| 86 | Gas Leak Detector For Halogen Gas | 1 | EAR | ES | |
| 87 | Hammer Ball Peen 340 gms | 2 | EAR | ES | |
| 88 | Puller 3 Legged With Flexible Arm 300mm | 1 | EAR | ES | |
| 89 | Tap Set With Matching Drills 3mm To 16mm | 1 | EAR | ES | |
| 90 | Stop Watch | 1 | EAR | ES | |
| 91 | Tap Set With Matching Drills 1/4" To 5/8" | 1 | EAR | ES | |
| 92 | Vernier Caliper Length 250mm | 1 | EAR | ES | |
| 93 | Micrometer Outside Measurement 0 To 25mm | 1 | EAR | ES | |
| 94 | Heating Kit With Infrared Bulb (200w Capacity) | 1 | EAR | ES | |
| 95 | Multimeter Analogue Type | 1 | EAR | ES | |
| 96 | Digital Tachometer | 1 | EAR | ES | |
| 97 | Digital Sensor Thermometer - 50 Degree Celsius To 150 Degree Celsius | 1 | EAR | ES | |
| 98 | Feeler Gauge 0.05mm - 1mm | 1 | EAR | ES | |
| 99 | Analog Thermometer Armored Capillary Dial 75mm | 1 | EAR | ES | |

| STOCK REGISTER - R&AC LAB | | | | | |
|---------------------------|--|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 100 | Compressor Tester | 1 | EAR | ES | |
| 101 | Digital Therthometer | 1 | EAR | ES | |
| 102 | Temperature & Humidity Recorder Capacity To Record 24hrs | 1 | EAR | ES | |
| 103 | Cutting Plier | 3 | EAR | ES | |
| 104 | Wire Stripper | 1 | EAR | ES | |
| 105 | Adjustable Spanner Length 150mm | 2 | EAR | ES | |
| 106 | Adjustable Spanner 200mm | 2 | EAR | ES | |
| 107 | Adjustable Spanner 250mm | 3 | EAR | ES | |
| 108 | Spanner Sets 6mm To 22mm | 1 | EAR | ES | |
| 109 | Long Screwdriver Star 862 X 200mm | 1 | EAR | ES | |
| 110 | Rawai Plug Tool Royal Jumper With Bit | 2 | EAR | ES | |
| 111 | Wire Gauge | 1 | EAR | ES | |
| 112 | Short Nose Plier 6" | 1 | EAR | ES | |
| 113 | Round Nose Plier 6" | 1 | EAR | ES | |
| 114 | Screwdriver Set Height 11 Cm | 1 | EAR | ES | |
| 115 | Chisel | 1 | EAR | ES | |
| 116 | Nylon Hammer | 1 | EAR | ES | |
| 117 | Rubber Hammer | 1 | EAR | ES | |
| 118 | Monkey Plier | 1 | EAR | ES | |
| 119 | 3 Feet Steel Rule | 3 | EAR | ES | |

| STOCK REGISTER - R&AC LAB | | | | | |
|---------------------------|--|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 120 | Magnetic Stand With Dial Indicator | 1 | EAK | | |
| 121 | Ball Peen Hammer With 800 gm | 1 | | | |
| 122 | Screw Extractor Set | 2 | ESAK | | |
| 123 | Spanner Double Ended 19mm To 31.8mm | 1 | EAK | | |
| 124 | Crimping Pliers Set | 2 | EAK | | |
| 125 | Adjustable Hand Reamer | 2 | ESAK | | |
| 126 | Refrigerant Cylinder - 2.5kg | 2 | EAK | | |
| 127 | Refrigerant Cylinder - 10kg | 1 | EAK | | |
| 128 | Refrigerant Cylinder - 5kg | 2 | EAK | | |
| 129 | Digital Weighing Machine 10kg | 1 | EAK | | |
| 130 | Gauge Manifold With Hose | 2 | ESAK | | |
| 131 | Portable Vacuum Pump 2 Stage | 1 | ESAK | | |
| 132 | Window A.C 1.5 Ton With R-22 (2 Star) With Stand/Frame | 1 | EAK | | |
| 133 | Split A.C 1.5 Ton With R-22 Highwall Split (2 Star) With Stand/Frame | 1 | EAK | | |
| 134 | Ductable Split A.C With Scroll Compressor R-22, 5.5TR With Stand/Frame | 1 | EAK | | |
| 135 | Cassette Air Conditioner Unit - 1.5TR With Stand/Frame | 1 | EAK | | |
| 136 | Stainless Steel Water Cooler - 20 Ltr With Stand/Frame | 1 | EAK | | |
| 137 | VRF IV Plus System Outdoor Unit Only With Inverter Compressor - 8HP With Stand/Frame | 1 | EAK | | |
| 138 | Bottle Cooler Hard Top - 300 Ltr Carrying With R134 A, With Stand/Frame | 1 | EAK | | |
| 139 | Deep Freezer 100 L Carrying With R134 A, With Stand/Frame | 1 | EAK | | |

| STOCK REGISTER - R&AC LAB | | | | | |
|---------------------------|---|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 140 | Scroll Chiller (Aircooled) - 10 TON (Only Outdoor) With Stand/Frame | 1 | EAK | | |
| 141 | Bottle Water Dispenser With Stand/Frame | 1 | ESAK | | |
| 142 | Cold Room - 6000 BTU/hr | 1 | EAK | | |
| 143 | Anvil Stand 100X200 mm | 1 | EAK | | |
| 144 | Anvil Block | 1 | EAK | | |
| 145 | Fire Extinguisher ABC Dry Powder Type 2 Kg Capacity | 1 | EAK | | |
| 146 | Fire Buckets 10 Liters | 1 | EAK | | |
| 147 | Split Phase Induction Motor 1/4 Hp, 230V | 1 | EAK | | |
| 148 | Capacitor Start Induction Motor 1/2 Hp, 230 V | 2 | EAK | | |
| 149 | AC 3 Phase Motor, 2 Hp | 1 | EAK | | |
| 150 | Star Delta Starter | 1 | EAK | | |
| 151 | Auto Transformer Starter | 1 | EAK | | |
| 152 | D.O.L Starter | 1 | EAK | | |
| 153 | Portable O2-LPG Brazing Kit With 2 Kg LPG Cylinder, Torches, Hoses | 1 | ESAK | | |
| 154 | Refrigerator 174 L Carrying With R600a | 1 | EAK | | |
| 155 | Refrigerator 190 L Carrying With R600a | 1 | EAK | | |
| 156 | 3/4 Door Refrigerator 300 L Carrying With R600a | 1 | EAK | | |
| 157 | Air Compressor | 1 | EAK | | |
| 158 | Recovery Unit R134a | 1 | EAK | | |
| 159 | Recovery Unit R22 | 1 | EAK | | |

| STOCK REGISTER - R&AC LAB | | | | | |
|---------------------------|--|---------|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 160 | Descaling Pump Set With Stainless Steel Impeller And Housing | 1 | EAR | EAR | |
| 161 | Shell And Tube Type Condenser 5ton | 1 | EAR | EAR | |
| 162 | Rotary Hermetic Compressor 2ton | 1 | EAR | EAR | |
| 163 | AC Service Unit | 1 | EAR | EAR | |
| 164 | Car AC Tutorial Model | 1 | EAR | EAR | |
| 165 | Adjustable Spanner 300 mm | 2 | EAR | EAR | |
| 166 | Spirit Level Precision Metallic 200 mm | 1 | EAR | EAR | |
| 167 | Screw Driver 100 mm Star | 1 | EAR | EAR | |
| 168 | Screw Driver 100 mm Flat | 1 | EAR | EAR | |
| 169 | Nitrogen Gas Cylinder, Hose, Pressure Reducing Valve | 1 | EAR | EAR | |
| CONSUMABLES | | | | | |
| 170 | Capacitor 36 Mfd | 2 | EAR | EAR | |
| 171 | Capacitor 45 Mfd | 2 | EAR | EAR | |
| 172 | 1/4" Transparent PVC Tube | 7 | EAR | EAR | |
| 173 | Cotton Waste | 5 | EAR | EAR | |
| 174 | Gripping Rawal Plug 6 mm(Packets) | 2 | EAR | EAR | |
| 175 | Insulation Tape | 1 | EAR | EAR | |
| 176 | Hacksaw Blade HSS | 8 | EAR | EAR | |
| 177 | Copper Tube 1/4" | 10 mtrs | EAR | EAR | |
| 178 | Copper Tube 5/8" | 10 mtrs | EAR | EAR | |
| 179 | Copper Tube 3/8" | 10 mtrs | EAR | EAR | |

SREE VIDYANIKETHAN ENGINEERING COLLEGE, TIRUPATI

| STOCK REGISTER - R&AC LAB | | | | | |
|---------------------------|--|---------|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 180 | Copper Tube 1/2" | 10 mtrs | EAR | EAR | |
| 181 | 2.5mm 4 Core 100M Flexible Coil | 50 mtrs | EAR | EAR | |
| 182 | Electrical Components & Wiring Harness | 1 | EAR | EAR | |
| 183 | 3/8" Bolt Nut With Washer | 24 | EAR | EAR | |

This is to certify that, the items mentioned from SI.No. 161 to SI.No. 183 against the quantity in the R&AC LAB are found correct and are in good working condition except the SI.Nos having remarks

Handed Over by

Cluster Incharge from Designtech
Rathnakar Eda
DesignTech Systems Pvt. Ltd.

Project Manager from Designtech

Srihari Prasad Papuri
DesignTech Systems Pvt. Ltd.



DesignTech Systems Pvt. Ltd.
6, Commerce Centre, Rambang Colony,
Paud Road, Kothrud, Pune -411033.

Taken Over by

SPOC from APSSDC
Srihari Prasad Papuri
Dept. of Mechanical Engineering
Sree Vidyanikethan Engineering College
TIRUPATI - 517 102

Hostel Incharge Principal
Sree Vidyanikethan Engineering College
(AUTONOMOUS)

Sree Sainath Nagar, A. RANGAMPET
Chittoor (Dist. - 517 102, A. P., INDIA)

Centre Incharge from APSSDC

Area Coordinator from APSSDC
Anand Rajkumar Lalam
APSSDC - SIEMENS Project

SREE VIDYANIKETHAN ENGINEERING COLLEGE, TIRUPATI

ISDI-APSSDC SIEMENS PROJECT

Page 66 of 83

ISDI-APSSDC SIEMENS PROJECT

Page 67 of 83

STOCK REGISTER - R&AC LAB

STOCK REGISTER - R&AC LAB

SREE VIDYANIKETHAN ENGINEERING COLLEGE, TIRUPATI

SREE VIDYANIKETHAN ENGINEERING COLLEGE, TIRUPATI

STOCK REGISTER - R&AC LAB

STOCK REGISTER - R&AC LAB

| APSSDC-SIEMENS PROJECT | | | | | |
|--|---|-----|--------------------------------|------------------|---------|
| SREE VIDYANIKETHAN ENGINEERING COLLEGE, TIRUPATI | | | | | |
| STOCK REGISTER - WELDING LAB | | | | | |
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 1 | Spark Lighter | 5 | EAK | R | |
| 2 | Eco Arc Welding Helmet Fiber | 10 | EAK | R | |
| 3 | Welding Hand Shield Fiber (Armour) (83 X 108mm) | 10 | EAK | R | |
| 4 | Face Shield | 2 | EAK | R | |
| 5 | Chipping Hammer With Metal Handle 250 Grams | 3 | EAK | R | |
| 6 | Stainless Steel Rule 300 mm | 3 | EAK | R | |
| 7 | Scriber 150 mm Double Point | 3 | EAK | R | |
| 8 | File Tong 350 mm Long (Industrial Tong) | 1 | EAK | R | |
| 9 | Hammer Ball Peen 1 Kg with Handle | 3 | EAK | R | |
| 10 | Spindle Key | 8 | EAK | R | |
| 11 | Heavy Duty Earth Clamp 600A | 11 | EAK | R | |
| 12 | Spanner (14-15) mm | 8 | EAK | R | |
| 13 | SS Tape 5 Meter Flexible in Case | 3 | EAK | R | |
| 14 | Auto Darkening Welding Helmet - (Warrior Tech 9-13) | 2 | EAK | R | |
| 15 | Pipe Wrench (10inch) | 8 | EAK | R | |
| 16 | Wire Cutter (8inch) | 5 | EAK | R | |
| 17 | Argon Cylinder Adaptor | 3 | EAK | R | |
| 18 | Head Mask for Overhead Welding | 5 | EAK | R | |
| 19 | Tong Steel | 3 | EAL | R | |

| STOCK REGISTER - WELDING LAB | | | | | |
|------------------------------|-----------------------------------|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 20 | Adjustable Screw Wrench | 2 | EAK | R | |
| 21 | All Type of File Set - 12" | 2 | EAK | R | |
| 22 | Combination Insulated Pliers | 2 | EAK | R | |
| 23 | Screw Driver | 2 | EAK | R | |
| 24 | Hand Hacksaw with Blades Set | 2 | EAK | R | |
| 25 | Sheet Metal Snap Cutter | 2 | EAK | R | |
| 26 | Chisel Cold Flat | 1 | EAK | R | |
| 27 | Centre Punch | 3 | EAK | R | |
| 28 | Dividers 200 mm | 3 | EAK | R | |
| 29 | Number Punch 6mm | 1 | EAK | R | |
| 30 | Letter Punch 6mm | 1 | EAK | R | |
| 31 | Weld Measuring Gauge | 1 | EAK | R | |
| 32 | Hacksaw Frame Fixed 300mm | 1 | EAK | R | |
| 33 | File Half Round Bastard 300mm | 1 | EAK | R | |
| 34 | File Flat 350mm Bastard | 1 | EAK | R | |
| 35 | Try Square 6" | 1 | EAK | R | |
| 36 | Spanner D E 6mm to 32 mm | 1 | EAK | R | |
| 37 | Hammer Sledge Double Faced 4 Kg | 1 | EAK | R | |
| 38 | C-Clamp 10 cm/15 cm | 3 | EAK | R | |
| 39 | Magnifying Glasses 100 mm Dia | 2 | EAK | R | |

| STOCK REGISTER - WELDING LAB | | | | | |
|------------------------------|---|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 40 | Oxygen Gas Pressure Regulator Double Stage (Dura Oxygen) | 6 | EAR | BS | |
| 41 | Acetylene Gas Pressure Regulator Double Stage (Dura Acetylene) | 6 | EAR | BS | |
| 42 | Co2 Gas Pressure Regulator (Dura - Co2) | 7 | EAR | BS | |
| 43 | Argon Gas Pressure Regulator (Dura - Argon) | 7 | EAR | BS | |
| 44 | Flash Back Arrestor (Torch Mounted) A) FR 18 Single (Acetylene/LPG) | 1 | EAR | BS | |
| | B)FR 18 Single (Oxygen) | 1 | EAR | BS | |
| 45 | Flash Back Arrestor (Cylinder Mounted) A) Protex RA (Acetylene/LPG) | 5 | EAR | BS | |
| | B) Protex RO (Oxygen) | 5 | EAR | BS | |
| 46 | Transweld 400 Welding Transformers | 2 | EAR | BS | |
| 47 | D. C. Arc Welding Rectifier - Rs 400 | 1 | EAR | BS | |
| 48 | A) Auto K 400 | 1 | EAR | BS | |
| | B) Servo-I Wire Feeder 5m | 1 | EAR | BS | |
| | C) PSF 405 3m Euro Torch | 2 | EAR | BS | |
| | D) Magmatic 250 | 1 | EAR | BS | |
| | E) Magmatic Wire Feeder 5m | 1 | EAR | BS | |
| | F) PSF 250 3m Euro Torch | 2 | EAR | BS | |
| | G) Co2 Heater + Core 110 V (ALD) | 7 | EAR | BS | |
| | H) St Liner 3m 1.2 mm PSF | 4 | EAR | BS | |
| | I) Gas Nozzle Std Psf-405/510w | 2 | EAR | BS | |
| | J) Contact Tip 1.2 mm M8 x 37 | 10 | EAR | BS | |

| STOCK REGISTER - WELDING LAB | | | | | |
|------------------------------|---|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| | K) Gas Nozzle Std 14 mm | 2 | EAR | BS | |
| | L) Contact Tip 0.8 mm M8 x 37 | 10 | EAR | BS | |
| 49 | A) Easy Weld SSR 400-T with TIG Torch | 2 | EAR | BS | |
| | B) TXH 201 4M OKC 50 | 2 | EAR | BS | |
| | C) Cerium Tungsten Electrodes | 25 | EAR | BS | |
| | D) Ceramic Cups 11.2 | 15 | EAR | BS | |
| | E) Ceramic Cups 6.4 | 15 | EAR | BS | |
| | F) Collet Body 2.4mm | 5 | EAR | BS | |
| | G) Collet | 5 | EAR | BS | |
| 50 | Ag 4 Grinding (Hand Grinder) | 1 | EAR | BS | |
| 51 | Suitable Arc Welding Table with Positioner - Welding Table (Size: 900 X 600 X 450(H) With Square Pipe 40mm X40mm, MS plate: 8mm | 7 | EAR | BS | |
| 52 | Cylinder Trolley | 1 | EAR | BS | |
| 53 | Acetylene Cylinder with Acetylene | 2 | EAR | BS | |
| 54 | Oxygen Cylinder with Oxygen | 2 | EAR | BS | |
| 55 | CO2 Cylinder with Co2 | 2 | EAR | BS | |
| 56 | Argon Cylinder with Argon | 2 | EAR | BS | |
| 57 | Anvil With Stand | 1 | EAR | BS | |
| 58 | Gas Cutting Table | 1 | EAR | BS | |
| 59 | A) Pug Cutting Machine Capable of Cutting Straight with All Accessories And Track For Pug/Pug Nm, L-1.8 Mtr Alu | 1 | EAR | BS | |

| STOCK REGISTER - WELDING LAB | | | | | |
|------------------------------|---|--------|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| | B) Cutogen 5/90/450mm-A3/64 Noz | 1 | EAK | B | |
| 50 | Saffire 2hp+6t (2,3,6,13,20,30) Gas Welding Torch With Six Nozzles | 1 | EAK | B | |
| 61 | Steel Lockers With 6 Pigeon Holes | 1 | EAK | B | |
| 62 | Black Board and Fasel with Stand | 1 | EAK | B | |
| 63 | Bench Grinder Fitted with Fine Grain Size Silicon Carbide Green Grinding Wheel Dia 150 mm | 2 | EAK | B | |
| 64 | Hand Shearing Machine Capacity to Cut 6 mm Sheet and Flats | 2 | EAK | B | |
| 65 | Portable Drilling Machine (Cap 6mm) | 1 | EAK | B | |
| 66 | Oven, Electrode Drying 0 To 350 Degree Celsius | 1 | EAK | B | |
| 67 | Work Bench 340x120x75 cm with 4 Bench Vices | 2 | EAK | B | |
| 68 | Magnetic Particle Testing Kit | 1 | EAK | B | |
| 69 | Fire Buckets with Stand | 2 sets | EAK | B | |
| 70 | Welding Simulators For SMAW/GTAW/GMAW | 1 | EAK | B | |
| 71 | Portable Abrasive Cut-Off Machine | 2 | EAK | B | |
| 72 | Gouging Holders | 1 | EAK | B | |
| 73 | Air Compressor Suitable for Air Plasma Cutting System | 1 | EAK | B | |
| 74 | Spot Welding Machine To 15 KVA With All Accessories | 1 | EAK | B | |
| 75 | Welding Booths | 9 | EAK | B | |
| 76 | 5 Feet Work Table | 2 | EAK | B | |

| STOCK REGISTER - WELDING LAB | | | | | |
|------------------------------|--|---------|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| CONSUMABLES | | | | | |
| 77 | Rubber Hose for Oxygen Dia 5 mm Blue | 10 mtrs | EAK | B | |
| 78 | Rubber Hose for Oxygen Dia 10 mm Blue | 10 mtrs | EAK | B | |
| 79 | Rubber Hose for Acetylene Dia 5 mm Red | 10 mtrs | EAK | B | |
| 80 | Rubber Hose for Acetylene Dia 10 mm Red | 10 mtrs | EAK | B | |
| 81 | Arc Welding Cables Multi Cored -Input Supply Cable 6mm 4core | 10 mtrs | EAK | B | |
| 82 | Welder's Goggle FG2 | 1 | EAK | B | |
| 83 | Safety Boot for Welders | 1 | EAK | B | |
| 84 | Electrode Holder 600 | 10 | EAK | B | |
| 85 | Cable Weld Cu 50 Sq.mm | 10 mtrs | EAK | B | |
| 86 | Welding Curtain 1.8 X 1.3mtr | 8 | EAK | B | |
| 87 | Cotton Hand Gloves 8" | 1 pairs | EAK | B | |
| 88 | Leather Hand Sleeves 16" | 1 pairs | EAK | B | |
| 89 | Leg Guard Leather | 1 pairs | EAK | B | |
| 90 | Leather Hand Gloves 14"(Red Color-1, Asbestos-1) | 1 pairs | EAK | B | |
| 91 | Safety Goggles Plain | 1 | EAK | B | |
| 92 | Wire Feed Rollers | 5 | EAK | B | |
| 93 | Rubber Hose Oxygen 8mm Dia X 10 Mts Long as Per BIS | 10 mtrs | EAK | B | |
| 94 | Welding Hand Gloves (Leather Hand Gloves 14") | 10 | EAK | B | |
| 95 | Leather Apron (Large) | 10 | EAK | B | |
| 96 | Leather Apron (Medium) | 10 | EAK | B | |

| STOCK REGISTER - WELDING LAB | | | | | |
|------------------------------|---|----------|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 97 | Wire Brush | 3 | EAC | [Signature] | |
| 98 | ESAB Safety Shoes, Size 8 | 10 | EAC | [Signature] | |
| 99 | ESAB Safety Shoes, Size 9 | 5 | EAC | [Signature] | |
| 100 | Rubber Hose Clips 1/2" | 50 | EAC | [Signature] | |
| 101 | Arc Welding Black Glasses 108mm X 82mm X 3mm Din 11a | 100 | EAC | [Signature] | |
| 102 | Arc Welding Plain Glass 108mm X 82mm X 3mm | 200 | EAC | [Signature] | |
| 103 | MIG Wire 0.8mm | 2 spools | EAC | [Signature] | |
| 104 | M.S. Filler Rod 1.6mm | 5 Kg | EAC | [Signature] | |
| 105 | MS Welding Electrode 2.5mm | 15 kgs | EAC | [Signature] | |
| 106 | MS Welding Electrode 3.15mm | 15 kgs | EAC | [Signature] | |
| 107 | MS Welding Electrode 4mm | 20 kgs | EAC | [Signature] | |
| 108 | SS Welding Electrode 3.15mm | 10 kgs | EAC | [Signature] | |
| 109 | SS Welding Electrode 2.5mm | 10 kgs | EAC | [Signature] | |
| 110 | Teflon Tape (1.2inch) | 8 | EAC | [Signature] | |
| 111 | MS Plates 10 mm (1 Foot X 4 Foot) App 36 Kg | 10 | EAC | [Signature] | |
| 112 | SS Plate 2.5mm (12 Inches X 4 Inches) | 8 | EAC | [Signature] | |
| 113 | Ms Pipes 8mm Thickness (Diameter Of 10" & 4") Each Size 8 Qty | 8 sets | EAC | [Signature] | |
| 114 | Grinding Wheel (4 Inches) | 20 | EAC | [Signature] | |
| 115 | Cutting Wheel (4 Inches) | 20 | EAC | [Signature] | |
| 116 | Ms Filler Electrode For TIG Welding (4 Kg 1.6 mm and 2 mm) | 5 | EAC | [Signature] | |

SREE VIDYANIKETHAN ENGINEERING COLLEGE, TIRUPATI

| STOCK REGISTER - WELDING LAB | | | | | |
|------------------------------|---|------|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 117 | Spray Cleaner for MIG Torch | 2 | EAC | [Signature] | |
| 118 | SS TIG Filler Electrode 1.6 mm and 2 mm | 4 kg | EAC | [Signature] | |
| 119 | Emery Paper | 10 | EAC | [Signature] | |
| 120 | Die Penetrant Testing Kit | 2 | EAC | [Signature] | |

This is to certify that, the items mentioned from Sl.No 97 to Sl.No 120 against the quantity in the WELDING LAB are found correct and are in good working condition except the Sl.Nos having remarks

Handed Over by

[Signature]
Cluster Incharge from Designtech
Rathnakar Eda
Designtech Systems Pvt. Ltd.

[Signature]
Project Manager from Designtech

Srihari Prasanna Popuri
Designtech Systems Pvt. Ltd.

Designtech Systems Pvt. Ltd.,
6, Commerce Centre, Ratanabazh Colony,
Fazd Road, Kathrud, PUNE - 411073.



Taken Over by

[Signature]
Dr. K.C. VARAPRASAD
SPOC from APSSDC Institution
Sree Vidyankethan Engineering College
TIRUPATI - 517 102

[Signature]
Principal
Sree Vidyankethan Engineering College
(AUTONOMOUS)
Sree Sakathi Nagar, A, RANGAMPET
Chittoor (Dist.) - 517 102, A.P. INDIA.

[Signature]
Centre Incharge from APSSDC

[Signature]
Area Coordinator from APSSDC
Anand Rajkumar Lalani
APSSDC - SIEMENS Project

SREE VIDYANIKETHAN ENGINEERING COLLEGE, TIRUPATI

STOCK REGISTER - WELDING LAB

STOCK REGISTER - WELDING LAB

STOCK REGISTER - WELDING LAB

STOCK REGISTER - WELDING LAB

STOCK REGISTER

STOCK REGISTER

