



GODAVARI INSTITUTE OF ENGINEERING & TECHNOLOGY

Approved By AICTE | NAAC 'A+' | Recognized by UGC, U/Sec. 2(f) & 12(B) | Permanently Affiliated to JNTUK, Kakinada

Letter No: APSSDC/01/2021-22

05th August, 2021

To
The Managing Director & CEO,
Andhra Pradesh State Skill Development Corporation
Tadepalli,
A.P. – 522 501

Dear Sir,


Sub: APSSDC – Siemens project – Transfer of total assets relating our Siemens center to the Joint Operational Control of APSSDC and our institution and handing over of stock registers to the APSSDC – Fact submitted – Regarding.

Ref: 1. Your Lr.No.002/APSSDC-54022(32)/1/2018-PROJECTS, Dt.02-11-2020.


In the letter 1st cited, it was requested to take over the total assets relating our center by the joint operational control of APSSDC and our institution. Accordingly, total assets relating to our Siemens center were taken over by the joint operational control in good working condition and stock registers duly signed were also handed over to APSSDC.

This is submitted for favour of information and necessary action.




PRINCIPAL
PRINCIPAL
Godavari Institute of Engineering &
Technology (Autonomous)
184-60, JNTUK Knowledge City,
Kakinada District, AP - 533 293

**GODAVARI INSTITUTE OF ENGINEERING AND TECHNOLOGY(A)
RAJAHMUNDRY**



DesignTech Systems Ltd.

Billing Address -
Shop No.2, "Dyananda",
Post Bhugaon, Tal. Mulshi,
Dist. Pune - 412 115 (Maharashtra)

Pune, +91 - 20 - 4131 1200 / 1201
info@designtechsys.com
www.designtechsys.com
CIN-U72200MH1998PLC113636

Technology for Designing the Future

TAX INVOICE


INVOICE NO.
DATE

PG 01 of 02
API/1617/880095
30/03/2017

| BILL TO | SHIP TO |
|--|---|
| Andhra Pradesh State Skill Development Corporation (APSSDC) Skill Development Center, Government Polytechnic, Vijayawada-520008, Andhra Pradesh, India | Godavari Institute of Engineering & Technology - NH - 16, Chaitanya Knowledge City, Rajahmundry - 533296 |
| Customer reference | Agreement between APSSDC and Siemens Industry Software India P. Ltd. & DesignTech Systems Ltd. |
| Internal reference | GRP AP |

| Sr.No. | Item Description | Quantity | Value In INR |
|-----------------|---|----------|--------------------|
| 1 | tSDI Design Validation Software | 1 | 20,45,757 |
| 2 | tSDI Design Validation Software Support Services | 1 | 3,65,005 |
| 3 | Running Interactive Learning Contents and Updates for tSDI | 1 | 1,10,00,000 |
| 4 | Installation Commissioning, running of the Centre for 2 years which includes Project Management, Train the Trainers, Running of the Courses & hand holding for 3rd year (also includes cost of transport, freight, Insurance, Loading Unloading, Handling Charges & applicable all Taxes & Deities) | 3 | 1,40,63,418 |
| | Sub Total | | 2,74,74,180 |
| | 5.5% CST Tax On Sr.No.1 | | 1,12,517 |
| | 15% Service Tax On Sr.No.1,2,3 & 4 | | 41,21,127 |
| | Grand Total | | 3,17,07,824 |
| Amount in words | Three Crore Seventeen Lakh Seven Thousand Eight Hundred Twenty Four Only. | | |

For DESIGNTECH SYSTEMS LIMITED


Authorised Signatory



VAT TIN : 27290000904V
CST TIN : 27290000904C
PAN No. AABCD2335F
Service Tax Registration No. AABCD2335FST001

" I / We hereby certify that my / our registration certificate under the Maharashtra Value Added Tax Act 2002 is in force on the date on which the sale of the goods specified in this tax invoice has been effected by me / us and it shall be accounted for in the turnover of sales while filing of return and the due tax, if any, payable on the sale has been paid or shall be paid."

DesignTech Systems Ltd.

Head Office -

6, Commerce Centre, Rambaug Colony, Paud Road, Pune - 411 038, Tel : +91 - 20 - 4131 1200 / 1201

DesignTech Systems Ltd.

Regional Office -

Door No. 5-21-214, Aza No 2064(Old) 22829 (New),
Shop No 104, 1st Floor, 2nd Line First Cross Road,
-Brodipet, Guntur - 522 002, Andhra Pradesh.

info@designtechsys.com

www.designtechsys.com

CIN-U72200MH1000PLC113806

TAX INVOICE

INVOICE NO.
DATE

PG 01 of 02
API/1617/880135
30/03/2017

| BILL TO | SHIP TO |
|--|--|
| Andhra Pradesh State Skill Development Corporation (APSSDC) Skill Development Center, Government Polytechnic, Vijayawada-520008, Andhra Pradesh, India | Godavari Institute of Engineering & Technology, NH-16, Chaitanya Knowledge City, Rajahmundry - 533296 |
| Customer reference | Agreement between APSSDC and Siemens Industry Software India P. Ltd. & DesignTech Systems Ltd. |
| Internal reference | GRP AP |

| Sr. No. | Item Description | Quantity | Value in INR |
|---------|---|----------|--------------|
| 1 | Supply for Electrical Lab as per annex 1 | 1 | 23,82,450 |
| 2 | Supply for Electronics and ICT Lab as per annex 1 | 1 | 26,81,539 |
| 3 | Workstation - P310, WIN10_Pro64_DG_Win7 Pro64, Intel Core i5-6400, 8GB Non-ECC 2133MHz UDIMM, AMD Firepro W2100-2 GB Graphic Card, DVI VG 2GB, 500GB SATA HDD 7200 rpm 3.5", Dual Lan Port, Cable Lock, Lenovo Opt Wheel Mouse USB, USB Full Keyboard India EN, Intrusion Switch TWR, 3 Year Onsite Warranty, No Optical Drive, E1922s 18.5" LED Backlit wide monitor, ThinkPad In-Ear Headphones with microphone, Anti Virus (MS Defender) - Preloaded | 56 | 36,79,826 |
| 4 | Microsoft- Software- MS Home & Student | 56 | 4,46,292 |
| | Sub Total Rs. | | 91,90,108 |
| | 14.5% AP VAT On Sr.No.1 & 2 | | 7,34,278 |
| | 5% AP VAT On Sr.No.3 & 4 | | 2,06,306 |
| | 15% Service Tax On Sr.No.4 | | 66,944 |
| | Grand Total | | 1,01,97,636 |

Amount in words One Crore One Lakh Ninety Seven Thousand Six Hundred Thirty Six Only.

For DESIGNTECH SYSTEMS LIMITED

Amadha
Authorised Signatory



DesignTech

Head Office -

6, Commerce Centre, Rambaug Colony, Paud Road, Pune - 411 038, Tel: +91 20 - 4131 1200 / 1201

esignTech Systems Ltd.

Regional Office -
Door No. 5-21-214, Aas No 8604(Old) 22829 (New),
Shop No.104, 1st Floor, 2nd Line First Cross Road,
Brodipet, Guntur - 522 002, Andhra Pradesh.

info@designtechsys.com
www.designtechsys.com
CIN-U72200MH1998PLC113636

Tax Invoice

Consigner Details
GSTIN : 37AABCD2385F121
PAN :
Date of Supply : 31/08/2017
Time of Supply : 12:38
Place of Supply/ Delivery : Andhra Pradesh
Invoice No. : 26020
Invoice Date : 31/08/2017
Customer Order No. :

Details of Receiver (Billed To)
Customer Code : C03533
Name : Andhra Pradesh State Skill Development Corp-10
Andhra Pradesh State Skill Development Corporation, Skill Development Center, Government Polytechnic, Vijayawada. - 520008
INDIA
State : Andhra Pradesh
State Code : 28
GSTIN No. : 37AAMCA9565H123

Details of Consignee (Shipped To)
Name : Godavari Institute of Engineering & Technology
Rajahmundry NH - 16, Chaitanya Knowledge City, East Godavari District. - 533296
INDIA
State : Andhra Pradesh
State Code : 28
GSTIN No. :

Contact Person : Dr. M Varaprasada Rao.
Contact No. : 9441106822

Our Bankers :
Bank Name : ICICI Bank
Branch Address : MIT Branch, Bandal Space, Paud Road, Kothrud Pune 411 038
A/c No. : 649305050525
IFSC Code : ICIC0006493
MICR Code : 411229026

Our Bankers :
Bank Name : State Bank of India
Branch Address : Commercial Branch, 101 & 102 Next Gan. Avenue 1st Floor, Bahiratwadi Crossword Lane, Senapati Bapat Road Pune 411 016
A/c No. : 33615452593
IFSC Code : SBIN0004108
MICR Code : 411002050

| S.No. | Part Code | Description of Goods | HSN/SAC Code | Qty | UOM | Rate | Amount | Disc. | Taxable Value | CGST | SGST | Total (INR) | | | | |
|--------------|---------------|-------------------------------------|--------------|------|-----|------------|------------|-------|---------------|-----------|-----------|-------------|-----------|------------|--|--|
| | | | | | | | | | | Rate % | Amount | Rate % | Amount | | | |
| 1 | Control Panel | Control Panel with 3 years Warranty | 90230010 | 1.00 | NO | 542,539.00 | 542,539.00 | 0 | 542,539.00 | 14 | 75,955.46 | 14 | 75,955.46 | 694,449.92 | | |
| 2 | Starter Motor | Starter Motor with 3 years Warranty | 90230010 | 2.00 | NO | 0.00 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0.00 | | |
| 3 | Transformer | Transformer with 3 years Warranty | 90230010 | 1.00 | NO | 0.00 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0.00 | | |
| Total | | | | | | | 542,539.00 | | 542,539.00 | 75,955.46 | 75,955.46 | | | | | |

Total Invoice Value (In Words) : Rupees Six Lakhs Ninety Four Thousand Four Hundred And Fifty Only
Amount of Tax Subject to Reverse Charge:
(Less, Advance Received)
Total Amount Due from you (In Figure): 0.00

Total Amount Before Tax : 542,539.00
CGST @ 14.00% : 75,955.46
SGST @ 14.00% : 75,955.46
Tax Amount EST : 151,910.92
Total Amount After Tax : 694,449.92

Remarks :
0.00
694,449.92



For DesignTech Systems Limited
Authorized Signatory

Overdue interest @ 18% will be charged if payment is not received before due date
certified that the Particulars given above are true and correct and the amount indicated

Electronic Reference Number

Designtech Systems Ltd.

Unit 0

127

4

2

Delivery Challan

Delivery No. APP / APSSDC / 1718 / 10013
DATE 07.08.2017

| BILL TO | SHIP TO |
|--|---|
| Andhra Pradesh State Skill Development Corp-37 Skill Development Center, Government Polytechnic, Andhra Pradesh State Skill Development Corporation, Vijayawada. - 520008 | Godavari Institute of Engineering & Technology NH - 16, Chaityanya Knowledge City, Rajahmundry - 533296 ANDHRA PRADESH |
| | Contact person |
| | Yale |
| | E Mail |
| Customer reference | Ref. No. Agreement between APSSDC and Siemens Industry Software India P. Ltd. & Designtech Systems Ltd. |

| S. No. | Description of Goods | QTY |
|-------------------------|----------------------|-----|
| 1 | Control panel | 1 |
| 2 | Starter Motor | 2 |
| 3 | Transformer | 1 |
| Total No of Packets : 4 | | |

As per invoice bill the material is received & the present Delivery Challan is related to above receipt of material. by K. Satish Reddy

For DESIGNTech SYSTEMS LTD.

[Signature]

Authorised Signatory



| | | |
|--|-------------------------------------|--------------|
| Received the above material in good condition. | | |
| Name <u>Dr. M. Varaprasad</u> | Designation <u>Dean - Academics</u> | Company Seal |
| Signature <i>[Signature]</i> | Date <u>09/8/17</u> | |

GSTIN - 37AABCD2335F1Z1

* Transformer & motor winding rewinding Trainer model
ELTR 20TM

- * 3- ϕ induction 1 HP assembled type motor. (make not regist)
- * 3- ϕ induction 0.50 HP assembled type motor. (make registered)
- * 3- ϕ induction 0.75 HP assembled type motor.

verified by

K. Sathish Kumar
Electrical Home Trainer

Ph no: 8179267783

GLET TSDI

Delivery Challan

PG 01 of 01
 APD / APSSDC / 1617 / 91221
 28.10.2016

| Andhra Pradesh State Skill Development Corporation (APSSDC) Skill Development Center, Government Polytechnic, Vijayawada-520008, Andhra Pradesh, India | | Godavari Institute of Engineering & Technology NH - 16, Chaitanya Knowledge City, Rajahmundry - 533296 Andhra Pradesh. | |
|--|--|---|--|
| Contact person | | Dr. M Varaprakash Rao | |
| Telephone | | 9441106822 | |
| E-Mail | | dean@giot.ac.in | |
| Agreement between APSSDC and Siemens Industry Software India P.Ltd. & Designtech Systems Pvt.Ltd | | | |
| Description | | Quantity | |
| 1 | Packs Motor Starter - Basic MD1AA740 | 1 | |
| 2 | Packs Motor Starter - Tesys MD1AA740T | 1 | |
| 3 | Packs Motor Starter - Speed Driver MD1AA740V | 1 | |
| Total No. of Packets : | | | |

For DESIGNTECH SYSTEMS LIMITED

[Handwritten Signature]



Authorised Signatory

Received the above material in good condition.

| | | |
|-----------|-------------|--------------|
| Name | Designation | Company Seal |
| Signature | Date | |

VAT TIN : 37333412405
 CST TIN : 37333412405



[Handwritten Signature]
 PRINCIPAL
 Godavari Institute of
 Engineering & Technology
 NH-16, Chaitanya Knowledge City,
 RAJAHMUNDRY.

Delivery Challan

Delivery No. APD / APSSDC / 161 / 91118
DATE 11.11.2017

BILL TO
Andhra Pradesh State Skill Development Corporation (APSSDC) Skill Development Center Government Polytechnic Vijayawada-520008, Andhra Pradesh, India

SHIP TO
Godavari Institute of Engineering & Technology
NH-16, Chatanya Knowledge City,
Rajahmundry - 533296
Andhra Pradesh
Contact person Dr. M. Varaprasada Rao
Telephone 44-106822
E-Mail

Invoice reference: Agreement between APSSDC and Systems Ltd. for A/C/W/... India P.I. & Despatch Systems Ltd.

| SN | Description | Quantity |
|----|---|----------|
| | Others Tools and Accessories for RAC Unit | |
| 1 | Flaring tool | 2 |
| 2 | Pipe bender---need size | 1 |
| 3 | Spring bender---3 SIZE | 3 |
| 4 | Tube cutter---cooper | 3 |
| 5 | Pinching tool | 2 |
| 6 | Swaging tool | 1 |
| 7 | Flaming capacitor 36 mfd | 2 |
| 8 | Flaming capacitor 45 mfd | 2 |
| 9 | Manometer Lithron | 1 |
| 10 | Portable air blower (Electrox make) | 2 |
| 11 | Nitrogen gas cylinder (Hose, Pressure reducing valve, Cylinder trolley) | 1 |
| 12 | Coupen meter | 1 |
| 13 | Commer hall pin 250 gms | 2 |
| 14 | Cotton waste | 5 |
| 15 | Bench vice | 2 |
| 16 | Anchor fastener 1/8 | 12 |
| 17 | Anchor fastener 1/2 | 12 |
| 18 | Blow lamp | 2 |
| 19 | Portable Drilling machine 13 mm dia dia hole (Make Bosch) 13 mm drill machine | 1 |
| 20 | Drills 6 mm, 8 mm, 10 mm & 13 mm | 1 |
| 21 | Measuring tape 3 m | 6 |
| 22 | Spring level 1 m | 1 |
| 23 | Spring level 1.5 m | 1 |
| 24 | Steel rule 1 m | 3 |
| 25 | Steel scale 1 feet | 3 |
| 26 | Screw drivers Tapira or Pye | 1 |
| 27 | Wrench 1/2 Tapira or Pye | 1 |
| 28 | File 1/2 inch 1 1/2 inch | 1 |
| 29 | Tester make Talfar | 1 |
| 30 | Wireless signal generator set Venus or Radio set of 9 pin | 1 |



[Handwritten signature]

[Handwritten signature]
PRINCIPAL
Godavari Institute of Engineering & Technology
NH-16, Chatanya Knowledge City,
Rajahmundry

| SN | Description | PG. 02 of 03 Quantity |
|----------------------|---------------------------------------|--------------------------|
| 21 | Water in 6" Tap water phosphate limit | 1 |
| 22 | ... | 1 |
| 23 | ... | 1 |
| 24 | SE of cutter 8" Jambhandari | 1 |
| 25 | ... | 1 |
| 26 | ... | 1 |
| 27 | ... | 1 |
| 28 | ... | 1 |
| 29 | ... | 1 |
| 30 | ... | 1 |
| 31 | ... | 1 |
| 32 | ... | 1 |
| 33 | ... | 1 |
| 34 | ... | 1 |
| 35 | ... | 1 |
| 36 | ... | 1 |
| 37 | ... | 1 |
| 38 | ... | 1 |
| 39 | ... | 1 |
| 40 | ... | 1 |
| 41 | ... | 1 |
| 42 | ... | 1 |
| 43 | ... | 1 |
| 44 | ... | 1 |
| 45 | ... | 1 |
| 46 | ... | 1 |
| 47 | ... | 1 |
| 48 | ... | 1 |
| 49 | ... | 1 |
| 50 | ... | 1 |
| 51 | ... | 1 |
| 52 | ... | 1 |
| 53 | ... | 1 |
| 54 | ... | 1 |
| 55 | ... | 1 |
| 56 | ... | 1 |
| 57 | ... | 1 |
| 58 | ... | 1 |
| 59 | ... | 1 |
| 60 | ... | 1 |
| 61 | ... | 1 |
| 62 | ... | 1 |
| 63 | ... | 1 |
| 64 | ... | 1 |
| 65 | ... | 1 |
| 66 | ... | 1 |
| 67 | ... | 1 |
| 68 | ... | 1 |
| 69 | ... | 1 |
| 70 | ... | 1 |
| 71 | ... | 1 |
| 72 | ... | 1 |
| 73 | ... | 1 |
| 74 | ... | 1 |
| 75 | ... | 1 |
| 76 | ... | 1 |
| 77 | ... | 1 |
| 78 | ... | 1 |
| 79 | ... | 1 |
| 80 | ... | 1 |
| 81 | ... | 1 |
| 82 | ... | 1 |
| 83 | ... | 1 |
| 84 | ... | 1 |
| 85 | ... | 1 |
| 86 | ... | 1 |
| 87 | ... | 1 |
| 88 | ... | 1 |
| 89 | ... | 1 |
| 90 | ... | 1 |
| 91 | ... | 1 |
| 92 | ... | 1 |
| 93 | ... | 1 |
| 94 | ... | 1 |
| 95 | ... | 1 |
| 96 | ... | 1 |
| 97 | ... | 1 |
| 98 | ... | 1 |
| 99 | ... | 1 |
| 100 | ... | 1 |
| Total No. of Packets | | 1 |

DESIGN TECH SYSTEMS LIMITED


Authorized Signature



Signature

Signature

PRINCIPAL
Godavari Institute of
Engineering & Technology
NH-16, Chaitanya Knowledge City,
RAJAHMUNDRY.




Revised the above material in good condition.

| | | |
|-----------|-------------|--------------|
| Name | Designation | Company Seal |
| Signature | Date | |

VAT TIN : 37333412405
GST TIN : 37333412405

T. P. Lakshmi
HOD - ME



PRINCIPAL
Godavari Institute of
Engineering & Technology
NH 16, Chaitanya Knowledge City,
RAJAHMUNDRY.

Delivery Challan

Date: _____

From: _____

To: _____

Quantity: _____

Value: _____

Signature: _____

Address: _____

City: _____

State: _____

Pin Code: _____

Phone: _____

Fax: _____

E-mail: _____

Website: _____

Mobile: _____

Bank Name: _____

Branch: _____



D. N. Mohan
PRINCIPAL
Godavari Institute of
Engineering & Technology
NH-16, Chatanya Knowledge City,
RAHMUNDRY.

Handwritten signature



DATE: 24/10/16

Handwritten signature
24/10/16
GRI Institute of
Engineering & Technology
NH-16, Chatanya Knowledge City,
RAJAHMUNDRY.

Delivery Challan

Delivery No.
DATE

PG 01 of 01
APD / APSSDC / 1617 / 91093
04.10.2016

SHIP TO

Andhra Pradesh State Skill Development Corporation (APSSDC) Skill Development Center, Government Polytechnic, Vijayawada-520008, Andhra Pradesh, India

SHIP TO

Godavari Institute of Engineering & Technology
NH - 16, Chaitanya Knowledge City,
Rajahmundry - 533296, Andhra Pradesh
Contact person : Dr. M Varaprasada Rao
Telephone : 9441106822
E-Mail : dean@giet.ac.in

Customer reference

Agreement between APSSDC and Siemens Industry Software India P.Ltd. & Designtech Systems Ltd.

| SN | Description | Quantity |
|---|-------------------------------------|----------|
| Supply of Equipment of Air-conditioning & Refrigeration Units for RAC Lab for Electrical Lab | | |
| A Supply Equipment of Air-conditioning Units (A) | | |
| 1 | Scroll Chiller (Aircooled) - 10 TON | 1 |
| 2 | VRF IV Plus system - 8 HP | 1 |
| 3 | Ducted split unit - 5.5 TR | 1 |
| 4 | Cassette unit - 1.5 TR | 1 |
| 5 | Highwall split (2 star) - 1TR | 1 |
| 6 | Window unit (2 star) - 1 TR | 1 |
| Supply of Refrigeration Units (B) | | |
| 1 | Deep Freezer Hard Top - 300 Ltr | 1 |
| 2 | Bottle Cooler Hard Top - 300 Ltr | 1 |
| 3 | Water cooler - 20/20 Ltr | 1 |
| 4 | Bottle Water Dispenser | 1 |
| 5 | Cold room 6000 BTU/Hr | 1 |
| Total No. of Packets : 27 | | |

For DESIGNTECH SYSTEMS LIMITED

[Signature]

Authorized Signatory



Recd in RAC Lab

ER

Dr. M Varaprasada Rao

PRINCIPAL

PRINCIPAL
Godavari Institute
Engineering & Tech
NH-16, Chaitanya Knowl
RA (APSSDC)

I received the above material in good condition.

Name

Designation

Company Seal

Signature

Date

VAT TIN - 37333412405
GST TIN - 37333412405

DesignTech Systems Ltd

Regional Office

1, Nara Lokesh Road, 2nd Floor, Knowledge City, Rajahmundry, Andhra Pradesh, India

DesignTech Systems Ltd
 1, Nara Lokesh Road, 2nd Floor, Knowledge City, Rajahmundry, Andhra Pradesh, India

DesignTech


Delivery Challan

Delivery No. _____
 DATE _____

PG 01 of 02
 APD / APSSDC / 1817 / 91085

| BILL TO | | SHIP TO | |
|--|--|---|-----------------|
| Andhra Pradesh State Skill Development Corporation (APSSDC) Skill Development Center, Government Polytechnic, Vijayawada-520008, Andhra Pradesh, India | | Godavari Institute of Engineering & Technology NH - 16, Chaitanya Knowledge City, Rajahmundry - 533296 | |
| Customer reference: Agreement between APSSDC and Siemens Industry Software India P.Ltd. & DesignTech Systems Ltd. | | Contact person: Dr. M Varaprasada Rao | 9441106822 |
| | | Tel: 9441106822 | dean@giel.ac.in |
| | | E Mail: dean@giel.ac.in | |
| SN | Description | Quantity | Unit |
| | Electronics Home (A) | | |
| 1 | PLS Electricity Lab Trainer | 1 | |
| 2 | PLS Rectifier Experiments Trainer | 1 | |
| 3 | PLS Basic of Electricity & Electrical Cables | 1 | |
| 4 | PLS SMPS Trainer-1 working unit & dismantled unit | 1 | |
| 5 | PLS DTH System Trainer (One working unit & dismantled unit) | 1 | |
| 6 | PLS Understanding LED Television Trainer - Using Samsung / LG / Panasonic/ Equivalent TV (One working unit & dismantled unit) | 1 | |
| 7 | PLS Understanding Dual SIM Mobile - Using Samsung / LG / Equivalent - Android phone (One working unit & dismantled unit) | 1 | |
| 8 | PLS Understanding Microwave Ovens - Using Samsung/LG/ Equivalent (One working unit & dismantled unit) | 1 | |
| 9 | PLS Understanding Washing Machine - Using Samsung/LG/Equivalent: Top Loading Washing Machines (1 working unit & dismantled unit) | 1 | |
| 10 | PLS Understanding Mixer Grinder - Using Philips / LG / Equivalent (1 working unit & dismantled unit) | 1 | |
| 11 | PLS Solder Station | 1 | |
| 12 | PLS De-soldering Station | 1 | |
| 13 | PLS Digital Multi-meter | 1 | |
| 14 | PLS True RMS Clamp Meter | 1 | |
| 15 | PLS Technicians tools kit | 1 | |
| 16 | PLS Battery Charger | 1 | |

Principals Signature
PRINCIPAL
 Godavari Institute of Engineering & Technology
 NH-16, Chaitanya Knowledge City, RAJAHMUNDRY.



DesignTech Systems Ltd

Head Office

1, Nara Lokesh Road, 2nd Floor, Knowledge City, Rajahmundry, Andhra Pradesh, India

Delivery Challan

Delivery No. PG 02 of 02
 DATE APD / APSSDC / 1617 / 91065

| | |
|--|---|
| BILL TO | SHIP TO |
| Andhra Pradesh State Skill Development Corporation (APSSDC) Skill Development Center, Government Polytechnic, Vijayawada-520008, Andhra Pradesh, India | Godavari Institute of Engineering & Technology NH - 16, Chaitanya Knowledge City, Rajahmundry - 533296 |
| | Contact person Dr. M. Varaprasada Rao |
| | Tele 9441106822 |
| | E Mail dean@get.ac.in |
| Customer reference | Agreement between APSSDC and Siemens Industry Software India P.Ltd. & Designtech Systems Ltd. |

| Sl | Description | Quantity |
|-------------------------------------|---|----------|
| | Electronics Office (B) | |
| 1 | PLS Electricity Lab Trainer | 1 |
| 2 | PLS UPS Trainer (1 working unit & dismantled unit) | 1 |
| 3 | PLS Understanding Automatic Telephone Exchange/EPABX System (One working unit & dismantled unit) | 1 |
| 4 | PLS Understanding Multimedia Computer Trainer (One working unit & dismantled unit) | 1 |
| 5 | PLS Understanding Laptop Computer Training System (One working unit & dismantled unit) | 1 |
| 6 | PLS Understanding Inkjet printer, photocopier system cum scanner (One working unit & dismantled unit) | 1 |
| 7 | PLS Understanding Laser Printer Training Platform (One working unit & dismantled unit) | 1 |
| 8 | PLS Understanding Close Circuit Television systems (OCTV) (One working unit & dismantled unit) | 1 |
| 9 | PLS Solder Station | 1 |
| 10 | PLS De-soldering Station | 1 |
| 11 | PLS Digital Multi-meter | 1 |
| 12 | PLS True RMS Clamp Meter | 1 |
| 13 | PLS 3 1/2 Digital Clamp Meter | 1 |
| 14 | PLS Technicians tools kit | 1 |
| 15 | PLS Battery Charger | 1 |
| TOTAL NO OF BOXES : 14 BOXES | | |

For DESIGNTech SYSTEMS LIMITED

[Signature]
 Authorised Signatory



| | | |
|--|-------------|--------------|
| Received the above material in good condition. | | |
| Name | Designation | Company Seal |
| Signature | Date | |

[Signature]
PRINCIPAL
 Godavari Institute of Engineering & Technology
 NH-16, Chaitanya Knowledge City,
 RAJAHMUNDRY.



VAT TIN : 37333412405
 CST TIN : 37333412405

Delivery Challan

Delivery No.
DATE

PG 01 of 01
APD / APSSDC / 1617 / 91027
27.09.2016

BILL TO

Andhra Pradesh State Skill Development Corporation (APSSDC) Skill Development Center, Government Polytechnic, Vijayawada-520008, Andhra Pradesh, India

SHIP TO

Godavari Institute of Engineering & Technology
NH - 16, Chaitanya Knowledge City, Rajahmundry - 533296

| | |
|----------------|-----------------------|
| Contact person | Dr. M Varaprasada Rao |
| Phone | 9441106822 |
| E-Mail | dean@gieta.ac.in |

Customer reference

Agreement between APSSDC and Siemens Industry Software India P.Ltd. & Designtech Systems Ltd.

| SN | Description | Quantity |
|----|--|----------|
| 01 | WorkStations- Lenovo: P310, WIN10, Pro64 DG_Win7 Pro64, Intel Core i5-6400, 8GB Non-ECC 7133MHz UDIMM, AMD Firepro W2100-2 GB Graphic Card, DVI VG 2GB, 500GB SATA HDD 7200 rpm 3.5", Dual Lan Port, Cable Lock, Lenovo Opt Wheel Mouse USB, USB Full Keyboard India EN, Intrusion Switch TWR, 3 Year Onsite Warranty, No Optical Drive, E1922s 18.5" LED Backlit wide monitor, ThinkPad In-Ear Headphones with microphone, Anti Virus (MS Defender) Preloaded | 56 |

TOTAL NO OF BOXES :

For DESIGNTECH SYSTEMS LIMITED

Authorised Signatory



Total Boxes - 113

EPV - 56
Monitor - 56
Wireless Box - 1

Received by
[Signature]

| | | | | | |
|-------------|----|----|-----------|-------------|--------------|
| Received in | at | on | condition | Designation | Company Seal |
| | | | | Date | |

The qty were received at APSSDC Office
[Signature]
2016/09/27

VAT TIN : 37333412405
CSI TIN : 37333412405

[Signature]
27/9/16

PRINCIPAL
Godavari Institute of Engineering & Technology
NH-16, Chaitanya Knowledge City, Rajahmundry



ANDHRA PRADESH STATE
SKILL DEVELOPMENT CORPORATION




SIEMENS PROJECT

STOCK REGISTER

Technical Skill Development Institute

GODAVARI INSTITUTE OF ENGINEERING AND TECHNOLOGY,
RAJAHMUNDRY

Department of Skills Development & Training,
Govt. of Andhra Pradesh





ANDHRA PRADESH STATE
SKILL DEVELOPMENT CORPORATION Skill AP
ARSSDC

SIEMENS PROJECT

STOCK REGISTER

Technical Skill Development Institute

GODAVARI INSTITUTE OF ENGINEERING AND TECHNOLOGY,
RAJAHMUNDRY

Department of Skills Development & Training,
Govt. of Andhra Pradesh

ISDI-APSSDC SIEMENS PROJECT

APSSDC-SIEMENS PROJECT
GODAVARI INSTITUTE OF ENGINEERING AND TECHNOLOGY, RAJAHMUNDRY
STOCK REGISTER

INDEX

| S.No. | Name of the Lab | Page No. |
|-------|-----------------------------|----------|
| 1 | Computer Based Training Lab | 1 |
| 2 | Electronics Home Lab | 7 |
| 3 | Electronics Office Lab | 18 |
| 4 | Electrical Home Lab | 30 |
| 5 | RIAAC LAB | 51 |

| APSSDC-SIEMENS PROJECT | | | | | |
|---|---|-----|---------------------------------|------------------|---------|
| GODAVARI INSTITUTE OF ENGINEERING AND TECHNOLOGY, RAJAHMUNDRY | | | | | |
| STOCK REGISTER-CBT LAB | | | | | |
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/ Center Incharge | Cluster Incharge | |
| 1 | Workstation-P310, Win10 Pro64 DG Win7 Pro64, Intel Core i5-6400, 8GB Non-ECC 2133MHz UDimm, AMD Firepro W2100-2 GB Graphic Card, DVI VG 208, 500GB SATA HDD 7200 rpm 3.5", Dual LAN Port, Cable Lock, Lenovo Opt Wheel Mouse USB, USB Full Keyboard India EN, Inclusion Switch, TWR, 3 Year Onsite Warranty, No Optical Drive, E19225 19.5" LED Backlit Wide Monitor, Thin Pad In-Ear Headphones with Microphone. | 56 | | | |
| 2 | Anti-Virus (MS Defender) - Preloaded | 56 | | | |
| 3 | ISDI Design Validation SW SE294 | 25 | | | |
| 4 | MS OFFICE HOME | 56 | | | |

STOCK REGISTER-CBT LAB

This is to certify that, the items mentioned from SI.No 21 to SI.No 24 against the quantity in the CBT LAB are found correct and are in good working condition except the SI.Nos having remarks

Handed Over by

Taken Over by

R.R.K.
Cluster Incharge from Designtech
Bonda Suresh Kumar
Designtech Systems Pvt. Ltd.

P. Rajeswar
Project Manager from Designtech

Sithari Prasad Popuri
Designtech Systems Pvt. Ltd.
E. Commerce Centre, Ramnagar Colony,
Paud Road, Mahad, Pune -411022



[Signature]
VICE PRINC
SPOC from Hosting Institution
Engineering & Tech
204-10, Chhatrapati
RAJAWADE
PRINCIPAL
Godavari Institute of
Tech. & Management
P.O. Rajamahendravaram
RAJAHMUNDRY

[Signature]
Centre Incharge from APSSDC
SHAFI SHAIK

[Signature]
Area Coordinator from APSSDC
Anand Rajkumar Lalan
APSSDC - SIEMENS Project

STOCK REGISTER-CBT LAB

STOCK REGISTER-CBT LAB

STOCK REGISTER-CBT LAB

| APSSDC-SIEMENS PROJECT | | | | | |
|---|--------------------------------------|-----|--------------------------------|--------------------|---------|
| GODAVARI INSTITUTE OF ENGINEERING AND TECHNOLOGY, RAJAHMUNDRY | | | | | |
| STOCK REGISTER-ELECTRONICS HOME LAB | | | | | |
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 1 | Connecting Screw Driver 100mm | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 2 | Neon Tester 500V | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 3 | Screw Driver Set (Set of 5) | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 4 | Insulated Combination Pliers 150mm | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 5 | Insulated side Cutting Pliers 150mm | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 6 | Long Nose Pliers 150mm | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 7 | Electrician Knife | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 8 | Tweezers 100mm | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 9 | Digital Multimeter (3 One/Two Digit) | 4 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 10 | Steel Rule 300mm | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 11 | Steel Measuring Tape 3m | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 12 | Tools Makers Vice 100mm (Clamp) | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 13 | Tools Makers Vice 50mm (Clamp) | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 14 | Crimping Tool (Pliers) | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 15 | Magneto Spanner Set | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 16 | File Flat 200mm Bastard | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 17 | File Flat 200mm Second Cut | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 18 | File Flat 200mm Smooth | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 19 | 100mm Flat Pliers | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |

| STOCK REGISTER-ELECTRONICS HOME LAB | | | | | |
|-------------------------------------|---|-----|---------------------------------|--------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/ Center Incharge | Cluster Incharge | |
| 20 | 300mm Round Nose Pliers | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 21 | Hammer Ball Peen 0.5kg | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 22 | Allen Key (Set of 9) | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 23 | Tubular Box Spanner (Set of 6 no's) | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 24 | Magnifying Lenses 75mm | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 25 | Continuity Tester | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 26 | PLS Technician Empty Tool Box | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 27 | Hacksaw Frames Adjustable | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 28 | Cold Chisel 20mm | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 29 | Schroet 200mm | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 30 | Handsaw 450mm | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 31 | Electric Hand Drill Machine | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 32 | Bench Vice | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 33 | Crimping Tools As Necessary For Performing Terminations | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 34 | Tweezers Bend tip | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 35 | Screw Driver Kit | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 36 | Scriber Straight 150mm | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 37 | Soldering Iron 25w,240v | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 38 | Battery Charger for AA, AAA, 9V NI-MH NI-CD Rechargeable Batteries (3 in 1) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 39 | SMD Soldering & Do Soldering Station with Necessary Accessories | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |

| STOCK REGISTER-ELECTRONICS HOME LAB | | | | | |
|-------------------------------------|---|-----|---------------------------------|--------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/ Center Incharge | Cluster Incharge | |
| 40 | 3G Mobile Phone | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 41 | LED TV (Trainer Kit) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 42 | LED TV (21") | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 43 | PLS Electricity Lab Trainer | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 44 | PLS Rectifier Experiments Trainer | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 45 | PLS Basic Electrical Cables for Electricity Trainer kit (Patch Cords) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 46 | PLS DTH System Trainer (One Working Unit & One Dismantled Unit) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 47 | PLS Understanding Dual SIM Mobile Using SAMSUNG/G/Equivalent Cellular Dismantled Unit(Phone) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 48 | PLS Understanding Microwave Ovens - Using Samsung/LG/ Equivalent (One Working Unit) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 49 | PLS Understanding Microwave Ovens - Using Samsung/LG/ Equivalent (One Dismantled Unit) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 50 | PLS Understanding Washing Machine - Using Samsung/LG /Equivalent: Top Loading Washing Machine (Working unit) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 51 | PLS Understanding Washing Machine - Using Samsung/LG /Equivalent: Top Loading Washing Machine (Dismantled unit) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 52 | PLS Understanding Mixer Grinder - Using Philips/ LG / Equivalent (Working unit) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 53 | PLS Understanding Mixer Grinder - Using Philips/ LG / Equivalent (Dismantled unit) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 54 | PLS True RMS Clamp Meter | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 55 | Soldering Stations | 2 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 56 | Do Soldering Stations | 2 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 57 | Soldering Iron Changeable Bits 20w | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |

| STOCK REGISTER-ELECTRONICS HOME LAB | | | | | |
|-------------------------------------|---|-----|--------------------------------|--------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 58 | De Soldering Pump | 2 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 59 | Fire Extinguisher | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 60 | Dual DC Regulated Power Supply 30 0 30 V, 2Amps | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 61 | DC Regulated Variable Power Supply 0-24V, 1Amp | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 62 | LCR Meter (Digital) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 63 | CRD Dual Trace 20MHz (Component Testing) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 64 | Signal Generator, 0-100KHZ | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 65 | Analog Multimeter | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 66 | Function Generator(Triangular, Square and Sine Wave) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 67 | Dimmer Stat 2Amps | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 68 | Analog Component Trainer | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 69 | Op Amp Trainer | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 70 | Digital IC Trainer | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 71 | Digital IC Tester | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 72 | Digital and Analog Bread Board Trainer | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 73 | Rheostats Various Values and ratings (set of 3) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 74 | Power Electronics Trainer with 5 no's Of Onboard Applications | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 75 | DSD(color) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 76 | DOL starter | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 77 | AC motor 1/4 HP | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |

| STOCK REGISTER-ELECTRONICS HOME LAB | | | | | |
|-------------------------------------|--|-----|--------------------------------|--------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 78 | Electrical Trainer with for DOL Starter, Contactors, Relays, MCB and Motor Suitable For Electrical Control Circuit Exercises | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 79 | Frequency Modulator and Demodulator Trainer Kit | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 80 | PAM Trainer Kit | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 81 | PPM Trainer Kit | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 82 | PWM Trainer Kit | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 83 | AM/FM Commercial Radio Receivers | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 84 | Microcontroller Kits (8051) Along With Programming Software (Assembly Level Programming) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 85 | Application Kits for Microcontrollers 5 Different Applications | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 86 | Sensor Trainer Kit (Containing Various Sensors like Thermocouple, RTD, Smoke Sensors, Speed Sensor/Thermocouple load cell, Strain gauge, LVDT. | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 87 | Fiber Optic Communication Trainer Kit with Mic | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 88 | Seven Segment DPM | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 89 | LCD based DPM | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 90 | SMPS Of Different Make | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 91 | Home Theatre system | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 92 | Solar Power Inverter 500VA | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 93 | DB meter | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 94 | 7 Segment Display | 5 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 95 | LDR | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |

| STOCK REGISTER-ELECTRONICS HOME LAB | | | | | |
|-------------------------------------|---|-----|--------------------------------|--------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 96 | Crystal Oscillator | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 97 | PLS Electrical safety Trainer | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 98 | LED Lighting Strip | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 99 | Mobile Charger With Multi Pin | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 100 | UPS (Sinewave 3000/12V) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 101 | Manual hand drill machine | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| CONSUMABLES | | | | | |
| 102 | First Aid Kit | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 103 | Different Types of Electronic and Electrical Cables, Connectors, Sockets, Termination | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 104 | Different Types Of Analog Electronic Components, Digital ICs, Power Electronic components, general purpose PCBs, Bread Board, Flux, MCB, ELCB | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 105 | Capacitor Different values | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 106 | 5 Colour Wire Connecting | 20 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 107 | Soldering LEAD | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 108 | AAA Batteries | 4 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 109 | Various Analog and Digital ICs useful For Doing Project Works Mentioned In The Digital And Analog IC Applications Modules | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |

STOCK REGISTER-ELECTRONICS HOME LAB

This is to certify that, the items mentioned from SI.No 01 to SI No 109 against the quantity in the ELECTRONICS HOME are found correct and are in good working condition except the SI.Nos. having remarks

Handed Over by

[Signature]
Cluster Incharge from Designtech
Banda Suresh Kumar
Designtech Systems Pvt. Ltd.

[Signature]
Project Manager from Designtech



Taken Over by

[Signature]
VICE PRINCIPAL
Godavari Institute of
Engineering & Technology
Rajahmundry

SPOC from Hosting Institution

[Signature]
Hosting Institution Principal

[Signature]
Centre Incharge from APSSDC
SIVA PRASAD SHANKAR

[Signature]
Area Coordinator from APSSDC

Grand Rajumar Laloni
APSSDC - SIEMENS Project

STOCK REGISTER-ELECTRONICS HOME LAB

STOCK REGISTER-ELECTRONICS HOME LAB

STOCK REGISTER-ELECTRONICS HOME LAB

STOCK REGISTER-ELECTRONICS HOME LAB

| APSSDC-SIEMENS PROJECT | | | | | |
|---|--|-----|---------------------------------|--------------------|---------|
| GODAVARI INSTITUTE OF ENGINEERING AND TECHNOLOGY, RAJAHMUNDRY | | | | | |
| STOCK REGISTER-ELECTRONICS OFFICE LAB | | | | | |
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/ Center Incharge | Cluster Incharge | |
| 1 | PLS Technicians Tools Kit with Following Items in Each Kit | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (A) Connecting Screw Driver 100mm-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (B) Neon Tester 500V-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (C) Screw Driver Set (Set Of 5)-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (D) Insulated Combination Pliers 150mm-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (E) Insulated Side Cutting Pliers 150mm-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (F) Long Nose Pliers 150mm-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (G) Soldering Iron 25W,240V-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (H) Electrician Knife-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (I) Tweezers 100mm-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (J) Steel Rule 300mm-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (K) Steel Measuring Tape-3m-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (L) Tools Makers Vice 100mm (Clamp)-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (M) Tools Makers Vice 50mm (Clamp)-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (N) Crimping Tool (Pliers)-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (O) Magneto Spanner Set-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (P) File Flat 200mm Bastard-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (Q) File Flat 200mm Second Cut-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (R) File Flat 200mm Smooth-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |

| STOCK REGISTER-ELECTRONICS OFFICE LAB | | | | | |
|---------------------------------------|--|-----------|---------------------------------|--------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/ Center Incharge | Cluster Incharge | |
| | (S) 100mm Flat Pliers-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (T) 100mm Round Nose Pliers-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (U) Scriber Straight 150mm-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (V) Hammer Ball Peen 0.5kg-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (W) Allen Key (Set Of 9)-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (X) Tubular Box Spanner (Set Of 6 No's)-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (Y) Magnifying Lenses 75mm-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (Z) Continuity Tester-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| 2 | Screw Driver Kit for Cell Phone | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| | PLS Electricity Lab Trainer Kit (With Following Items) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (A) Transformer Coils with Turns (200,400,800,1600,3200) | Each 1 no | <i>[Signature]</i> | <i>[Signature]</i> | |
| 3 | (B) Transformer Iron Core (Core Type, Shell Type) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (C) Bar Magnet | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (D) Patch Cords | 10 | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (E) Compass | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 4 | PLS SMPS Dismantled Trainer Unit | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 5 | PLS UPS Trainer-1 Working Unit & 1 Dismantled Unit, With Holder | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 6 | PLS Understanding Automatic Telephone Exchange/EPABX System (Dismantled Unit) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 7 | PLS Understanding Multimedia Computer Trainer (One Working Unit & One Dismantled Unit) | | <i>[Signature]</i> | <i>[Signature]</i> | |

| STOCK REGISTER-ELECTRONICS OFFICE LAB | | | | | |
|---------------------------------------|---|-----|---------------------------------|--------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/ Center Incharge | Cluster Incharge | |
| | Dismantle Kit with Following Items | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (A) CPU-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (B) Speakers-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (C) Web Cam-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (D) Headsets-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (E) Key Board-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (F) Mouse-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (G) Monitor-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (H) VGA Cable-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (I) Card Reader-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| 7 | (J) RJ 45, RJ11 Cable Tester-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | Working Kit with Following Items | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (A) CPU-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (B) Speakers-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (C) Key Board-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (D) Mouse-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (E) Web Cam-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (F) Monitor-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (G) VGA Cable-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| 8 | PLS Understanding Laptop Computer Training System with Charger (One Working Unit & One Dismantled Unit) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |

| STOCK REGISTER-ELECTRONICS OFFICE LAB | | | | | |
|---------------------------------------|---|-----|---------------------------------|--------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/ Center Incharge | Cluster Incharge | |
| 9 | PLS Understanding Inkjet Printer, Photocopier System Cum Scanner (One Working Unit & One Dismantled Unit) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 10 | PLS Understanding LASER Printer Training Platform (One Working Unit & One Dismantled Unit) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| | PLS Understanding Close Circuit Television Systems (CCTV) (One Working Unit & One Dismantled Unit) | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| | Working Kit with Following Items | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (A) DVR-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (B) Camera-2 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (C) Remote-2 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| 11 | (D) BNC-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (E) VGA Cable-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | Dismantle Kit with Following Items | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (A) BNC Female to Female Connector-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (B) Monitor-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (C) Key Board-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| | (D) Mouse-1 | | <i>[Signature]</i> | <i>[Signature]</i> | |
| 12 | PLS Soldering Station | 2 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 13 | PLS De Soldering Station | 2 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 14 | PLS Digital MultiMeter | 4 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 15 | PLS True RMS Clamp Meter | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 16 | PLS 3 1/2 Digital Clamp Meter | 2 | <i>[Signature]</i> | <i>[Signature]</i> | |

| STOCK REGISTER-ELECTRONICS OFFICE LAB | | | | | |
|---------------------------------------|--|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 17 | PLS Battery Charger | 1 | [Signature] | [Signature] | |
| 18 | Spare Transformers and Power Devices Required for Servicing SMPS | 1 | [Signature] | [Signature] | |
| 19 | Hand Cell (Torch) | 2 | [Signature] | [Signature] | |
| 20 | Heat Sink Agent | 5 | [Signature] | [Signature] | |
| 21 | RAM 512 MB | 1 | [Signature] | [Signature] | |
| 22 | Optical Mouse P/S2 or USB | 1 | [Signature] | [Signature] | |
| 23 | P/S 2 Or USB Key Board | 1 | [Signature] | [Signature] | |
| 24 | SMPS Adapters | 4 | [Signature] | [Signature] | |
| 25 | 3 Pin Power Cord | 3 | [Signature] | [Signature] | |
| 26 | 8 GB Pen Drive | 1 | [Signature] | [Signature] | |
| 27 | Wall Clock | 1 | [Signature] | [Signature] | |
| 28 | Anti-Static Pads | 1 | [Signature] | [Signature] | |
| 29 | Anti-Static Wrist Wraps | 1 | [Signature] | [Signature] | |
| 30 | RJ-45 Connector | 10 | [Signature] | [Signature] | |
| 31 | Keystone Jack | 5 | [Signature] | [Signature] | |
| 32 | Patch/Jack Panel | 1 | [Signature] | [Signature] | |
| 33 | Patch/Mounting Cord | 10 | [Signature] | [Signature] | |
| 34 | RJ-45 Info Outlet with Faceplate | 4 | [Signature] | [Signature] | |
| 35 | RJ-45 I/O Box | 4 | [Signature] | [Signature] | |
| 36 | RJ-45 Cable Extender | 10 | [Signature] | [Signature] | |

| STOCK REGISTER-ELECTRONICS OFFICE LAB | | | | | |
|---------------------------------------|-----------------------------------|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 37 | 3-Port HUB | 2 | [Signature] | [Signature] | |
| 38 | LAN Card | 1 | [Signature] | [Signature] | |
| 39 | Display Card | 1 | [Signature] | [Signature] | |
| 40 | USB To RJ-45 Converter | 2 | [Signature] | [Signature] | |
| 41 | RJ-45 To USB Converter | 2 | [Signature] | [Signature] | |
| 42 | USB HDD 500 GB | 1 | [Signature] | [Signature] | |
| 43 | Router | 1 | [Signature] | [Signature] | |
| 44 | LDR | 5 | [Signature] | [Signature] | |
| 45 | Wi-Fi LAN Card With PCI | 1 | [Signature] | [Signature] | |
| 46 | Wi-Fi LAN Card With USB | 1 | [Signature] | [Signature] | |
| 47 | De Soldering Pump | 1 | [Signature] | [Signature] | |
| 48 | Soldering Iron 15W | 1 | [Signature] | [Signature] | |
| CONSUMABLES | | | | | |
| 49 | AAA Batteries | 4 | [Signature] | [Signature] | |
| 50 | AA Batteries | 4 | [Signature] | [Signature] | |
| 51 | Soldering Wire and Paste | 1 | [Signature] | [Signature] | |
| 52 | White Board Marker | 1 | [Signature] | [Signature] | |
| 53 | Duster Cloth (2" By 2") | 1 | [Signature] | [Signature] | |
| 54 | Cleaning Liquid 500ml | 1 | [Signature] | [Signature] | |
| 55 | Xerox Paper(A4) | 1 | [Signature] | [Signature] | |
| 56 | Full Scope Paper (White) | 1 | [Signature] | [Signature] | |

| STOCK REGISTER-ELECTRONICS OFFICE LAB | | | | | |
|---------------------------------------|--|---------------|--------------------------------|--------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 57 | PCB, Solder Flux & Electronic Components | 1 set of pack | <i>[Signature]</i> | <i>[Signature]</i> | |
| 58 | Wires, Cables Plug Sockets Switches of Various Types and Other Consumables | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 59 | Resistors, Capacitors, Inductors, Diodes, LED, Transistors, Thyristors, IC's Etc | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 60 | Various Type of Button Cells | 5 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 61 | Dry Cell | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 62 | Silicon Grease | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 63 | Cartridges for Printer | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 64 | CMOS Battery | 5 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 65 | Cat 5/5e/6 Cable | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 66 | Flat Cable | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 67 | Slapler Small | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 68 | Slapler Big | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 69 | CDs | 5 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 70 | DVDs | 5 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 71 | Telephone Cable | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 72 | Co-Axial Cable | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 73 | RJ-11 Connector, T Connector, Terminator | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |
| 74 | BNC Connector, T Connector, Terminator | 1 | <i>[Signature]</i> | <i>[Signature]</i> | |

STOCK REGISTER-ELECTRONICS OFFICE LAB

This is to certify that, the items mentioned from SI No. 01 to SI.No. 74 against the quantity in the ELECTRONICS OFFICE are found correct and are in good working condition except the SI.Nos. having remarks

Handed Over by


Taken Over by

[Signature]
Cluster Incharge from Designtech
Group Branch Square
Designtech Systems Pvt. Ltd.

[Signature]
VICE PRINCIPAL
Godavari Institute of
Engineering & Technology
NIT 10, Godavari Knowledge
RAJAHMUNDRY

[Signature]
Project Manager from Designtech
Sahasi Prasad Popuri
Designtech Systems Pvt. Ltd.

[Signature]
Hosting Institution Principal
Godavari Institute of
Engineering & Technology
NIT 10, Godavari Knowledge
RAJAHMUNDRY



[Signature]
Centre Incharge from APSSDC
SHARF, SHAIK.

[Signature]
Area Coordinator from APSSDC
Srikanth Rajaraman
APSSDC - SIEMENS Project

STOCK REGISTER-ELECTRONICS OFFICE LAB

STOCK REGISTER-ELECTRONICS OFFICE LAB

STOCK REGISTER-ELECTRONICS OFFICE LAB

STOCK REGISTER-ELECTRONICS OFFICE LAB

| APSSDC-SIEMENS PROJECT | | | | | |
|---|--|-----|--------------------------------|------------------|---------|
| GODAVARI INSTITUTE OF ENGINEERING AND TECHNOLOGY, RAJAHMUNDRY | | | | | |
| STOCK REGISTER-ELECTRICAL HOME LAB | | | | | |
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 1 | Steel Tape 15 mtrs Length | 1 | [Signature] | [Signature] | |
| 2 | Plier Insulated 150 mm | 1 | [Signature] | [Signature] | |
| 3 | Plier Side Cutting 150 mm | 1 | [Signature] | [Signature] | |
| 4 | Screw Driver 100mm Flat Thin Stem with out Sleeve | 6 | [Signature] | [Signature] | |
| 5 | Screw Driver 150 mm Flat | 18 | [Signature] | [Signature] | |
| 6 | Electrician Connector Screw Driver Insulated Handle Thin Stem 100 mm | 1 | [Signature] | [Signature] | |
| 7 | Heavy Duty Screw Driver 200 mm | 1 | [Signature] | [Signature] | |
| 8 | Electrician Screw Driver Insulated Handle Thin Stem 250 mm | 18 | [Signature] | [Signature] | |
| 9 | Punch Center 150 mm X 9 mm | 3 | [Signature] | [Signature] | |
| 10 | Knife Double Bladed Electrician | 6 | [Signature] | [Signature] | |
| 11 | Neon Tester | 1 | [Signature] | [Signature] | |
| 12 | Steel Rule 300 mm | 1 | [Signature] | [Signature] | |
| 13 | Hammer Cross Peen with Handle | 1 | [Signature] | [Signature] | |
| 14 | Hammer Ball Peen with Handle | 7 | [Signature] | [Signature] | |
| 15 | Circuit 6 mm | 1 | [Signature] | [Signature] | |
| 16 | Bradawl | 1 | [Signature] | [Signature] | |
| 17 | Scriber (Marked Centre Position) | 3 | [Signature] | [Signature] | |
| 18 | Plincer 150 mm | 1 | [Signature] | [Signature] | |
| 19 | C-Clamp 200 mm 150 mm and 100 mm | 1 | [Signature] | [Signature] | |

| STOCK REGISTER ELECTRICAL HOME LAB | | | | | |
|------------------------------------|--|------------|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 20 | Spanner Adjustable 150 mm - 300 mm | 1 | [Signature] | [Signature] | |
| 21 | Label | 6 | [Signature] | [Signature] | |
| 22 | Chisel Cold Firmer 25 mm X 200 mm | 1 | [Signature] | [Signature] | |
| 23 | Chisel 25 mm and 6 mm | 1 | [Signature] | [Signature] | |
| 24 | Hand Drill Machine | 1 | [Signature] | [Signature] | |
| 25 | Allen Key | 1 | [Signature] | [Signature] | |
| 26 | Oil Can 0.12 Litre | 1 | [Signature] | [Signature] | |
| 27 | Grease Gun | 1 | [Signature] | [Signature] | |
| 28 | Outside Micrometer | 1 | [Signature] | [Signature] | |
| 29 | Rawl Plug Tool and Bit | 1 | [Signature] | [Signature] | |
| 30 | Pulley Puller | 1 | [Signature] | [Signature] | |
| 31 | Bearing Puller | 1 | [Signature] | [Signature] | |
| 32 | Pipe Vice | 1 | [Signature] | [Signature] | |
| 33 | Scissors Blade 150 mm | 1 | [Signature] | [Signature] | |
| 34 | Crimping Pliers For V Shaped Round Lugs - Collective Tooling (0.5 - 6sq. mm 1no. 1-6 Sq. mm - 1no. 0.5 - 16 Sq. mm+ 6no) | 1 set of 8 | [Signature] | [Signature] | |
| 35 | Stripping Pliers - Individual Tooling | 6 | [Signature] | [Signature] | |
| 36 | Chisel Cold Flat 12 mm | 1 | [Signature] | [Signature] | |
| 37 | Mallet Hard Wood 0.50 Kg | 1 | [Signature] | [Signature] | |
| 38 | Hacksaw Frame 200 mm 300 mm Adjustable | 1 | [Signature] | [Signature] | |
| 39 | Try Square 150 mm Blade | 1 | [Signature] | [Signature] | |

| STOCK REGISTER-ELECTRICAL HOME LAB | | | | | |
|------------------------------------|--|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 40 | Outside and Inside Driver Calliper | 1 | SK | RSK | |
| 41 | Pliers Flat Nose 150 mm | 1 | SK | RSK | |
| 42 | Pliers Round Nose 100 mm | 1 | SK | RSK | |
| 43 | Tweezers 100 mm | 1 | SK | RSK | |
| 44 | Snip Straight and Bent 150 mm | 1 | SK | RSK | |
| 45 | D.E. Metric Spanner | 1 | SK | RSK | |
| 46 | Drill Hand Brace | 1 | SK | RSK | |
| 47 | Complete Drills for Metal (From Dia 1-10) Collective Tooling | 1 | SK | RSK | |
| 48 | Plane Smoothing Cutters 50 mm | 1 | SK | RSK | |
| 49 | Gauge Wire Imperial | 1 | SK | RSK | |
| 50 | File Flat 200 mm 2nd Cut | 1 | SK | RSK | |
| 51 | File Half Round 200 mm 2nd Cut | 1 | SK | RSK | |
| 52 | File Round 200 mm 2nd Cut | 1 | SK | RSK | |
| 53 | File Flat 150 mm Rough | 1 | SK | RSK | |
| 54 | File Flat 250 mm Bastard | 1 | SK | RSK | |
| 55 | File Flat 250 mm Smooth | 1 | SK | RSK | |
| 56 | File Rasp Half Round 200 mm Bastard | 1 | SK | RSK | |
| 57 | Table Vice 100 mm Jaw | 1 | SK | RSK | |
| 58 | Pipe Cutter to Cut Pipes Up To 5 cm Dia | 1 | SK | RSK | |
| 59 | Pipe Cutter to Cut Pipes Above 5 cm Dia | 1 | SK | RSK | |

| STOCK REGISTER-ELECTRICAL HOME LAB | | | | | |
|------------------------------------|---|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 60 | Stock and Dia Set For 25 mm to 50 mm G.I Pipe | 1 | SK | RSK | |
| 61 | Stock and Dia Conduit | 1 | SK | RSK | |
| 62 | Fire Buckets | 2 | SK | RSK | |
| 63 | Screw Driver 100mm Star Thin Stem with cut Sleeve | 6 | SK | RSK | |
| 64 | Needles | 3 | SK | RSK | |
| 65 | Tightening Wrench | 1 | SK | RSK | |
| 66 | Individual Tool Box - Individual Tooling | 6 | SK | RSK | |
| 67 | Sharp Pliers - Individual Tooling | 6 | SK | RSK | |
| 68 | Beak Pliers - Individual Tooling | 6 | SK | RSK | |
| 69 | Strip Cable - Jekari - Individual Tooling | 6 | SK | RSK | |
| 70 | Spirit Level - Individual Tooling | 6 | SK | RSK | |
| 71 | Screw Gun (Makita Type or Equivalent) - Collective Tooling | 1 | SK | RSK | |
| 72 | Cruciform End-Pieces for Screw Gun (Makita Type Or Equivalent) - Collective Tooling | 1 | SK | RSK | |
| 73 | End-Pieces Supports - Collective Tooling | 1 | SK | RSK | |
| 74 | Cic Tools 33 Bit Security Bit Set | 1 | SK | RSK | |
| 75 | Complete Set of Flat Wrenches - Collective Tooling | 1 | SK | RSK | |
| 76 | Complete Set of Uncorked Pipe Wrenches - Collective Tooling | 1 | SK | RSK | |
| 77 | Hole Saw 65mm With Mechanism - Collective Tooling | 1 | SK | RSK | |
| 78 | Saws with Back And 2 Boxer Cut - Collective Tooling | 2 | SK | RSK | |
| 79 | Drills for Concrete (Diameters 6, 8, 10) - Collective Tooling | 1 | SK | RSK | |

| STOCK REGISTER-ELECTRICAL HOME LAB | | | | | |
|------------------------------------|--|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 80 | Insulated Gloves - PPE | 2 | SI | RSK | |
| 81 | Insulated Mat - PPE | 2 | SI | RSK | |
| 92 | Helmet with Face Shield - PPE | 2 | SI | RSK | |
| 83 | Security Padlock for Padlocking - PPE | 6 | SI | RSK | |
| 84 | Meter Ribbon (Steel Tape 5m) | 6 | SI | RSK | |
| 85 | Voltage Alert Tool | 1 | SI | RSK | |
| 86 | C-CLAMP (ADJUSTABLE TOOL) 300mm | 1 | SI | RSK | |
| 87 | Security Chains (2) + 4 Poles - PPE | 1 | SI | RSK | |
| 88 | Security Banner - PPE | 1 | SI | RSK | |
| 89 | Harness - PPE | 1 | SI | RSK | |
| 90 | Simple Way Switches - Schneider Electric | 48 | SI | RSK | |
| 91 | Two Way Switches - Schneider Electric | 48 | SI | RSK | |
| 92 | Switches 20A - Schneider Electric | 48 | SI | RSK | |
| 93 | Sockets 6A - Schneider Electric | 12 | SI | RSK | |
| 94 | Sockets 16A - Schneider Electric | 12 | SI | RSK | |
| 95 | Step Fan - Schneider Electric | 6 | SI | RSK | |
| 96 | 3 Module Plate & Grid - Schneider Electric | 30 | SI | RSK | |
| 97 | 3 Module Surface Mounting Box - Schneider Electric | 30 | SI | RSK | |
| 98 | 6 Module Plate & Grid - Schneider Electric | 6 | SI | RSK | |
| 99 | 4 Module Surface Mounting Box - Schneider Electric | 6 | SI | RSK | |

| STOCK REGISTER-ELECTRICAL HOME LAB | | | | | |
|------------------------------------|--|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 100 | 3 Module Plate & Grid - Schneider Electric | 6 | SI | RSK | |
| 101 | 3 Module Surface Mounting Box - Schneider Electric | 6 | SI | RSK | |
| 102 | Blank Off Cover - Schneider Electric | 50 | SI | RSK | |
| 103 | Push Switches (K1025WH) - Dom Loose Mat | 24 | SI | RSK | |
| 104 | Batten Holder - Dom Loose Mat | 24 | SI | RSK | |
| 105 | Round Block PVC - Dom Loose Mat | 36 | SI | RSK | |
| 106 | Ceiling Plate - Dom Loose Mat | 50 | SI | RSK | |
| 107 | Ceiling Rose - Dom Loose Mat | 36 | SI | RSK | |
| 108 | Junction Boxes 3 Ways 16 mm - Dom Loose Mat | 12 | SI | RSK | |
| 109 | Junction Boxes 3 Ways 20 mm - Dom Loose Mat | 12 | SI | RSK | |
| 110 | Junction Boxes 4 Ways 16 mm - Dom Loose Mat | 12 | SI | RSK | |
| 111 | Junction Boxes 4 Ways 20 mm - Dom Loose Mat | 12 | SI | RSK | |
| 112 | Boxer Support Lamp - Dom Loose Mat | 18 | SI | RSK | |
| 113 | Flush Mounted Boxes - Dom Loose Mat 2 Module | 18 | SI | RSK | |
| 114 | Flush Mounted Boxes - Dom Loose Mat 3 Module | 36 | SI | RSK | |
| 115 | Flush Mounted Junction Boxes - Dom Loose Mat | 12 | SI | RSK | |
| 116 | Surface Mounted Junction Boxes - Dom Loose Mat | 18 | SI | RSK | |
| 117 | 3 Module Surface Mounted Box Anchor Mate | 50 | SI | RSK | |
| 118 | 3 Module Surface Mounted Box Anchor Mate | 50 | SI | RSK | |
| 119 | Portable Electrical Drill Machine 12mm Capacity | 1 | SI | RSK | |

| STOCK REGISTER-ELECTRICAL HOME LAB | | | | | |
|------------------------------------|---|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 120 | Pillar Electric Drill Machine 12 mm Capacity | 1 | [Signature] | [Signature] | |
| 121 | Motorized Bench Grinder | 1 | [Signature] | [Signature] | |
| 122 | Thermometer 0 To 100 Deg Centigrade | 1 | [Signature] | [Signature] | |
| 123 | Soldering Iron 25 Watt 65 Watt 125 Watt | 1 | [Signature] | [Signature] | |
| 124 | De-Soldering Gun | 1 | [Signature] | [Signature] | |
| 125 | Ohm Meter Series Type & Shunt Type | 1 | [Signature] | [Signature] | |
| 126 | Multi Meter (Analog) 0 To 1000 mOhms, 2.5 Amp, 500V | 1 | [Signature] | [Signature] | |
| 127 | Digital Multi Meter | 2 | [Signature] | [Signature] | |
| 128 | A.C Voltmeter MI 0-500 V A.C (Table Mounting) | 1 | [Signature] | [Signature] | |
| 129 | Milli Voltmeter Centre Zero 100 - 0 - 100 mVolts (Table Mounting) | 1 | [Signature] | [Signature] | |
| 130 | DC Milli Ammeter 0 - 500 mAmps (Table Mounting) | 1 | [Signature] | [Signature] | |
| 131 | Ammeter MC 0-5, 0-25A (Table Mounting) | 1 | [Signature] | [Signature] | |
| 132 | AC Ammeter M.L. 0-5 A, 0-25 A (Table Mounting) | 1 | [Signature] | [Signature] | |
| 133 | Kilo Wattmeter 0 - 1 - 3 Kw | 1 | [Signature] | [Signature] | |
| 134 | A.C. Energy Meter Single Phase 5 Amp Three Phase 15 Amp | 3 | [Signature] | [Signature] | |
| 135 | Power Factor Meter | 1 | [Signature] | [Signature] | |
| 136 | Frequency Meter | 1 | [Signature] | [Signature] | |
| 137 | Flux Meter | 1 | [Signature] | [Signature] | |
| 138 | Wheat Stone Bridge with Galvanometer And Battery | 1 | [Signature] | [Signature] | |
| 139 | Laboratory Type Induction Coil | 1 | [Signature] | [Signature] | |

| STOCK REGISTER-ELECTRICAL HOME LAB | | | | | |
|------------------------------------|--|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 140 | DC Power Supply 0 - 30 V, 2 Amp | 1 | [Signature] | [Signature] | |
| 141 | Rheostat (0-1 Ohm, 5Amp), (0-10 Ohm, 5Amp), (0-25 Ohm, 1 Amp), (0-300 Ohm, 1Amp) | 1 | [Signature] | [Signature] | |
| 142 | 1-Phase Variable Auto Transformer | 1 | [Signature] | [Signature] | |
| 143 | Battery - 9v | 1 | [Signature] | [Signature] | |
| 144 | Hydrometer | 1 | [Signature] | [Signature] | |
| 145 | Miniature Breaker 16 Amp (Raw Material) | 36 | [Signature] | [Signature] | |
| 146 | Working Bench 2.5m X 1.2m X 0.75m | 3 | [Signature] | [Signature] | |
| 147 | Five Extinguisher CO2, 2kg | 2 | [Signature] | [Signature] | |
| 148 | Tachometer | 1 | [Signature] | [Signature] | |
| 149 | Current Transformer 415Volt, 50Hz, Pt Ratio 11kv/110v, 10va | 1 | [Signature] | [Signature] | |
| 150 | Potential Transformer 415Volt, 50Hz, Pt Ratio 11kv/110v, 10va | 1 | [Signature] | [Signature] | |
| 151 | Tong Tester/Clamp Meter 0-100 Amp AC | 1 | [Signature] | [Signature] | |
| 152 | Megger 500 Volts | 1 | [Signature] | [Signature] | |
| 153 | Contactors & Auxiliary Contacts 3-Phase 110 Volt, 16Amp (Raw Material) | 1 | [Signature] | [Signature] | |
| 154 | Limit Switch (Raw Material) | 1 | [Signature] | [Signature] | |
| 155 | Rotary Switch 16A (Raw Material) | 1 | [Signature] | [Signature] | |
| 156 | Load Bank 5KW (Lamp/Heater Type) | 1 | [Signature] | [Signature] | |
| 157 | Brake Test Arrangement with Two Spring Balance 0 To 25 Kg Rating | 1 | [Signature] | [Signature] | |
| 158 | Knife Switch DPDT Fitted with Fuse Terminals 16amp (Raw Material) | 1 | [Signature] | [Signature] | |
| 159 | Knife Switch TPDT Fitted with Fuse Terminals 16amp (Raw Material) | 1 | [Signature] | [Signature] | |

| STOCK REGISTER-ELECTRICAL HOME LAB | | | | | |
|------------------------------------|---|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 100 | Voltage Stabilizer Input: 150-230 Volt AC Output: 220 Volt AC | 1 | SS | OSK | |
| 101 | 3-Point D.C Starter | 1 | SS | OSK | |
| 102 | 4-Point D.C Starter | 1 | SS | OSK | |
| 103 | Electrical Machine Trainer | 1 | SS | OSK | |
| 104 | Motor Generator (AC To DC) | 1 | SS | OSK | |
| 105 | Umsd DC Generators Series & Shunt & Compound Type | 1 | SS | OSK | |
| 106 | D.C Shunt Generator with Control Panel 2.5kw 220V | 1 | SS | OSK | |
| 107 | D.C Compound Generator with Control Panel 2.5kw 220V | 1 | SS | OSK | |
| 108 | DC Series Motor Coupled with Mechanical Load 0.5 To 2.5kw 220 Volts | 1 | SS | OSK | |
| 109 | DC Shunt Motor 2 To 2.5kw 220 Volts | 1 | SS | OSK | |
| 110 | DC Compound Motor with Starter & Switch 2 To 2.5 Kw 220 Volts | 1 | SS | OSK | |
| 111 | Single Phase Transformer Core Type Air Cooled 1 kVa 240V/415V/50 Hz | 1 | SS | OSK | |
| 112 | Three Phase Transformer Shell Type Oil Cooled with All Mounting 3kva 415/240v | 1 | SS | OSK | |
| 113 | Oscilloscope Dual Trace 30mhz | 1 | SS | OSK | |
| 114 | Function Generator | 1 | SS | OSK | |
| 115 | Discrete Component Trainer | 1 | SS | OSK | |
| 116 | Linear IC Trainer | 1 | SS | OSK | |
| 117 | Digital IC Trainer | 1 | SS | OSK | |
| 118 | Hygrometer | 1 | SS | OSK | |
| 119 | Starters For 2 to 5 Hp Ac Motors | 1 | SS | OSK | |

| STOCK REGISTER-ELECTRICAL HOME LAB | | | | | |
|------------------------------------|--|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 120 | Rheostat-10A, 25 Ohms | 1 | SS | OSK | |
| 121 | Direct on-Line Starter | 1 | SS | OSK | |
| 122 | Star Delta Starter Manual, Semi-Automatic and Automatic | 1 | SS | OSK | |
| 123 | Auto Transformer | 1 | SS | OSK | |
| 124 | Motor Generator (DC To AC) | 1 | SS | OSK | |
| 125 | AC Squirrel Cage Motor with Star Delta Starter | 1 | SS | OSK | |
| 126 | AC Phase Wound Slip Ring Motor with Starter | 1 | SS | OSK | |
| 127 | Ac Series Type Motor with Mechanical Load 1/4 Hp 230 v 50hz | 1 | SS | OSK | |
| 128 | Single Phase Capacitor Motor with Starter Switch 1 Hp 230 Volt 50 Hz | 1 | SS | OSK | |
| 129 | Universal Motor with Starter /Switch 250 Volt 50 Hz 1/4 Hp | 1 | SS | OSK | |
| 130 | Stepper Motor with Digital Controller | 1 | SS | OSK | |
| 131 | Shaded Pole Motor | 1 | SS | OSK | |
| 132 | Oven Stove | 1 | SS | OSK | |
| 133 | Synchronous Motor 3 Phase 3 Hp 415 v 50 Hz 4 Pole with Accessories | 1 | SS | OSK | |
| 134 | Lux Meter | 1 | SS | OSK | |
| 135 | Electric Hot Plate 1500 watt | 2 | SS | OSK | |
| 136 | Electric Kettle 1500 watt | 2 | SS | OSK | |
| 137 | Electric Iron 1500 Watt | 2 | SS | OSK | |
| 138 | Immersion Heater 1500 Watt | 2 | SS | OSK | |
| 139 | A.C Fan | 2 | SS | OSK | |

| STOCK REGISTER-ELECTRICAL HOME LAB | | | | | |
|------------------------------------|--|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 200 | Reyser (Storage Type) 15 Ltr Minimum | 1 | AS | BSK | |
| 201 | Mixer & Grinder | 1 | AS | BSK | |
| 202 | Pentium IV Computer Or Latest 2.8 Ghz & Above 1gb Ram 80gb HDD | 1 | AS | BSK | |
| 203 | Inkjet/Laser Printer | 2 | AS | BSK | |
| 204 | Washing Machine | 1 | AS | BSK | |
| 205 | Motor Pump Set 1Hp 1 Phase 240volt | 1 | AS | BSK | |
| 206 | Panel Board 3R 15 SURFACE METAL DB (SCHNEIDER - A9HFD396) - Schneider Electric | 6 | AS | BSK | |
| 207 | Residual Current Circuit Breaker 40A Type AC - RCCB H H 40A 30ma AC - Schneider Electric 2-Pole | 12 | AS | BSK | |
| 208 | Residual Current Circuit Breaker 40 A Type AC - RCCB40A 30ma A - Schneider Electric 4-Pole | 6 | AS | BSK | |
| 209 | Residual Current Circuit Breaker 40A Type AC - RCCB H H 40A 300ma AC - Schneider Electric 2 Pole | 6 | AS | BSK | |
| 210 | Modular Circuit Breaker Type C2A - MCB1Ph N 2A C - Schneider Electric | 6 | AS | BSK | |
| 211 | Modular Circuit Breaker Type C20A - MCB1Ph N 20A C - Schneider Electric | 36 | AS | BSK | |
| 212 | Modular Circuit Breaker Type C25A - MCB1Ph N 25A C - Schneider Electric | 6 | AS | BSK | |
| 213 | Modular Circuit Breaker Type C32A - MCB1Ph N 32A C - Schneider Electric | 6 | AS | BSK | |
| 214 | Modular Contactors - Cbitic Connector with ON OFF Selection - Schneider Electric | 6 | AS | BSK | |
| 215 | Modular Impulse Relays - Tticic 16A 1P - Schneider Electric | 6 | AS | BSK | |
| 216 | Modular Time Switches - TIME SWITCH 20H WITHOUT POWER RESERVE A9 - Schneider Electric | 6 | AS | BSK | |
| 217 | Modular Timers - ELECTRONIC TIMER 30 SEC TO 20 MINS ACT19 - Schneider Electric | 6 | AS | BSK | |

| STOCK REGISTER-ELECTRICAL HOME LAB | | | | | |
|------------------------------------|---|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 218 | Twilight Switches - TWI SWI 200 LUX 1CHANNEL IC100 1C ACT19 - Schneider Electric | 6 | AS | BSK | |
| 219 | Earth Tester with Connecting Leads and Spikes (MacB Or Equivalent) - Measuring Instrument | 1 | AS | BSK | |
| 220 | Industrial Trainer Work Bench IIT Model Consists of The Following | 1 | AS | BSK | |
| 221 | Dial Starter Panel | 1 | AS | BSK | |
| 222 | Contactors Panels | 3 | AS | BSK | |
| 223 | O/L Relay Panel | 1 | AS | BSK | |
| 224 | Cam Switch Panel | 1 | AS | BSK | |
| 225 | Push Button Panel | 1 | AS | BSK | |
| 226 | Alarm Panel | 1 | AS | BSK | |
| 227 | SMPS Panel | 1 | AS | BSK | |
| 228 | Timer Panel | 1 | AS | BSK | |
| 229 | Proximity Panel | 1 | AS | BSK | |
| 230 | Relay Panel | 1 | AS | BSK | |
| 231 | Multi-Functional Panel Meter | 2 | AS | BSK | |
| 232 | Lamp Load Panel | 2 | AS | BSK | |
| 233 | 3 Ph Squirrel Cage Induction Motor | 2 | AS | BSK | |
| 234 | 3 Ph Squirrel Cage Induction Motor Semi Knock Down (Winding Practice) | 1 | AS | BSK | |
| 235 | Motor Feeder Kit and Teays Kit | 1 | AS | BSK | |
| 236 | Variable Frequency Drive For 2 Hp Ac Motor Speed Control - Schneider Electric | 1 | AS | BSK | |

| STOCK REGISTER-ELECTRICAL HOME LAB | | | | | |
|------------------------------------|---|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 237 | 2.2 K Potentiometer | 1 | SI | OSK | |
| 238 | Base for D22 Control | 4 | SI | OSK | |
| 239 | Power Suite -- Schneider Electric | 1 | SI | OSK | |
| 240 | Soft Motor Starter -- Schneider Electric | 1 | SI | OSK | |
| 241 | Motor Starter Pack -Teays | 1 | SI | OSK | |
| 242 | Auxiliary Contact Module (2.5A/250V) | 1 | SI | OSK | |
| 243 | Standard Control Unit | 1 | SI | OSK | |
| 244 | Auxiliary Contact (2A/24V) | 1 | SI | OSK | |
| 245 | Reverser Block | 1 | SI | OSK | |
| 246 | Prewired Block | 1 | SI | OSK | |
| 247 | Power Base | 1 | SI | OSK | |
| 248 | Magnetic Circuit Breaker | 1 | SI | OSK | |
| 249 | MPCB (Motor Protection Circuit Breaker) | 1 | SI | OSK | |
| 250 | Metal Base / Mounting Plate | 1 | SI | OSK | |
| 251 | Isolator Switch with Fuse 500 V - Schneider Electric | 1 | SI | OSK | |
| 252 | Rotary Switch 240V/ 3A - Schneider Electric | 1 | SI | OSK | |
| 253 | Contact Block - Schneider Electric | 1 | SI | OSK | |
| 254 | Contactors 24V/50/60Hz Suitable For 4kA/800V-Schneider Electric | 3 | SI | OSK | |
| 255 | Relay 2.5-4A - Schneider Electric | 1 | SI | OSK | |
| 256 | Terminal Block | 1 | SI | OSK | |

| STOCK REGISTER-ELECTRICAL HOME LAB | | | | | |
|------------------------------------|---|-------|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 257 | Reversing Contactor, | 1 | SI | OSK | |
| 258 | Time Delay Block - Schneider | 2 | SI | OSK | |
| 259 | 10A 4P MCB - Schneider Electric | 1 | SI | OSK | |
| 260 | 4P- 25A - 30 Ma AC-Add On Current Device - Schneider | 1 | SI | OSK | |
| 261 | Complete Control Station Enclosure - 3 Button | 1 | SI | OSK | |
| 262 | 1 Pole 16A MCB | 1 | SI | OSK | |
| 263 | Limit Switch | 1 | SI | OSK | |
| 264 | Isolation Transformer-400VA Schneider Electric | 1 | SI | OSK | |
| 265 | USB Flash Memory Drive - 4 GB Pen Drive | 1 | SI | OSK | |
| 266 | Transformer Core Set Of 5 | 1 | SI | OSK | |
| 267 | Perforated Chasals | 2 pak | SI | OSK | |
| 268 | Rubber Hammer | 1 | SI | OSK | |
| 269 | Nylon Hammer | 1 | SI | OSK | |
| CONSUMABLES | | | | | |
| 270 | Batten Lamps 220V - Dom Loose Mat | 18 | SI | OSK | |
| 271 | 50 Meters Grey 10 TA Sheath Diameter 16mm, 20mm (Flexible Pipe)-Dom Loose Mat | 25mts | SI | OSK | |
| 272 | Saddle 16 mm - Dom Loose Mat | 100 | SI | OSK | |
| 273 | Saddle 20 mm - Dom Loose Mat | 100 | SI | OSK | |
| 274 | Wooden Screw - Dom Loose Mat | 200 | SI | OSK | |
| 275 | Clips for ISR Pipe 16 Et 20 mm - Dom Loose Mat | 100 | SI | OSK | |

| STOCK REGISTER-ELECTRICAL HOME LAB | | | | | |
|------------------------------------|--|-----|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 276 | Cable Tie - Dom Loose Mat | 150 | ST | ASK | |
| 277 | Connector "Domino" 4mm ² - Dom Loose Mat Grey | 150 | ST | ASK | |
| 278 | 1.5 Sq mm Red - Dom Loose Mat | 4 | ST | ASK | |
| 279 | 1.5 Sq mm Blue - Dom Loose Mat | 4 | ST | ASK | |
| 280 | 1.5 Sq mm Yellow - Dom Loose Mat | 4 | ST | ASK | |
| 281 | 1.5 Sq mm Black - Dom Loose Mat | 4 | ST | ASK | |
| 282 | 1.5 Sq mm Yellow-Green - Dom Loose Mat | 1 | ST | ASK | |
| 283 | 2.5 Sq mm Red - Dom Loose Mat | 3 | ST | ASK | |
| 284 | 2.5 Sq mm Blue - Dom Loose Mat | 3 | ST | ASK | |
| 285 | 2.5 Sq mm Yellow - Dom Loose Mat | 3 | ST | ASK | |
| 286 | 2.5 Sq mm Black - Dom Loose Mat | 3 | ST | ASK | |
| 287 | 2.5 Sq mm Yellow-Green - Dom Loose Mat | 1 | ST | ASK | |
| 288 | 4 Sq mm Red - Dom Loose Mat | 1 | ST | ASK | |
| 289 | 4 Sq mm Blue - Dom Loose Mat | 1 | ST | ASK | |
| 290 | 4 Sq mm Yellow - Dom Loose Mat | 1 | ST | ASK | |
| 291 | 4 Sq mm Black - Dom Loose Mat | 1 | ST | ASK | |
| 292 | 4 Sq mm Yellow-Green - Dom Loose Mat | 1 | ST | ASK | |
| 293 | 2.5 Sq mm 4 Core Cable | 25m | ST | ASK | |
| 294 | 12 Way 10A Strip Connectors | 100 | ST | ASK | |
| 295 | 25 mm T-Joint | 50 | ST | ASK | |

| STOCK REGISTER-ELECTRICAL HOME LAB | | | | | |
|------------------------------------|--|--------|--------------------------------|------------------|---------|
| Sl.no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 296 | 25 mm T-Joint | 50 | ST | ASK | |
| 297 | 15mm Straight Joints | 50 | ST | ASK | |
| 298 | 25mm Straight Joints | 50 | ST | ASK | |
| 299 | Insulation Tape | 20 | ST | ASK | |
| 300 | Long L Bends | 24 | ST | ASK | |
| 301 | Goggles | 10 pak | ST | ASK | |
| 302 | Hexagonal Screws | 2 pak | ST | ASK | |
| 303 | Screw Terminals Green Yellow - 4 Sq mm | 100 | ST | ASK | |
| 304 | Screw Terminals Grey 6Sq mm | 50 | ST | ASK | |
| 305 | Screw Terminals Grey - 30sq mm | 50 | ST | ASK | |
| 306 | End Brackets - 35mm | 50 | ST | ASK | |
| 307 | End Cover for Screw Terminals | 50 | ST | ASK | |
| 308 | PVC Conduit Pipe | 10 | ST | ASK | |

STOCK REGISTER-ELECTRICAL HOME LAB

This is to certify that, the items mentioned from SI.No. 01 to SI.No. 010 against the quantity in the ELECTRICAL HOME LAB are found correct and are in good working condition except the SI.Nos. having remarks

Handed Over by

B.S.K.
Cluster Incharge from Designtech
Banta District Nagar
DesignTech Systems Pvt. Ltd.

P. S. ...
Project Manager from Designtech



Srikari Prasad Popuri
DesignTech Systems Pvt. Ltd.
DesignTech Systems Pvt. Ltd.
Commerce Centre, Rameshwari Colony,
Paul Road, Nellore, Pin - 517033.

Taken Over by

...
SPOC from Hosting Institution
NH-10, Chaitanya Knowledge City
RAJAHMUNDRY

...
Hosting Institution Principal

SHADI SHADIC
Centre Incharge from APSSDC

...
Area Coordinator from APSSDC
Academy Registrar, Latham
APSSDC - SIEMENS Project

STOCK REGISTER-ELECTRICAL HOME LAB

STOCK REGISTER-ELECTRICAL HOME LAB

STOCK REGISTER-ELECTRICAL HOME LAB

STOCK REGISTER-ELECTRICAL HOME LAB

| APSSDC-SIEMENS PROJECT | | | | | |
|---|---|-----|--------------------------------|------------------|---------|
| GODAVARI INSTITUTE OF ENGINEERING AND TECHNOLOGY, RAJAHMUNDRY | | | | | |
| STOCK REGISTER-R&AC LAB | | | | | |
| Sl. no. | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 1 | File Flat Rough Double Cut 200mm | 1 | Aj | RSK | |
| 2 | File Halfround Fine Double Cut Length 150mm | 1 | Aj | RSK | |
| 3 | Flat Fine File 150mm Length | 1 | Aj | RSK | |
| 4 | Flat Rough File 150mm Length | 1 | Aj | RSK | |
| 5 | Round Rough File 150mm Length | 1 | Aj | RSK | |
| 6 | Triangular Rough File 150mm Length | 1 | Aj | RSK | |
| 7 | File Round Fine Double Cut Length 150mm | 1 | Aj | RSK | |
| 8 | File Square Fine Double Cut Length 150mm | 1 | Aj | RSK | |
| 9 | File Triangular Fine Double Cut Length 150mm | 1 | Aj | RSK | |
| 10 | Square Rough File 150mm Length | 1 | Aj | RSK | |
| 11 | Hammer Ball Peen 250gms | 3 | Aj | RSK | |
| 12 | Steel Rule 1 Feet | 3 | Aj | RSK | |
| 13 | Measuring Tape 3M | 6 | Aj | RSK | |
| 14 | Pliers Combination Insulated Length 200mm | 3 | Aj | RSK | |
| 15 | Long Nose Plier 200mm | 2 | Aj | RSK | |
| 16 | Snip Sheet Metal Curved Nose 200mm | 3 | Aj | RSK | |
| 17 | Line Tester Heavy Duty | 3 | Aj | RSK | |
| 18 | Bench Vice 125 mm & 150 mm Each | 1 | Aj | RSK | |
| 19 | Hack Saw Tubular Metal Frame Adjustable 300mm | 2 | Aj | RSK | |

| STOCK REGISTER-R&AC LAB | | | | | |
|-------------------------|--|-----|--------------------------------|------------------|---------|
| Sl. no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 20 | Wooden Mallet | 2 | Aj | RSK | |
| 21 | Portable Electrical Drill With Chuck And Key Capacity 6.4mm | 1 | Aj | RSK | |
| 22 | Screw Drivers, Plastic Handle 6mm TIP Length 100mm | 1 | Aj | RSK | |
| 23 | Screw Drivers, Plastic Handle Flat Tip 10mm TIP Length 200mm | 1 | Aj | RSK | |
| 24 | Clamp On Multimeter Digital Type | 2 | Aj | RSK | |
| 25 | Double Ended Spanner 6-32mm Set Of 6 Spanners | 1 | Aj | RSK | |
| 26 | Ring Spanner 6-32mm | 1 | Aj | RSK | |
| 27 | Flaring Tool Set Single Type For Tube 4.7 To 16mm O.D-Flaring Tool | 2 | Aj | RSK | |
| 28 | Swaging Tool (Punch Type) For Tube 4.7mm To 16mm Size O.D-Swaging Tool | 1 | Aj | RSK | |
| 29 | Bending Spring External Type For Copper Tubes 1/4", 3/8", 5/8" Spring Benders Set Of 3 Sizes | 1 | Aj | RSK | |
| 30 | Pinch Of Plier For Copper Tube 6mm To 12mm | 4 | Aj | RSK | |
| 31 | Ratchet Handle Only | 1 | Aj | RSK | |
| 32 | Ratchet Combination Spanner Set Of 7 | 1 | Aj | RSK | |
| 33 | Ratchet Screw Driver | 1 | Aj | RSK | |
| 34 | Capillary Tube Size Finder | 1 | Aj | RSK | |
| 35 | Spanner Double Ended 4.7mm To 16mm - Set Of 8 Spanners | 1 | Aj | RSK | |
| 36 | Valve Key Handle 4.7mm B. 6.4mm Sq. | 2 | Aj | RSK | |
| 37 | Service Man Thermometer Digital / RH | 3 | Aj | RSK | |
| 38 | L-Allen Key Set Sizes 1.5mm To 6.4mm | 1 | Aj | RSK | |
| 39 | T-Allen Key Set Sizes 5/32" To 1/8" | 1 | Aj | RSK | |

| STOCK REGISTER-R&AC LAB | | | | | |
|-------------------------|--|-----|--------------------------------|------------------|---------|
| Sl. no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 40 | Multi Tube Bender (1/4", 3/8", 5/16") | 1 | Aj | RSK | |
| 41 | Sling Psychrometer | 6 | Aj | RSK | |
| 42 | Portable Air Blower 1/10 Hp | 2 | Aj | RSK | |
| 43 | Spirit Level Precision Metallic 1METER | 1 | Aj | RSK | |
| 44 | Spirit Level 1/2meter | 1 | Aj | RSK | |
| 45 | Plumb Bob | 2 | Aj | RSK | |
| 46 | Micron Vacuum Gauge Capable Of Reading Up To 20microns | 1 | Aj | RSK | |
| 47 | Fin Comb | 7 | Aj | RSK | |
| 48 | Anemometer Digital | 1 | Aj | RSK | |
| 49 | Instrumentation Screw Driver Set 100mm | 1 | Aj | RSK | |
| 50 | Scissors (Small Size) - Brass | 4 | Aj | RSK | |
| 51 | Tool Bag | 1 | Aj | RSK | |
| 52 | Anchor Fastener 3/8" | 12 | Aj | RSK | |
| 53 | Anchor Fastener 1/2" | 12 | Aj | RSK | |
| 54 | Cleaning Brush | 2 | Aj | RSK | |
| 55 | Blow Lamp Holder | 2 | Aj | RSK | |
| 56 | Drill Bits | 4 | Aj | RSK | |
| 57 | Scriber 150mm Length | 1 | Aj | RSK | |
| 58 | Center Punch Length 100mm | 1 | Aj | RSK | |
| 59 | Try Square | 2 | Aj | RSK | |

| STOCK REGISTER-R&AC LAB | | | | | |
|-------------------------|--|-----|--------------------------------|------------------|---------|
| Sl. no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 60 | Divider Spring Joint | 1 | Aj | RSK | |
| 61 | Calliper Spring Jokes Inside Length 150mm | 1 | Aj | RSK | |
| 62 | Calliper Odd Leg Spring Joint Length 150mm | 1 | Aj | RSK | |
| 63 | Cold Chisel Cross Cut Length 150mm | 1 | Aj | RSK | |
| 64 | Measuring Tape 10M | 1 | Aj | RSK | |
| 65 | Twenners 10cm | 1 | Aj | RSK | |
| 66 | Oil Can 250ml | 1 | Aj | RSK | |
| 67 | Surface Gauge Universal 150mm | 1 | Aj | RSK | |
| 68 | Snip Sheet Metal Straight Nose 200mm | 2 | Aj | RSK | |
| 69 | Screw Drivers Plastic Handle Flat Tip 3mm Tip Length 100mm | 1 | Aj | RSK | |
| 70 | Soldering Iron Exchangeable Copper Tip 60 watts | 1 | Aj | RSK | |
| 71 | Digital Voltmeter AC/DC | 1 | Aj | RSK | |
| 72 | Digital Ammeter AC/DC | 2 | Aj | RSK | |
| 73 | Megger 1000V | 1 | Aj | RSK | |
| 74 | Wattmeter Multi Range Up To 1kw | 2 | Aj | RSK | |
| 75 | Multimeter Digital Type | 1 | Aj | RSK | |
| 76 | Files Chisel 6, 12, 25mm | 1 | Aj | RSK | |
| 77 | Service Oscillator | 1 | Aj | RSK | |
| 78 | Tong Close Mouth And Pick Up | 2 | Aj | RSK | |
| 79 | Swaging Tool, Screw Type With Adaptor Set Of 6 | 1 | Aj | RSK | |

| STOCK REGISTER-R&AC LAB | | | | | |
|-------------------------|--|-----|--------------------------------|------------------|---------|
| Sl. no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 80 | Ring Spanner Off Set 4.7mm To 16mm | 1 | Aj | RSK | |
| 81 | Compound Gauge Digital Type With Recalibration | 1 | Aj | RSK | |
| 82 | Pressure Gauge Digital Type With Recalibration | 1 | Aj | RSK | |
| 83 | Scissor Gasket Cutting Steel Length 25mm | 1 | Aj | RSK | |
| 84 | Tube Cutter 3mm To 16mm | 4 | Aj | RSK | |
| 85 | Pipe Wrench Size 50mm To 150mm | 1 | Aj | RSK | |
| 86 | Gas Leak Detector For Halogen Gas | 1 | Aj | RSK | |
| 87 | Hammer Ball Peen 340 gms | 2 | Aj | RSK | |
| 88 | Puller 3 Legged With Flexible Arm 300mm | 1 | Aj | RSK | |
| 89 | Tap Set With Matching Drills 3mm To 16mm | 1 | Aj | RSK | |
| 90 | Stop Watch | 1 | Aj | RSK | |
| 91 | Tap Set With Matching Drills 1/4" To 5/8" | 1 | Aj | RSK | |
| 92 | Vernier Caliper Length 200mm | 1 | Aj | RSK | |
| 93 | Micrometer Outside Measurement 0 To 25mm | 1 | Aj | RSK | |
| 94 | Heating Kit With Infrared Bulb (200w Capacity) | 1 | Aj | RSK | |
| 95 | Multimeter Analogue Type | 1 | Aj | RSK | |
| 96 | Digital Tachometer | 1 | Aj | RSK | |
| 97 | Digital Sensor Thermometer - 50 Degree Celsius To 150 Degree Celsius | 1 | Aj | RSK | |
| 98 | Feeler Gauge 0.05mm - 1mm | 1 | Aj | RSK | |
| 99 | Analog Thermometer Armored Capillary Dial 75mm | 1 | Aj | RSK | |

| STOCK REGISTER-REAC LAB | | | | | |
|-------------------------|--|-----|--------------------------------|------------------|---------|
| Sl. no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 100 | Compressor Tester | 1 | Aj | RSK | |
| 101 | Digital Thermometer | 1 | Aj | RSK | |
| 102 | Temperature & Humidity Recorder Capacity To Record 24hrs | 1 | Aj | RSK | |
| 103 | Cutting Plier | 3 | Aj | RSK | |
| 104 | Wire Stripper | 1 | Aj | RSK | |
| 105 | Adjustable Spanner Length 150mm | 2 | Aj | RSK | |
| 106 | Adjustable Spanner 200mm | 2 | Aj | RSK | |
| 107 | Adjustable Spanner 250mm | 3 | Aj | RSK | |
| 108 | Spanner Sets Given To 22mm | 1 | Aj | RSK | |
| 109 | Long Screwdriver Star S62 X 200mm | 1 | Aj | RSK | |
| 110 | Rawal Plug Tool Royal Jumper With Bit | 2 | Aj | RSK | |
| 111 | Wire Gauge | 1 | Aj | RSK | |
| 112 | Short Nose Plier 6" | 1 | Aj | RSK | |
| 113 | Round Nose Plier 6" | 1 | Aj | RSK | |
| 114 | Screwdriver Set Height 11 cm | 1 | Aj | RSK | |
| 115 | Chisel | 1 | Aj | RSK | |
| 116 | Nylon Hammer | 1 | Aj | RSK | |
| 117 | Rubber Hammer | 1 | Aj | RSK | |
| 118 | Monkey Plier | 1 | Aj | RSK | |
| 119 | 3 Feet Steel Rule | 3 | Aj | RSK | |

| STOCK REGISTER-REAC LAB | | | | | |
|-------------------------|--|-----|--------------------------------|------------------|---------|
| Sl. no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 120 | Magnetic Stand With Dial Indicator | 1 | Aj | RSK | |
| 121 | Ball Peen Hammer With 800 gm | 1 | Aj | RSK | |
| 122 | Screw Extractor Set | 2 | Aj | RSK | |
| 123 | Spanner Double Ended 19mm To 31.5mm | 1 | Aj | RSK | |
| 124 | Crimping Pliers Set | 2 | Aj | RSK | |
| 125 | Adjustable Hand Reamer | 2 | Aj | RSK | |
| 126 | Refrigerant Cylinder - 2.5kg | 2 | Aj | RSK | |
| 127 | Refrigerant Cylinder - 10kg | 1 | Aj | RSK | |
| 128 | Refrigerant Cylinder - 5kg | 2 | Aj | RSK | |
| 129 | Digital Weighing Machine 10kg | 1 | Aj | RSK | |
| 130 | Gauge Manifold With Hose | 2 | Aj | RSK | |
| 131 | Portable Vacuum Pump 2 Stage | 1 | Aj | RSK | |
| 132 | Window A.C 1.5 Ton With R-22 (2 Star) With Stand/Frame | 1 | Aj | RSK | |
| 133 | Split A.C 1.5 Ton With R-22 Highwall Split (2 Star) With Stand/Frame | 1 | Aj | RSK | |
| 134 | Ductable Split A.C With Scroll Compressor R-22, 5.5TR With Stand/Frame | 1 | Aj | RSK | |
| 135 | Cassette Air Conditioner Unit - 1.5TR With Stand/Frame | 1 | Aj | RSK | |
| 136 | Stainless Steel Water Cooler - 20 Ltr With Stand/Frame | 1 | Aj | RSK | |
| 137 | VRF IV Plus System Outdoor Unit Only With Inverter Compressor - BHP With Stand/Frame | 1 | Aj | RSK | |
| 138 | Bottle Cooler Hard Top - 300 Ltr Carrying With R134 A, With Stand/Frame | 1 | Aj | RSK | |
| 139 | Deep Freezer 100 L Carrying With R134 A, With Stand/Frame | 1 | Aj | RSK | |

| STOCK REGISTER R&AC LAB | | | | | |
|-------------------------|--|-----|--------------------------------|------------------|---------|
| Sl. no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 140 | Scroll Chiller (Atruncated) - 10 FKH (Only Outdoor) With Stand/Frame | 1 | Dj | BSK | |
| 141 | Bottle Water Dispenser With Stand/Frame | 1 | Dj | BSK | |
| 142 | Cold Room - 6000 BTU/hr | 1 | Dj | BSK | |
| 143 | Anvil Stand 100X200 mm | 1 | Dj | BSK | |
| 144 | Anvil Block | 1 | Dj | BSK | |
| 145 | Fire Extinguisher ABC Dry Powder Type 2 Kg Capacity | 1 | Dj | BSK | |
| 146 | Fire Buckets 10 Liters | 1 | Dj | BSK | |
| 147 | Split Phase Induction Motor 1/4 Hp, 230V | 1 | Dj | BSK | |
| 148 | Capacitor Start Induction Motor 1/2 Hp, 230 V | 1 | Dj | BSK | |
| 149 | AC 3 Phase Motor, 2 Hp | 1 | Dj | BSK | |
| 150 | Star Delta Starter | 1 | Dj | BSK | |
| 151 | Auto Transformer Starter | 1 | Dj | BSK | |
| 152 | D.O.L Starter | 1 | Dj | BSK | |
| 153 | Portable O2-LPG Brazing Kit With 2 Kg LPG Cylinder, Torches, Nozzles | 1 | Dj | BSK | |
| 154 | Refrigerator 174 L Carrying With R600a | 1 | Dj | BSK | |
| 155 | Refrigerator 190 L Carrying With R600a | 1 | Dj | BSK | |
| 156 | 3/4 Door Refrigerator 300 L Carrying With R600a | 1 | Dj | BSK | |
| 157 | Air Compressor | 1 | Dj | BSK | |
| 158 | Recovery Unit R134a | 1 | Dj | BSK | |
| 159 | Recovery Unit R22 | 1 | Dj | BSK | |

| STOCK REGISTER R&AC LAB | | | | | |
|-------------------------|--|---------|--------------------------------|------------------|---------|
| Sl. no | Full Description of the Equipment | Qty | Initials of | | Remarks |
| | | | Domain Trainer/Center Incharge | Cluster Incharge | |
| 160 | Circulating Pump Set With Stainless Steel Impeller And Joints | 1 | Dj | BSK | |
| 161 | Shell And Tube Type Condenser 5ton | 1 | Dj | BSK | |
| 162 | Rotary Hermetic Compressor 2ton | 1 | Dj | BSK | |
| 163 | AC Service Unit | 1 | Dj | BSK | |
| 164 | Car AC Tutorial Model | 1 | Dj | BSK | |
| 165 | Ball Peen Hammer With 450 gm | 1 | Dj | BSK | |
| 166 | Nitrogen Gas Cylinder, Hose, Pressure Reducing Valve, Cylinder Trolley | 1 | Dj | BSK | |
| CONSUMABLES | | | | | |
| 167 | Capacitor 36 Mfd | 2 | Dj | BSK | |
| 168 | Capacitor 45 Mfd | 2 | Dj | BSK | |
| 169 | 1/4" Transparent PVC Tube | 7 | Dj | BSK | |
| 170 | Cotton Waste | 5 | Dj | BSK | |
| 171 | Gripping Rawal Plug 6 mm(Packets) | 2 | Dj | BSK | |
| 172 | Insulation Tape | 1 | Dj | BSK | |
| 173 | Hacksaw Blade HSS | 8 | Dj | BSK | |
| 174 | Copper Tube 1/4" | 10 mtrs | Dj | BSK | |
| 175 | Copper Tube 5/8" | 10 mtrs | Dj | BSK | |
| 176 | Copper Tube 3/8" | 10 mtrs | Dj | BSK | |
| 177 | Copper Tube 1/2" | 10 mtrs | Dj | BSK | |
| 178 | 2.5mm 4 Core 100M Flexible Coil | 50 mtrs | Dj | BSK | |
| 179 | Electrical Components & Wiring Harness | 1 | Dj | BSK | |
| 180 | 3/8" Bolt Nut With Washer | 24 | Dj | BSK | |

STOCK REGISTER-R&AC LAB

This is to certify that, the items mentioned from SI.No 67 to SI.No 100 against the quantity in the R&AC LAB are found correct and are in good working condition except the SI.Nos having remarks

Handed Over by

BSH
Cluster Incharge from Designtech
Designtech Systems Pvt. Ltd.

P. Lakshmi
Project Manager from Designtech



Designtech Systems Pvt. Ltd.
Designtech Systems Pvt. Ltd.
Designtech Systems Pvt. Ltd.
Designtech Systems Pvt. Ltd.
Designtech Systems Pvt. Ltd.

Taken Over by

G. S. S.
SPOC from Hosting Institution

[Signature]
Hosting Institution Principal

[Signature]
Centre Incharge from APSSDC
SHARSHAR

[Signature]
Area Coordinator from APSSDC
APSSDC - Successful project

STOCK REGISTER-R&AC LAB

STOCK REGISTER-R&AC LAB

STOCK REGISTER-R&AC LAB

STOCK REGISTER-RBAC LAB

STOCK REGISTER

STOCK REGISTER

